Name	: **SAMPLE REPORT**		
Lab No.	: **********	**Age**	: ** Years
Ref By	: DR **********	**Gender**	: *******
Collected	: **/**/****	**Reported**	: **********
A/c Status	: P	**Report Status**	: Final
Collected at	**********	**Processed at**	: **********

MC-2113

Test Report

Test Name	Results	Units	Bio. Ref. Interval
CYTOMEGALOVIRUS (CMV) PCR, QUANTITATIVE (Real Time PCR)			
Type of Specimen	EDTA PLASMA		
Cytomegalovirus (CMV) DNA	Target Not Detected	IU/mL	

Interpretation

RESULT IN IU/mL	RESULT IN log(IU/mL)	Analytical Interpretation
Target not detected	Target not detected	CMV DNA not detected
<35	-	CMV DNA detected, less than 35 IU/ml
>=35 to <= 10000000	-	CMV DNA detected within the linear range of the assay
>10000000	-	CMV DNA detected,greater than >10000000 IU/ml

Note

1. This test is performed on plasma or serum sample only.
2. Linear reporting range of the assay is 35 to 1 x 10000000 IU/ml.

Clinical Interpretation

1. A “Target Not Detected” result indicates there is no current CMV infection detected in the given sample. If patient tested for viral load assessment, routine clinical follow-up as suggested by the treating clinician.
2. CMV DNA detected “< 35 IU/mL” result indicates Low-level CMV viremia, may indicate previous spontaneous or treatment-related resolution of CMV infection. Routine clinical follow-up as instructed by the treating clinician is suggested.
3. The presence of CMV DNA viral load in the range “35 to 10000000 IU/mL” indicates an active infection in the linear range of the test.
4. The detection of viral load “> 10000000 IU/mL” indicates presence of CMV viral load above upper limit of quantification of the assay.
5. The presence of CMV DNA in a sample does not always imply active infection. The diagnosis of CMV infection must be made using a combination of clinical suspicion, physical exam, and detection of the virus.
6. The results of this report should be correlated clinically and interpreted in conjunction with the patient’s symptoms, history, and other diagnostic information.

Usage

This test is used in conjunction with other laboratory markers of disease for clinical management of CMV

Sample Report

Name	: SAMPLE REPORT		Age	: ** Years
Lab No.	: **********		Gender	: *******
Ref By	: DR **********		Reported	: **********
Collected	: **/**/****		Report Status	: Final
A/c Status	: P		Processed at	: **********
Collected at	**********			

MC-2113

Test Report

Test Name	Results	Units	Bio. Ref. Interval
infected patients			
Assess prognosis of the disease			

Sample Report

IMPORTANT INSTRUCTIONS

•Test results released pertain to the specimen submitted.•All test results are dependent on the quality of the sample received by the Laboratory.•Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician .•Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted.•Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting.•Test results may show interlaboratory variations.•The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s).•Test results are not valid for medico legal purposes.•This is computer generated medical diagnostic report that has been validated by Authorized Medical Practitioner/Doctor.•The report does not need physical signature.

(#) Sample drawn from outside source.

If Test results are alarming or unexpected, client is advised to contact the Customer Care immediately for possible remedial action.

Tel: +91-11-49885050,Fax: - +91-11-2788-2134, E-mail: lalpathlabs@lalpathlabs.com

National Reference lab, Delhi, a CAP (7171001) Accredited, ISO 9001:2015 (FS60411) & ISO 27001:2013 (616691) Certified laboratory.