VIT - Vellore

Name: RONIT MEXSON

Email: ronit.mexson2024@vitstudent.ac.in

Roll no: 24BAI0036 Phone: 9999999999

Branch: ARUMUGA ARUN R_OOPS

Department: admin

Batch: VL2024250502365

Degree: admin



BCSE102P_Structured and Object Oriented Programming Lab_VL2024250502365

VIT V_Structured and OOP_Lab 4_COD_Medium_Array of Structure

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Rani wants to purchase n different books from a bookstore.

Create a structure called book with the following details: book ID, book's name, author, publisher, number of copies, and price.

If the price of the book is more than 500 rupees, a 10% tax should be added. For all other cases, a 5% tax should be added. Calculate the total amount that she has to pay.

Answer

// You are using GCC #include<stdio.h>

```
char book_id;
char book_name[100];
char author_name[100];
char publisher_name[100]
struct book{
 int book_id;
   int no_of_copies;
   float price;
};
int main(){
   int n;
   scanf("%d",&n);
   struct book b[n];
   for(int i = 0; i < n; i++){
     scanf("%d %s %s %s %d %f",&b[i].book_id,b[i].book_name,b[i].author_name,b[i
blisher_name,&b[i].no_of_copies,&b[i].price);
].publisher_name,&b[i].no_of_copies,&b[i].price);
   for(int i = 0; i < n; i++){
     if(b[i].price > 500){
        printf("%s %.2f\n",b[i].book_name,(b[i].price*1.10));
     }else{
        printf("%s %.2f\n",b[i].book_name,(b[i].price*1.05));
   }
   return 0;
                                                                                   Marks : 10/10
Status: Correct
```

ABA10036

10036 24BA10036 24BA10036