Launching EC2 instance




Launch an instance | EC2 | eu-n
https://eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances:
Gmail Maps New Tab News Translate YouTube Adobe Acrobat
Search [Alt+S]
Stockholm RONIT
EC2 > Instances > Launch an instance
systemd 219, GCC 7.3, Glibc 2.26, Binutils 2.29.1, and the latest software packages through extras. This AMI is the successor of the Amazon Linux AMI that is now under maintenance only mode and has been removed from this wizard.
Amazon Linux 2 Kernel 5.10 AMI 2.0.20241217.0 x86_64 HVM gp2
Architecture
64-bit (x86)
AMI ID
ami-0feeaea28736b320d
Username
ec2-user
Verified provider
Instance type Info | Get advice
Instance type
t3.micro
Free tier eligible
Family: t3 2 vCPU 1 GiB Memory Current generation: true
On-Demand Ubuntu Pro base pricing: 0.0143 USD per Hour
On-Demand RHEL base pricing: 0.0396 USD per Hour
On-Demand SUSE base pricing: 0.0108 USD per Hour
On-Demand Linux base pricing: 0.0108 USD per Hour
On-Demand Windows base pricing: 0.02 USD per Hour
All generations
Compare instance types
Additional costs apply for AMIs with pre-installed software
Key pair (login) Info
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2 Kernel 5.10 AMI...read more
ami-0feeaea28736b320d
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Free tier: In your first year includes 750 hours of t2.micro (or t3.micro in the
Cancel
Launch instance
Preview code
CloudShell Feedback
© 2024, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences
11°C Cloudy
Search
ENG IN
04:30 31-12-2024


Launch an instance | EC2 | eu-n
https://eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances:
Gmail Maps New Tab News Translate YouTube Adobe Acrobat
aws Search [Alt+S] Stockholm RONIT
EC2 > Instances > Launch an instance
▼ Key pair (login) Info
You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.
Key pair name - required
keys
Create new key pair
▼ Network settings Info
Edit
Network Info
vpc-04a80ad2ff54cb6a4
Subnet Info
No preference (Default subnet in any availability zone)
Auto-assign public IP Info
Enable
Additional charges apply when outside of free tier allowance
Firewall (security groups) Info
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.
Create security group
Select existing security group
We'll create a new security group called 'launch-wizard-1' with the following rules:
▼ Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2 Kernel 5.10 AMI...read more
ami-0feaea28736b320d
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Free tier: In your first year includes 750 hours of t2.micro (or t3.micro in the
Cancel
Launch instance
Preview code
CloudShell Feedback
© 2024, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences
11°C Cloudy
Search
ENG IN
04:34 31-12-2024


Launch an instance | EC2 | eu-n
https://eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances:
Gmail
Maps
New Tab
News
Translate
YouTube
Adobe Acrobat
aws
Search
[Alt+S]
Stockholm
RONIT
EC2 > Instances > Launch an instance
Network settings Info
Edit
Network Info
vpc-04a80ad2ff54cb6a4
Subnet Info
No preference (Default subnet in any availability zone)
Auto-assign public IP Info
Enable
Additional charges apply when outside of free tier allowance
Firewall (security groups) Info
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.
Create security group
Select existing security group
We'll create a new security group called 'launch-wizard-1' with the following rules:
Allow SSH traffic from
Helps you connect to your instance
Anywhere
0.0.0.0/0
Allow HTTPS traffic from the internet
To set up an endpoint, for example when creating a web server
Allow HTTP traffic from the internet
To set up an endpoint, for example when creating a web server
Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2 Kernel 5.10 AMI...read more
ami-0feeaea28736b320d
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Free tier: In your first year includes 750 hours of t2.micro (or t3.micro in the
Cancel
Launch instance
Preview code
CloudShell
Feedback
© 2024, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
11°C
Cloudy
Search
ENG
IN
04:34
31-12-2024


Launch an instance | EC2 | eu-n
https://eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#LaunchInstances:
Gmail
Maps
New Tab
News
Translate
YouTube
Adobe Acrobat
aws
Search
[Alt+S]
Stockholm
RONIT
EC2 > Instances > Launch an instance
Success
Successfully initiated launch of instance (i-0e6a23d5a949be955)
Launch log
Next Steps
What would you like to do next with this instance, for example "create alarm" or "create backup"
1 2 3 4 5 6
Create billing and free tier usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing and free tier usage thresholds.
Create billing alerts
Connect to your instance
Once your instance is running, log into it from your local computer.
Connect to instance
Learn more
Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
Connect an RDS database
Create a new RDS database
Learn more
Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots
Create EBS snapshot policy
CloudShell
Feedback
© 2024, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
11°C
Cloudy
Search
ENG
IN
04:35
31-12-2024


Instances | EC2 | eu-north-1
https://eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#Instances:
Gmail Maps New Tab News Translate YouTube Adobe Acrobat
aws Search [Alt+S] Stockholm RONIT
Dashboard
EC2 Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Instances (1) Info
Last updated 1 minute ago
Connect
Instance state
Actions
Launch instances
Find Instance by attribute or tag (case-sensitive)
All states
1
Name
Instance ID
Instance state
Instance type
Status check
Alarm status
Availability Zone
Public IP
module-1
i-0e6a23d5a949be955
Running
t3.micro
Initializing
View alarms
eu-north-1b
ec2-13-5
Select an instance
CloudShell
Feedback
© 2024, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
11°C
Cloudy
Search
ENG
IN
04:36
31-12-2024


Instances | EC2 | eu-north-1
https://eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#Instances:
Gmail Maps New Tab News Translate YouTube Adobe Acrobat
Search [Alt+S]
Stockholm RONIT
Dashboard
EC2 Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Successfully initiated stopping of i-0e6a23d5a949be955
Instances (1/1) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Find Instance by attribute or tag (case-sensitive)
All states
Name
Instance ID
Instance state
Instance type
Status check
Alarm status
Availability Zone
Public IP
module-1
i-0e6a23d5a949be955
Stopping
t3.micro
Initializing
View alarms
eu-north-1b
ec2-13-5
i-0e6a23d5a949be955 (module-1)
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance summary Info
Instance ID
i-0e6a23d5a949be955
Public IPv4 address
13.53.193.211 | open address
Private IPv4 addresses
172.31.40.172
IPv6 address
-
Instance state
Stopping
Public IPv4 DNS
ec2-13-53-193-211.eu-north-1.compute.amazonaws.com
CloudShell
Feedback
© 2024, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
11°C
Cloudy
Search
ENG
IN
04:37
31-12-2024


Instances | EC2 | eu-north-1
https://eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#Instances:
Gmail Maps New Tab News Translate YouTube Adobe Acrobat
aws Search [Alt+S] Stockholm RONIT
Dashboard
EC2 Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Successfully initiated stopping of i-0e6a23d5a949be955
Instances (1/1) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Find Instance by attribute
Name
module-1
Terminate (delete) instance?
On an EBS-backed instance, the default action is for the root EBS volume to be deleted when the instance is terminated. Storage on any local drives will be lost.
Are you sure you want to terminate these instances?
Instance ID
Termination protection
i-0e6a23d5a949be955 (module-1)
Disabled
To confirm that you want to delete the instances, choose the terminate button below. Instances with termination protection enabled will not be terminated. Terminating the instance cannot be undone.
Cancel
Terminate (delete)
Details
Instance summary
Instance ID
i-0e6a23d5a949be955
Public IPv4 address
Private IPv4 addresses
172.31.40.172
IPv6 address
Instance state
Stopped
Public IPv4 DNS
CloudShell Feedback
© 2024, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences
11°C Cloudy
Search
ENG IN
04:37 31-12-2024


Instances | EC2 | eu-north-1
https://eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#Instances:
Search
[Alt+S]
Stockholm
RONIT
Dashboard
EC2 Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Successfully initiated termination (deletion) of i-0e6a23d5a949be955
Notifications
Instances (1/1) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Find Instance by attribute or tag (case-sensitive)
All states
Name
Instance ID
Instance state
Instance type
Status check
Alarm status
Availability Zone
Public IP
module-1
i-0e6a23d5a949be955
Terminated
t3.micro
Initializing
View alarms
eu-north-1b
i-0e6a23d5a949be955 (module-1)
Details
Status and alarms
Monitoring
Security
Networking
Storage
Tags
Instance summary Info
Instance ID
i-0e6a23d5a949be955
Public IPv4 address
Private IPv4 addresses
IPv6 address
Instance state
Terminated
Public IPv4 DNS
CloudShell
Feedback
© 2024, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
11°C
Cloudy
Search
ENG
IN
04:37
31-12-2024