

## Lab Assignment – 1

1. Write SQL commands to create following tables along with the given constraints and enter suitable data.

### dept

Column name	Datatype	Size	Constraint
dno	Varchar	6	PK
dname	Varchar	20	Not null
emp_nos	Integer		

### emp

Column name	Datatype	Size	Constraint
eno	Varchar	6	PK
ename	Varchar	20	Not null
basic_sal	Numeric	(6,2)	Default value 5000
incentive	Numeric	(6,2)	Should not be greater than basic_sal
dept_no	Varchar	6	Refers to dno of dept table
mgr_id	Varchar	6	Refers to eno

### Queries

1. Add a column '**joiningdate**' to the emp table.
2. Add a column **hod** in dept table with proper referential integrity.
3. Find the **eno** of those employees who work in the dept with dept\_no '**101**'
4. Select all data from the dept table
5. Create a query to display the name, joining date, and employee number for each employee, with employee number appearing first.

2. Write SQL commands to create following tables along with the given constraints and enter suitable data.

**student**

Column name	Datatype	Constraint
sno	Varchar	PK
sname	Varchar	Not null
age	Numeric	Must be >0
gender	char(1)	Should only contain 'M' or 'F' as values

**course**

Column name	Datatype	Constraint
cno	Varchar	PK
cname	char(10)	Not null
credits	Numeric	

**student\_course**

Column name	Datatype	Constraint
sno	Varchar	Refers to sno of student table
cno	Varchar	Refers to cno of student table

**Queries**

1. Change the datatype of **cname** to varchar.
2. Add a constraint to the column '**credits**' of course table so that the credit should be >0
3. Add two columns '**dob**', '**cgpa**' to student table.
4. Delete column '**age**' from student table.
5. Retrieve the **dob** and **sno** of the student(s) whose name is 'Rahul'

3. Write SQL commands to create following tables along with the given constraints and enter suitable data.

**supplier**

Column name	Datatype	Constraint
sno	Varchar	PK
sname	Varchar(10)	Not null
city	Varchar	

**parts**

Column name	Datatype	Constraint
pno	Varchar	PK
pname	Varchar	Should not be left blank
color	Char(10)	
weight	Numeric	

**supplier\_parts**

Column name	Datatype	Constraint
sno	Varchar	Refers to sno of Supplier table
pno	Varchar	Refers to pno of Parts table
qty	Numeric	Should be >0

**Queries**

1. Add a column '**date**' to the supplier\_parts table.
2. Change the name of table '**supplier\_parts**' to '**parts\_supplied**'
3. Find the suppliers coming from the city which starts with letter 'T' and 'A' as the last character.
4. Delete table '**parts\_supplied**'
5. Change the size of **sname** column in supplier table to 25.

4. Write SQL commands to create following tables along with the given constraints .

**programmer**

Column name	Datatype	Constraint
pname	Varchar	Not null
dob	Date	Not null
doj	Date	Must be > dob
gender	Char	Must only contain 'M' or 'F'
sal	Numeric	

**studies**

Column name	Datatype	Constraint
pname	Varchar	
study_place	Varchar	Not null
course	Varchar	
course_fee	Numeric	

**software**

Column name	Datatype	Constraint
pname	Varchar	Foreign key
title	Varchar	Not null
development_cost	integer	Not null
selling_cost	integer	Must be >development_cost

**Queries**

1. Add columns **sw\_id** and **developed\_in** to the software table which should not left blank.
2. Add primary key on the **sw\_id** column.
3. Drop the constraint on the **selling cost** column.
4. Change the name of column 'doj' to 'hire\_date' in **programmer** table
5. Add foreign key on the column **pname** in studies table that refers to programmer table.