

AgentFloat

AgentFloat

Concentrated liquidity can go quiet.

When a v4 LP position drifts out of range, that capital stops earning trading fees. AgentFloat treats the idle interval as yield inventory, then recalls it when swaps need liquidity again.

v4

hook surface

0

fees while out of range

JIT


recall before swaps

USDT

mainnet Aave route

The category move is *selection*.

Most v4 yield hooks route capital to a hardcoded protocol. AgentFloat's downstream destination is chosen by a self-improving system.



Architecture: contracts execute, brain selects.

Uniswap v4 Pool
afterAddLiquidity · beforeSwap ·
afterRemoveLiquidity



AgentFloatHook
routes out-of-range USDT



FloatVault
activeStrategyId · shadowStrategyIds[] ·
consecutiveWins



IStrategy
Idle · Aave V3 USDT · future library

Brain Agent
watcher · scorer · promoter · orchestrator



Operator brain
strategy specs · proposals · scoring ·
operating mode



Guardrails
chain allowlists · audit rules · rate limits

The loop closed on-chain.

```
proposal: 2026-05-26-999-parameter_variant.md  
action_type: parameter_variant  
status: executed  
decision_reason: autonomous mode: all guardrails  
cleared
```

```
deployer log  
strategy_id: 3  
name: Mock Yield Strategy (v3)  
constructor: bpsPerBlock=200
```

```
OKLink tx  
0x4245ab63...51e88
```

```
deployed contract  
0xb742...ac63bd
```

Proposal frontmatter → deployer log → OKLink
transaction → registered strategy contract.

We built the AI a leash before autonomy.

The AI can propose and deploy shadows under policy.
Real capital is gated by the vault's on-chain
consecutiveWins counter.

Network	Chain	AI can	AI cannot
X Layer testnet	1952	parameter_variant , new_strategy , register_strategy , retire , scoring_change	bypass consecutiveWins
X Layer mainnet	196	register_strategy , retire , scoring_change , no_action	deploy new Solidity

Source of truth: chain_actions_allowed in the operating-mode policy.

Mainnet is live on X Layer.

Contract	Address	Receipt
AgentFloatHook	0x5Ba6671e...4580	permission bits 0x580
FloatVault	0xbF06de10...a6f4	strategy registry
Flap Factory	0x87D665B8...24F8	yield tax vaults
AaveStrategy	0x4C109f12...56E1	real Aave V3 USDT
IdleStrategy	0xf292e500...5EEb	baseline
PoolManager	0x360e68fa...fb32	canonical v4
USDT / USDC	0x779Ded0c...3736	USDt0

Total deploy cost: 0.000372 0KB, about \$0.09.

Flap tokens can opt in with one deploy.

`FlapYieldTaxVaultFactory` lets any Flap-graduated token route tax revenue into AgentFloat instead of leaving it idle.

Quote paths: ERC20 · native OKB → WOKB · custom ERC20.

```
newVault(taxToken, quoteToken, creator)
```



```
FlapYieldTaxVault
```



```
FloatVault → AaveStrategy
```


Use cases

One hook, multiple idle-balance surfaces.

AgentFloat is useful wherever liquidity has to wait before it is useful again.

Use cases for the hook.

Out-of-range LP capital.

When concentrated liquidity stops earning fees, the hook parks idle USDT into FloatVault and recalls it before swaps.

The hook captures temporary inactivity; the vault decides where that capital should work.

Flap tax vault yield.

Graduated token tax revenue routes through `FlapYieldTaxVaultFactory`, then downstream into the same strategy-selection system.

Pre-audited strategy library.

Mainnet autonomy can register, retire, and score known strategies without letting the AI deploy fresh Solidity.

Why this wins.

1. AI-selected downstream destination.
2. Multi-strategy parallel testing before capital moves.
3. Trustless promotion through consecutiveWins.
4. Chain-scoped guardrails: testnet can explore; mainnet selects from audited paths.

Traction is receipts, not claims.

4,800+

scoring epochs posted to chain

2,214

epochs analyzed by
consolidator

6

LLM proposals across 36h

12/12

Forge tests passing

2 autonomous on-chain promotions recorded in README; history wiki currently consolidates 1 structured promotion event.

FAQ

The hard questions are in the design.

Yield spikes, AI autonomy, shadow testing, and exploit response are handled as explicit system states.

FAQ.

What if a yield spike disappears before promotion?

The shadow must beat the active route by `minDeltaBps` for `minEpochsConsecutive`. If the edge decays, `consecutiveWins` resets to `0`.

What are production strategies?

Separate `IStrategy` contracts: Aave-style lending vaults now; Compound, Morpho, stable LP, or basis routes can be added as audited library entries.

How do shadow strategies test without funds?

They track virtual balances against the same vault conditions and expose `currentValue()`. Only the active strategy holds real assets.

What happens if a target protocol gets risky?

The operator can pause or retire the strategy in the brain spec; the promoter refuses paused strategies on the next epoch.

Next: volume, library, fee.

- Expand the pre-audited strategy library beyond Idle and Aave V3 USDT.
- Route real mainnet volume through the hook and Flap tax vaults.
- Monetize with a protocol fee on incremental yield.

Judge the system by the artifacts: mainnet hook, autonomous testnet deploy, operating-mode guardrails, and passing tests.