

Prompt Design

In this module, you learn to ...

- Design prompts for various Gen Al use cases
- Add examples and context to customize generative Al output
- Experiment with parameters for model fine-tuning



Topics

Understanding Prompt Design
 Context, Examples, and Fine-Tuning Parameters
 Prompt Design Best Practices



Prompt design is the process of writing instructions to generative Al models


- Well-designed prompts can help to improve the accuracy, creativity, and safety of generative Al output
- Factors to consider when designing prompts
 - Desired output
 - Target audience
 - Limitations of the generative AI model

Some tips for writing effective prompts include...

- Be clear and concise
- Use specific language
- Provide examples
- Use negative prompts to avoid unwanted output
 - E.g. "Who are the greatest NFL quarterbacks of all time? Don't include Tom Brady."

With careful attention to prompt design, generative AI models can be used to create powerful and useful applications

Those last couple of slides were written by Bard again



How prompts effect output

Prompt	Results
Who is Linus Torvalds?	Linus Torvalds is a Finnish software engineer who is best known as the creator and lead developer of the Linux kernel, the operating system kernel at the core of most Linux distributions. He is also the creator of the Git distributed version control system.
Summarize some important dates in the life of Linus Torvalds	1969: Linus Torvalds is born in Helsinki, Finland. 1988: Torvalds begins studying computer science at the University of Helsinki. 1991: Torvalds creates the Linux kernel. 1992: The first version of Linux is released to the public. 1996: Torvalds becomes the lead developer of Linux. 2000: Linux is adopted by IBM as the operating system for its servers. 2007: Torvalds is named one of Time magazine's "100 Most Influential People in the World." 2011: Torvalds receives the ACM Turing Award for his contributions to the development of Linux. 2015: Torvalds steps down as the lead developer of Linux, but remains an active contributor to the project.
Write me a tweet to celebrate Linus Torvald's birthday	Happy birthday to Linus Torvalds, the creator of Linux! Thank you for your contributions to the open source community. #Linux #OpenSource

Be specific when writing your prompts

Prompt

Write for me a short 2-level outline in bullets for a 1-page paper about Linus Torvalds

Response

Linus Torvalds

- Biography
 - Born in Helsinki, Finland in 1969
 - Studied computer science at the University of Helsinki
 - Started working on Linux in 1991
 - Linus Torvalds is the creator of the Linux kernel, the core of the Linux operating system.
- Accomplishments
 - Linux is the most popular operating system for servers and supercomputers
 - Linux is also used on a wide variety of devices, including smartphones, tablets, and personal computers
 - Linus Torvalds has received numerous awards for his work on Linux, including the ACM Turing Award in 2015
- Influence
 - Linus Torvalds has had a profound influence on the open source software movement
 - Linux has inspired the development of many other open source operating systems, such as FreeBSD and Solaris
 - Linus Torvalds is a role model for many programmers and engineers

• ...

Topics


Understanding Prompt Design
 Context, Examples, and Fine-Tuning Parameters
 Prompt Design Best Practices



Freeform versus Structured prompts in Vertex Al Studio

- So far in class, all the examples shown have been freeform prompts
 - Consist only of the prompt
- Structured prompts in Vertex AI Studio allow you to add context and examples
 - Context tells the model more about your use case characteristics
 - Examples show the model how to structure the response


Vertex Al Studio Ul for structured prompts



Quality of the output can be improved by providing context to the prompt

- Context can be a few words or a paragraph
- You can specify information about you or your organization
- Specify a genre or style for the results


Here are the results of a prompt with no context



Let's see how adding context changes the output



Context 2



The phone number is: (123) 123-4567

Deep Creek Outfitters

New Orange Vest

Stay Safe and Visible in the Field

Our new orange vest is the perfect way to stay safe and visible in the field. Made from durable, water-resistant material, this vest is perfect for hunting, fishing, or any other outdoor activity. It features a front zipper closure, two front pockets, and a back pocket with a flap. The vest is also adjustable, so you can find the perfect fit.

Order your new orange vest today from Deep Creek Outfitters!

www.deepinthecreek.com

(123) 123-4567

Let's try a different context



Context 2



You write ads for the marketing department of a company called StyleUp that sells clothing targeted at young people in their teens and 20s.

You sell everything online. The website is: www.styleup.cool

Introducing the new orange vest from StyleUp!

This vest is perfect for anyone looking for a stylish and functional piece of outerwear. It's made from a lightweight, water-resistant fabric that will keep you warm and dry on even the coldest days. The orange color is eye-catching and sure to turn heads, and the relaxed fit means you can move freely without feeling restricted.

The vest features two front pockets and a zippered chest pocket, so you have plenty of space to store your belongings. It also has a removable hood that can be zipped on or off depending on the weather.

Whether you're running errands, going to class, or just hanging out with friends, the new orange vest from StyleUp is the perfect way to stay warm and stylish. Order yours today!

Shop now at www.styleup.cool

Let's try requesting a style of output



Context 2

You write ads for the marketing department of a company called StyleUp that sells clothing targeted at young people in their teens and 20s.

You sell everything online. The website is: www.styleup.cool

Your ads are always written in the style of Dr. Seuss.

Oh, the places you'll go In your orange vest! You'll climb mountains high And swim in the sea.

You'll wear it to school And to the mall. You'll wear it to parties And to the ball.

Your orange vest is so stylish And so cool. It's the perfect way to show Your personal style.


So what are you waiting for? Order your orange vest today! You'll be glad you did.

Visit www.styleup.cool to order yours now!

Examples demonstrate what the output should look like


- Use a history of what you have written in the past to get the model to output content in your style
 - Zero-shot prompting means there are no examples
 - One-shot prompting means there is one example
 - Few-shot prompting means there are multiple examples

Let's add some context and some examples and see how it affects output




Use the other model parameters to further customize the results

- Temperature
- Token limit
- Top-K
- Top-P




Temperature controls the degree of randomness in token selection

- Range from 0 to 1
- Lower temperatures are good for prompts that require correctness
 - More likely to select the most expected next token
- Higher temperatures can lead to more diverse or unexpected results
 - More creative
- A temperature of O is deterministic
 - The highest probability token is always selected
 - Will always return the same result for a given prompt
- Default is a temperature of .2
 - Start there and experiment with your results




Token limit determines the maximum amount of output for each prompt

- The range is from 1 to 1024
 - The default value is 256
- A token is a basic unit of text that the LLM understands
 - When using the PaLM API, a token is approximately four characters
- A token is a string of characters that represents a concept or object in GenAI
 - For example, the token "dog" represents the concept of a dog




Top-K changes how the model selects tokens for output

- Range is from 1 to 40
- A top-K of 1 means the selected token is the most probable among all tokens in the model's vocabulary
 - Called greedy decoding
 - See: https://www.tensorflow.org/text/guide/decoding_api
- A top-K of 3 means that the next token is selected from among the 3 most probable tokens
- The default top-K value is 40
- The higher the value the more tokens are possible when selecting the next token



Top-P also changes how the model selects tokens for output

- Range is from 0 to 1
- Tokens are selected from most probable to least until the sum of their probabilities equals the top-P value
 - For example, if tokens A, B, and C have a probability of .3, .2, and .1 and the top-P value is .5, then the model will select either A or B as the next token
- The default top-P value is .8
- The higher the value the more likely the model would be to select a token that is not the most probable one




Topics

Understanding Prompt Design
 Context, Examples, and Fine-Tuning Parameters
 Prompt Design Best Practices




Prompt design best practices

- Be specific
 - Don't ask: "Write me an a poem"
 - Ask: "Write me a poem about COBOL programming in the style of Edgar Allan Poe"
- Add context
 - Add information about "who" you want the model to emulate
 - What is its job, where does it work, and any other information you would want it to convey
- Add examples
 - Use examples that you have written in the past to teach it to write in your style
 - Give examples of how it should answer questions











Be clear and concise

- Use positive language
 - Don't say: "Don't use long sentences"
 - Say: "Write short sentences as bullets"
- Use simple language
 - Avoid jargon
 - Avoid complex sentences
- Use correct grammar and spelling









Experiment with parameter values

- To make the model more creative, set higher values for Temperature, Top-K, and Top-P
- Set lower values when you want the model to be consistent
- A Temperature of O, Top-K to 1, and Top-P to O would cause the model to always return the same result for a given prompt based on the most likely next token
 - Strictly speaking it is possible to get different results, but it's very rare.










Lab



Prompt Design for Text Generation in Vertex Al Studio




In this module, you learned to ...

- Design prompts for various Gen Al use cases
- Add examples and context to customize generative AI output
- Experiment with parameters for model fine-tuning



Questions and answers



What's the difference between freeform and structured prompts?

What's the difference between freeform and structured prompts?

With structured prompts you can add context and examples.

Which setting for temperature would make the model more creative when answering prompts?

A: -1

B: 0

C: 0.1

D: 0.9

Which setting for temperature would make the model more creative when answering prompts?

A: -1

B: 0

C: 0.1

D: 0.9

If you want the model to write in your style what should you do?

A: Set the temperature to about 0.5

B: Raise the Top-K and Top-P values

C: Add context

D: Add examples

If you want the model to write in your style what should you do?

A: Set the temperature to about 0.5

B: Raise the Top-K and Top-P values

C: Add context

D: Add examples