SKIN LIGHTENING AND REJUVENATION

CYTOCARE S Line



LABORATOIRE
REVITACARE
FRANCE

MADE IN FRANCE

CYTOCARE
S Line

SKIN LIGHTENING & REJUVENATION

- FOR WOMEN AND MEN
- FOR ADVANCED SKIN TYPE



LIGHTENING EFFECT
FILLING FINE LINES

First skin booster sterilized by aseptic filtration presented in a pre-filled syringe to preserve the integrity of its whole components.

CYTOCARE S Line

Improves skin quality, filling fine lines and restoring radiance.

Its formula gives the skin an immediate lightening effect, restoring its physiological balance and qualities for a short duration. The result is harmonious and natural.

By the end of 3 injection sessions, the patient will observe a slight improvement in the fine lines according to the age and the initial state of the injected area for 7 days.

EXCLUSIVE FORMULA

More than an anti-aging product, CYTOCARE S Line has in-depth and on-surface synergic action for skin revitalization.

HYALURONIC ACID
non-cross-linked 18 mg


+

REJUVENATING COMPLEX CT50*

=

- Improves skin quality
- Fills fine lines
- Restores radiance for a lightening effect

* Ammonium Molybdate, Ammonium Metavanadate, Calcium Chloride, Iron Sulfate, Potassium Chloride, Copper Sulfate, Magnesium Chloride, Manganese Sulfate, Sodium Acetate, Sodium Hydrogen Carbonate, Sodium Chloride, Sodium Hydrogen Phosphate, Sodium Metasilicate, Sodium Selenite, Tin Chloride, Zinc Sulfate, Alanine, Arginine, Asparagine, Aspartic Acid, Cysteine, Glutamine, Glutamic Acid, Glycine, Histidine, Isoleucine, Leucine, Lysine, Methionine, Phenylalanine, Proline, Serine, Threonine, Tryptophan, Tyrosine, Valine, Adenine, Biotin, Calcium Pantothenate, Coline Chloride, Folic Acid, Inositol, Nicotinamide, Pyridoxine, Riboflavin, Thiamine, Cyanocobalamin, Deoxythymidine, Glucose, Putrescine, Sodium Pyruvate, Lipoic Acid.



M[illegible] ...ter on 110 patients – Satisfaction upon protocol completion (3 sessions at intervals of 3 weeks)

TOLERANCE

CYTOCARE S Line is very well tolerated

During the clinical register, bleeding, pain and redness bound to injection and not to the product were the most frequent adverse effects noticed.*
Since CYTOCARE S Line is administered by microinjections, the patient may observe side effects related to injection techniques.


* Multicentric clinical register on 110 patients

PACKAGING

- Sterile single use pharmaceutical grade glass syringe.
- Exclusive & secure ergonomic finger grip for comfort and accuracy during injection.
- Blister designed to facilitate needles & syringe prehension.
- Tyvek reminds easy instruction for use & supports traceability labels.

VISIBLE RESULTS


BEFORE AFTER






REVITACARE data base

BEFORE AFTER





REVITACARE data base



TECHNIQUES

- Nappage technique
- Retrotracing technique
- Point-by-point


PROTOCOL

- Injection into the medium or superficial dermis.
- Treatment areas: periorbital and perioral lines (vertical lip lines).
- 30G needles supplied with CYTOCARE S Line.
- The protocol is 3 sessions of injections of the content. of one syringe a maximum of every 3 weeks.
- Touch-up treatments are needed to maintain the result.
- Read carefully Instructions For Use before using CYTOCARE S Line

CHARACTERISTICS

- Box: 1 x 3 mL syringe + 2 x 30G needles
- Sterilization: aseptic filtration
- Ready to use
- Conservation condition: 2°C to 30°C
- Pyrogen free
- Close to neutral pH
- Iso-osmolar solution

CYTOCARE S Line is a sterile single use medical device class III (CE 0123) manufactured by REVITACARE , indicated to **reduce differently ageing effects linked to age, life style, or environment for 7 days. CYTOCARE S Line improves skin quality (filling fine lines, restoration of radiance), of advanced skin type.** For medical use. Read carefully CYTOCARE S Line Instructions For Use before using the product. CYTOCARE S Line must be injected in an aseptic manner, by duly medical doctor with a good knowledge of the anatomy and physiology of the area to be treated, with sterile and single use equipment supplied by REVITACARE. Before use CYTOCARE S Line, check the expiry date on the syringe labelling, the integrity of the primary packaging for the syringe and needles and the appearance of the solution. Store between 2°C and 30°C, away from the light in its original secondary packaging. Do not use if package is damaged. Once the syringe of CYTOCARE S Line has been opened, use it immediately. Discard the syringe, needles and the remaining product after use, in accordance with the guidelines in force for their disposal. Single use solution: do not re-sterilise and do not re-use. The medical doctor must inform the patient that there are potential adverse effects linked to the injection of this device, which can occur immediately or are delayed. Since CYTOCARE S Line is administered by microinjections, the patient may observe side effects related to the injection technique. Adverse events observed with CYTOCARE S Line: - pain and bleeding during the injection - tingling, redness, inflammation, erythema, hematoma and itching after the injection - bruising, oedema, nodule, ecchymosis and swelling at the injection site - infection resulting from incorrect asepsis - low efficacy. The patient must inform the medical doctor as soon as possible if any adverse events persist for longer than one week. The medical doctor must remedy it by an appropriate treatment. The distributor and / or manufacturer must be alerted to any other adverse event related to the injection of CYTOCARE S Line. Other adverse events observed in the literature with products containing hyaluronic acids (cross-linked or not) or administered by similar methods: - erythema, ecchymosis, swelling, hematoma, bruising, itching, pain, papules, infections, lichenoid eruption, allergy, anaphylaxis, nausea and vomiting, - granuloma, chronic inflammation, bacterial infections with abscess, fibrosis, tissue necrosis, scaring, atrophy, lipodystrophy, post-inflammatory hyperpigmentation, migration of the injected material, - vascular occlusion that may result in impairment of vision. This medical device is a regulated health product which, under this regulation, bears the CE marking. This medical device is not reimbursed by health insurance organisation.



REVITACARE is a French laboratory, founded in 2003, specialized in research, design, manufacturing of medical devices based on hyaluronic acid, dedicated to aesthetic medicine and cosmetology to prevent, correct the skin aging effects, and treat hair problems.

CYTOCARE S Line complies with the essential requirements of the Council Directive 93/42/EEC concerning medical devices and its amendments.

QUALITY
SECURITY
EFFICIENCY

- REVITACARE: EN ISO 13485 certified.
- Class III Medical Devices: CE marking.
- HA quality: biotechnological origin.
- Microbiological safety.
- Biocompatible in compliance with ISO 10993 international standards: non cytotoxic - non irritant - non sensitizing - non mutagenic - non genotoxic.
- Proved efficiency thanks to *in vitro* studies confirmed by clinical data.
- Manufacturing process according to Good Manufacturing Practices (GMP), in France.

DISTRIBUTOR

LABORATOIRE REVITACARE FRANCE

21, avenue de l'Eguillette - Parc d'Activités du Vert Galant
95310 Saint Ouen l'Aumône - FRANCE
Tel: +33 (0) 1 30 37 31 45 - **Email:** contact@revitacare.fr
www.revitacare.net

REF: AIMP128/V04-20-01 last revision 01/2020