LUMINESCENS®

Depigmenting & Brightening Solution



CMed® AESTHETICS

INFORMATION FOR HEALTHCARE PROFESSIONALS ONLY

LUMINESCENS®

A mesotherapy protocol specifically designed for the treatment of skin hyperpigmentation, compatible with all phototypes, oily and dry skin.



LUMINESCENS® Kit

For clinical use

- 1 cream bottle 30 mL
- 2 mesotherapy ampoules x 4 mL each

LUMINESCENS® Home Cream

For outpatient use

- 1 cream bottle 30 mL



MECHANISM OF ACTION

Melanogenic enzyme blockers

TYROSINASE INHIBITORS

Oligopeptide-34, Tranexamic acid [1], Aminoethyl phosphinic acid & Glycyrrhetinic acid, Azelaic acid [2], Arbutin [3], Phenylethyl resorcinol [4], Silybum marianum extract [5], Glabridin [6].

Melanin formation and transport blockers

COPPER CHELATORS AND MC1R ENZYME INHIBITORS

Ellagic acid & Phytic acid, Acetyl tetrapeptide-2, Potassium azeloyl diglycinate [8], Biomimetic peptides, Hexapeptide-40 sh-polypeptide-76 inhibitory, Acetyl hexapeptide-1 [9].

Increase cellular turnover

REMOVAL OF PRE-EXISTING MELANIN

Citric acid, Tartaric acid, Salicylic acid, Retinol [10].

Antioxidants

ANTI FREE RADICAL ACTION

Peptide CG-TGP2, Glutathione, Tocopheryl acetate.

STRENGHTS

Innovative formulation for hyperpigmentation mesotherapy treatment with a patent pending.

No post treatment downtime and no mask needed to be applied for 6-12 hours, unlike other leading products.

No negative impact on daily life.


Cutting-edge formulation, rich in active ingredients, adapted for home treatment with noticeable results with maximum safety and comfort.

CLINICALLY TESTED RESULTS

Scientifically proven reduction of spots and dermatologically tested.

Study of the effect and cosmetic properties of a product through evaluations and instrumental analysis performed by professionals under medical supervision and consumer self assessments.

IMAGES DETECTED AND ANALYZED WITH MIRAVEX ANTERA 3D®



T0 T28 AU

BEFORE & AFTER RESULTS

MICRONEEDLING DEVICES:

DERMA PEN

MULTI-NEEDLE

ELECTROPORATION



FEMALE | AGE 45 | Result after 30 days of treatment



FEMALE | AGE 43 | Result after 60 days of treatment



FEMALE | AGE 32 | Result after 30 days of treatment



FEMALE | AGE 41 | Result after 60 days of treatment

CMed Aesthetics S.p.A. Report 213E30F-1 Bio Basic Europe s.r.l. in collaboration with University of Pavia Department of Biology and Biotechnology "L. Spallanzani". Studies carried out at CDC Dermo-Clinical Research Insitute.

EVERYTHING WE DO IS AIMED TO IMPROVE PEOPLE'S WELLNESS AND BEAUTY

About our Company

Over 3.000.000 yearly treatments are performed globally, improving lives and enhancing well-being.

More than 80 countries covered worldwide.

Proudly developed and manufactured in Italy, our products embody the tradition of Italian craftsmanship and excellence.

R&D dedicated to the aesthetic medicine







ITALIAN RESEARCH & INNOVATION

CMed® AESTHETICS

CMed Aesthetics S.p.A.
Via Panfilo Castaldi, 4 - 56121 Pisa - Italy
web@cmedaesthetics.com

follow us on:

www.cmedaesthetics.com

LUMBROENR2

INFORMATION FOR HEALTHCARE PROFESSIONALS ONLY

1)Tranexamic acid inhibits melanogenesis partially via stimulation of TGF-β1 expression in human epidermal keratinocytes. *Xiaoxue Xing 1, Zhongyi Xu 1, Li Chen 1, Shanglin Jin 1, Chengfeng Zhang 1, Leihong Xiang 1.* **2)** Melanin hyperpigmentation of skin: melasma, topical treatment with azelaic acid, and other therapies. *A S Breathnach 1. Affiliations expand • PMID: 8654129.* **3)** Arbutin as a Skin Depigmenting Agent with Antimelanogenic and Antioxidant Properties. *Yong Chool Boo.* **4)** Characterization and topical delivery of phenylethyl resorcinol. *Y. Zhang,B. C. Sil,C.-P. Kung,J. Hadgraft,M. Heinrich,B. Sinko,M. E. Lane.* **5)** The treatment of melasma by silymarin cream. *Tagreed Altaei BMC Dermatology volume 12, Article number: 18 (2012) Cite this article.* **6)** The inhibitory effect of glabridin from licorice extracts on melanogenesis and inflammation*T Yokota 1, H Nishio, Y Kubota, M Mizoguchi.* **7)** Efficiency of ellagic acid and arbutin in melasma: a randomized, prospective, open-label study. *Ilgen Ertam 1, Basak Mutlu, Idil Unal, Sibel Alper, Bijen Kivçak, Ozgen Ozer.* **8)** Maramaldi G, Esposito M. Potassium Azeloyl Diglycinate. *Cosm & Toil. 2002;117:3. [Google Scholar] [Ref list].* **9)** Up- or downregulation of melanin synthesis using amino acids, peptides, and their analogs. *Yong Chool Boo1,2,3.* **10)** Gupta AK, Gover MD, Nouri K, Taylor S. The treatment of melasma: A review of clinical trials. *J Am Acad Dermatol. 2006;55:1048–65.*