

Surgical Number S.....

Breast cancer

Received in formalin is a (**right**/ left) modified **radical** mastectomy specimen
 simple mastectomy specimen

Measuring .18.x.9.xx6.cm..... x cm. with axillary content , x x cm.

The skin ellipse , x cm. and appears normal.....

shows an old surgical scar cm in length at (areola / upper / lower / inner / outer) (quadrant).

shows an ulceration x cm . at (areola / upper / lower / inner / outer) (quadrant).

The nipple is everted . shows inverted . shows ulceration

There (is a / are / two / are multiple)

- infiltrative firm yellow**white** mass x x cm.
- well-defined firm white mass with slit like appearance x x cm.
- previous surgical cavity with adjacent fibrous tissue x x cm.
- previous surgical cavity with adjacent fibrous tissue x x cm. and firm yellow white residual mass , x x cm.

located beneath the nipple . beneath the scar . in the central portion (subareolar).

in (upper / lower / inner / outer) quadrant

Tumor is located

..... cm. from deep margin , cm. from superior margin ,
..... cm. from inferior margin , cm. from medial margin ,
..... cm. from lateral margin ,	and cm. from skin .

The uninvolved breast parenchyma has a fat to fibrous tissue ratio of approximately _____ : _____.

The remaining of breast tissue is unremarkable

There are multiple lymph nodes ranging from cm . to cm . in diameter.

Representative sections are submitted as

- = nipple = mass
- = old biopsy cavity with fibrosis = deep resected margin
- = nearest resected margin ,
- = sampling upper inner quadrant = sampling upper outer quadrant
- = sampling lower inner quadrant = sampling lower outer quadrant
- = sampling central region = axillary lymph nodes

.....Prosecutor

Date