2023 Compiler Boss Attack 1

Please write a program to read a program source from **stdin** following the token definition and grammar rule at right.

If **Yes**, print each **the string of token and token's type** seperated by **a whitespace "** " and end with **a newline**.

If **No**, print only "**invalid input**" with **a newline**. (don't output any token!)

The purpose of this boss attack is to test your understanding in writing a **recursive descent parser**. So, it is forbidden to use lex, yacc, or any other parser generator tools. Please write a program using the concept of **recursive descent parser** in C/C++;otherwise, your score will be zero.

Terminal	Regular Expression
ID	^[A-Z]\d{9}
NATIONNUM	\d{3}
PHONENUM	9[0-9]{8}
YEAR	[12]\d{3}
MONTH	(JAN FEB MAR APR MAY JUN JUL AUG SEP OCT NOV DEC)
DAY	[1-9] [12]\d 3[01]
PLUS	\+
DOT	\.
LBR	\(
RBR	\)
SLASH	V

Notice:

- 1. There is **NO** need to distinguish between leap years and non-leap years. You can determine it using Regular Expressions. For example, both "FEB 31" and "FEB 29" are considered valid.
- 2. The test data will **NOT** contain whitespace characters.
- 3. Each test case will only have one line.

- 1. program → stmt
- 2. stmt \rightarrow ID
- 3. stmt \rightarrow phone
- 4. stmt → date
- 5. phone → PLUS LBR NATIONNUM RBR PHONENUM
- 6. date → MONTH DOT DAY DOT YEAR
- 7. date → YEAR SLASH MONTH SLASH DAY

Sample input:	Sample input:
JUN.15.2013	+(886)912123456
Sample output:	Sample output:
JUN MONTH	+ PLUS
. DOT	(LBR
15 DAY	886 NATIONNUM
. DOT) RBR
2013 YEAR	912123456 PHONENUM
Sample input:	Sample input:
JUN/15	C5585489666
Sample output:	Sample output:
Invalid input	Invalid input