

REFERENCES

- [1] E. E. Clothiaux, R. S. Penc, D. W. Thomson, T. P. Ackerman, and S. R. Williams, "A first-guess feature-based algorithm for estimating wind speed in clear-air Doppler radar spectra," *Journal of Atmospheric and Oceanic Technology*, vol. 11, no. 4, pp. 888–908, Jun. 1994.
- [2] V. K. Anandan, P. Balamuralidhar, P. B. Rao, A. R. Jain, and C. J. Pan, "An adaptive moments estimation technique applied to MST radar echoes," *Journal of Atmospheric and Oceanic Technology*, vol. 22, no. 4, pp. 396–408, Apr. 2005.
- [3] S. Sinha, T. V. C. Sarma, and M. L. Regeena, "Estimation of Doppler profile using multiparameter cost function method," *IEEE Transactions on Geoscience and Remote Sensing*, vol. 55, no. 2, pp. 932–942, Feb. 2017.
- [4] S. Sinha, M. L. Regeena, T. V. C. Sarma, H. Hashiguchi, and K. R. Tuckley, "Doppler profile tracing using MPCF on MU radar and sodar: Performance analysis," *IEEE Geoscience and Remote Sensing Letters*, vol. 15, no. 4, pp. 508–511, Feb. 2018.
- [5] Y. Li, R. Wang, Y. Luo, H. Li, and G. Yang, "Improved moments estimation for ground-based K-band Doppler radar using cost function method," *IEEE Access*, vol. 10, pp. 32049–32059, 2022.
- [6] A. Bhatta, R. Biswas, S. R. B. Pillai, and T. V. C. Sarma, "Wind profile tracking in MST radar using Viterbi data association," *IEEE Transactions on Geoscience and Remote Sensing*, vol. 58, no. 10, pp. 7074–7084, Oct. 2020.
- [7] C. C. Took and D. P. Mandic, "The quaternion LMS algorithm for adaptive filtering of hyper complex processes," *IEEE Transactions on Signal Processing*, vol. 57, no. 4, pp. 1316–1327, Dec. 2008.
- [8] S.-C. Pei and J.-J. Ding, "Fractional Fourier transform, Wigner distribution, and filter design for stationary and nonstationary random processes," *IEEE Transactions on Signal Processing*, vol. 58, no. 8, pp. 4079–4092, Aug. 2010.
- [9] X. Chen, J. Guan, S. Yu, and Y. He, *A novel adaptive filtering for LFM signal in FRFT domain*. 2010, pp. 239–242.
- [10] Y.-M. Shi, L. Huang, C. Qian, and H. C. So, "Shrinkage linear and widely linear complex-valued least mean squares algorithms for adaptive beamforming," *IEEE Transactions on Signal Processing*, vol. 63, no. 1, pp. 119–131, Jan. 2015.
- [11] E. C. Menguc and N. Acir, "An augmented complex-valued least-mean kurtosis algorithm for the filtering of noncircular signals," *IEEE Transactions on Signal Processing*, vol. 66, no. 2, pp. 438–448, Jan. 2018.
- [12] S. Zhang, J. Zhang, W. X. Zheng, and H. C. So, "Widely linear complex-valued estimated-input LMS algorithm for bias-compensated adaptive filtering with noisy measurements," *IEEE Transactions on Signal Processing*, vol. 67, no. 13, pp. 3592–3605, Jul. 2019.