

# **Université de Technologie d'Haïti (UNITECH)**

**Faculté des Sciences de Génie et d'Architecture (FSGA)**

**TD No 1 - Systèmes**

**Nom & Prénom : JEAN Roosben**

**Niveau : L4**

**Date : 20/01/2026**


## Résultats de l'exécution des commandes

```
ING Roosben@DESKTOP-A1TATII MINGW64 ~/desktop
$ cd TD

ING Roosben@DESKTOP-A1TATII MINGW64 ~/desktop/TD (main)
$ mkdir systeme

ING Roosben@DESKTOP-A1TATII MINGW64 ~/desktop/TD (main)
$ mkdir image projet presentation
```

Dans cette partie j'utilise la commande mkdir pour créer la structure des dossiers.



Cette partie montre le dépôt du projet TD dans GitHub

```
ING Roosben@DESKTOP-A1TATII MINGW64 ~/desktop/TD/image (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

ING Roosben@DESKTOP-A1TATII MINGW64 ~/desktop/TD/image (main)
$ git add .
```

J'initialise le dépôt et j'ajoute les dossiers pour les envoyer sur GitHub

```
ING Roosben@DESKTOP-A1TATII MINGW64 ~/desktop
$ git clone git@github.com:roosbenjean46/TD.git
Cloning into 'TD'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
```

Cette commande permet de télécharger le dépôt TD pour le mettre dans le bureau

```
ING Roosben@DESKTOP-A1TATII MINGW64 ~/desktop/mon-projet (main)
$ git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 304 bytes | 43.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:roosbenjean46/mon-projet.git
   e80de10..adc9774  main -> main
branch 'main' set up to track 'origin/main'.
```

Cette capture montre l'exécution de git add. et git push pour enregistrer les changements et mettre les rapports avec leurs photos sur le dépôt GitHub TD.

```
ING Roosben@DESKTOP-A1TATII MINGW64 ~/desktop/mon-projet (main)
$ git commit -m "Ajout Module"
[main adc9774] Ajout Module
 1 file changed, 1 insertion(+)
 create mode 100644 Module.txt
```

Cette commande montre comment enregistrer les changements dans mon dépôt git sur le bureau de l'ordinateur. Permet d'enregistrer les modifications effectuées dans l'historique local du dépôt.

```

ING Roosben@DESKTOP-A1TATII MINGW64 ~
$ ssh-keygen -t ed25519 -C "roosbenjean46@gmail.com"
Generating public/private ed25519 key pair.
Enter file in which to save the key (/c/Users/ING Roosben/.ssh/id_ed25519):
Created directory '/c/Users/ING Roosben/.ssh'.
Enter passphrase for "/c/Users/ING Roosben/.ssh/id_ed25519" (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /c/Users/ING Roosben/.ssh/id_ed25519
Your public key has been saved in /c/Users/ING Roosben/.ssh/id_ed25519.pub
The key fingerprint is:
SHA256:ORfLbvGqKyFDmXloQ+QSMb1Z3ryXzGTs71NQs3mUlq0 roosbenjean46@gmail.com
The key's randomart image is:
+--[ED25519 256]--+
|  ++.      + |
|  +o .      o = . |
|  ...X o ... * . |
|  .@ o oo=oo E |
|  o o  SB=o . |
|  o . .+*o. |
|  o . oo.. |
|  . .o. |
|  .o+o. |
+-----[SHA256]-----+

```

Elle prend tous les fichiers que l'on a préparé avec la commande git add . Et les sauvegarde de façon permanente dans la base de données locale de Git sur le PC

```

ING Roosben@DESKTOP-A1TATII MINGW64 ~/desktop/TD (main)
$ git push -u origin main
branch 'main' set up to track 'origin/main'.
Everything up-to-date

```

Cette commande est utilisée pour héberger le rapport final sur GitHub

```

ING Roosben@DESKTOP-A1TATII MINGW64 ~/desktop/TD/systeme (main)
$ git commit -m "Ajout rapport1"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

```

Cette commande permet le partage le devoir sur GitHub depuis le dépôt local.

```

ING Roosben@DESKTOP-A1TATII MINGW64 ~/desktop
$ cd TD

ING Roosben@DESKTOP-A1TATII MINGW64 ~/desktop/TD (main)
$ git add .

ING Roosben@DESKTOP-A1TATII MINGW64 ~/desktop/TD (main)
$ git commit -m "Ajout du rapport PDF final"
[main dec8ea5] Ajout du rapport PDF final
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Document 3 (1).pdf

ING Roosben@DESKTOP-A1TATII MINGW64 ~/desktop/TD (main)
$ git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 2 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 122.58 KiB | 4.09 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:roosbenjean46/TD.git
2b1eafd..dec8ea5 main -> main
branch 'main' set up to track 'origin/main'.

```

Cette commande permet d'enregistrer localement les modifications avant l'envoi sur GitHub

The screenshot displays a GitHub repository interface. At the top, the repository name 'roosbenjean46/TD' is shown. Below it, a commit history table lists recent changes:

File	Commit Message	Time Ago
Document 3 (1).pdf	Ajout du rapport PDF final	4 minutes ago
README.md	Initial commit	6 hours ago

The README content is displayed as 'TD'. On the right sidebar, repository statistics are shown: 0 stars, 0 watching, 0 forks. There are no releases or packages published yet.

Preuve d'envoi du fichier pdf