


A REPORT ON LABSHEET

**Project Title: HTML
HyperText Markup Language**



Submitted By: Kristina Aryal (10037/23)

Course: BHM (Ecommerce for Hospitality)

College: NATHM

Section : C

Submission date: April 28, 20262

Acknowledgement

I would like to express my sincere gratitude to Tribhuvan University for providing the academic environment and opportunity to explore emerging topics in E-commerce and website development.

I am especially thankful to my respected supervisor, Miss Laxmi, for her valuable guidance, continuous support, and patience throughout the preparation of this report. Her suggestions and encouragement greatly helped me in completing this project successfully.

I would also like to extend my appreciation to all those individuals who, directly or indirectly, contributed their time, effort, and resources in the completion of this report.

Working on this project has significantly enhanced my research, technical, and development skills, which I believe will be highly beneficial for my academic growth and future career.

Kristina

Aryal

Recommendation

This is to certify that the lab report entitled “Hotel Website Development Using HTML” submitted by Kristina Aryal a has been completed as per the requirements of the practical course under my supervision.

The work presented in this lab report is based on the practical activities carried out during the lab sessions. The student has followed the given instructions and demonstrated a clear understanding of basic HTML concepts and webpage development.

The report has been prepared according to the guidelines prescribed by the Faculty of Management, Tribhuvan University, and is submitted for the partial fulfillment of the practical component of the Bachelor of Hotel Management (BHM) program.

I am satisfied with the student’s performance and hereby recommend this lab report for evaluation.

.....

Er. Laxmi Devi Karmacharya
Report Supervisor

Lab Practical – 1

1. HTML

HTML (HyperText Markup Language) is the standard markup language used to create webpages. It provides the basic structure of a website by using different tags that define how content is displayed in a browser.

HTML tags are special keywords written inside angle brackets < > that are used to create different parts of a webpage. Tags tell the web browser how to display the content such as headings, paragraphs, images, and links.

- Opening tag → starts the content
- Closing tag → ends the content

Example:

<p> This is a paragraph </p>

Explanation:

- <p> → Opening tag
- This is a paragraph → Content
- </p> → Closing tag
-

Some common HTML tags are:

- <h1> </h1> → Used to create headings
- <p> </p> → Used to create paragraphs
- → Makes text bold
- <i> </i> → Makes text *italic*
- <u> </u> → Underlines text

These tags help organize and format the content of a webpage.

2. HTML Elements

An HTML element is made up of: [Opening Tag + Content + Closing Tag]

This means an element includes the tags and the text written inside them.

- Empty Elements
Some HTML elements do not have closing tags. These are called empty elements because they do not contain content.
Examples:

 <hr>

Explanation:

-
 → Adds a line break (moves text to next line)
- <hr> → Creates a horizontal line on the webpage

- Link Element

The link element is used to connect one webpage to another webpage or website.

Example: `<a href="https://www.google.com">Go to Google</a>`

Explanation:

- `<a>` → Anchor tag (used for links)
- `href` → Attribute that tells the link address
- Go to Google → Text shown on webpage

When clicked, it opens the Google website.

- Image Element

The image element is used to display pictures on a webpage.

Example: ``

Explanation:

- `<img>` → Image tag
- `src` → Shows the image file name
- `image.jpg` → Name of the image file

This will display an image on the webpage.

1. Program to Demonstrate Simple HTML page

```
<html>
<head>
<title>E-Commerce Basics - BHM Student</title>
</head>
<body>

<h1>Welcome to E-Commerce Learning Page</h1>
<p>This page is created by a BHM 5th Semester student.</p>

<br>

<h3>Types of E-Commerce</h3>
<ul>
<li>B2B (Business to Business)</li>
<li>B2C (Business to Customer)</li>
<li>C2C (Customer to Customer)</li>
<li>C2B (Customer to Business)</li>
</ul>

<h3>Contact Information</h3>
<p>
Name: Kristina Aryal <br>
Semester: 5th <br>
Faculty: BHM <br>
Subject: E-Commerce
</p>
```


<p>Thank you for visiting this page!</p>

</body>

</html>

Output:

Welcome to E-Commerce Learning Page

This page is created by a BHM 5th Semester student.

Types of E-Commerce

- B2B (Business to Business)
- B2C (Business to Customer)
- C2C (Customer to Customer)
- C2B (Customer to Business)

Contact Information

Name: Kristina Aryal
Semester: 5th
Faculty: BHM
Subject: E-Commerce

Thank you for visiting this page!

Lab Practical - 2

Using Tags Correctly (Semantic HTML)

Using tags correctly in HTML is called Semantic HTML. It means using tags that clearly describe the content inside them. This helps browsers and search engines understand the webpage better.

Heading Tags

Heading tags are used to create titles and subtitles.

- `<h1>` → Main heading (hotel name)
- `<h2>` → Section heading (Rooms, Services)
- `<h3>` → Subheading (Room types)

This help organize the content and show importance.

Paragraph Tag

The `<p>` tag is used to write descriptions or information.

Example uses:

- Room description
- Hotel details
- Service explanation

Line Break

The `<br>` tag is used to move text to the next line without starting a new paragraph.

Example use:

- Address
- Phone number

External Links

External links connect your website to another website.

- `<a>` → Anchor tag (used for links)
- `href` → Contains website address
- `target="_blank"` → Opens link in new tab

Example use:

- Linking to Booking websites

Internal Links

Internal links connect pages within the same website.

Example:

- Home to Contact page
- Home to Gallery page

They help users navigate easily between pages.

Program :

```
<html>
<head>
<title>Lab 2 - HTML Tags and Structure</title>
</head>
<body>

<h1>E-Commerce and HTML Basics</h1>

<p>
This page demonstrates the use of HTML tags such as headings and paragraphs.
HTML is the standard language used to create webpages.
</p>

<h2>Learning About HTML Tags</h2>

<p>
HTML tags are used to structure content on a webpage.
Each tag has a specific purpose such as displaying text, images, or links.
</p>

<h2>Using Headings to Structure Content</h2>

<p>
Headings help organize content in a hierarchical way.
There are six levels of headings from h1 (largest) to h6 (smallest).
</p>

<h3>Example of Heading Levels</h3>

<p>
h1 is used for main titles, h2 for major sections,
and h3 or lower for sub-sections.
</p>

<h2>Creating Paragraphs</h2>

<p>
Paragraphs are created using the &lt;p> tag.
They are used to display blocks of text in a structured format.
</p>

<p>
In e-commerce websites, paragraphs are used to describe products,
services, and company details.
</p>

</body>
</html>
```


Output:

E-Commerce and HTML Basics

This page demonstrates the use of HTML tags such as headings and paragraphs. HTML is the standard language used to create webpages.

Learning About HTML Tags

HTML tags are used to structure content on a webpage. Each tag has a specific purpose such as displaying text, images, or links.

Using Headings to Structure Content

Headings help organize content in a hierarchical way. There are six levels of headings from h1 (largest) to h6 (smallest).

Example of Heading Levels

h1 is used for main titles, h2 for major sections, and h3 or lower for sub-sections.

Creating Paragraphs

Paragraphs are created using the <p> tag. They are used to display blocks of text in a structured format.

In e-commerce websites, paragraphs are used to describe products, services, and company details.

Lab Practical 3

A hyperlink is a clickable text or element that takes users from one webpage to another page, website, or location within the same page.

Example:

```
<a href="https://www.google.com">Visit Google</a>
```

Explanation:

- `<a>` = anchor tag (used to create links)
- `href` = attribute that defines the destination (URL)
- `Link Text` = clickable text shown on the webpage

Uses:

- Helps users navigate between products and pages easily
- Keeps users on your main website when opening external links
- Improves user experience

Program Implementing Hyperlink :

```
<html>
<head>
<title>Lab 3 - Hyperlinks</title>
</head>
<body>

<h1>E-Commerce Hyperlinks Example</h1>

<h2>1. Basic Hyperlink</h2>
<p>
Visit Google:
<a href="https://www.google.com">Go to Google</a>
</p>

<h2>2. Open Link in New Tab</h2>
<p>
Visit Amazon in a new tab:
<a href="https://www.amazon.com" target="_blank">Go to Amazon</a>
</p>

<h2>3. Popular E-Commerce Websites</h2>
<ul>
<li><a href="https://www.daraz.com.np" target="_blank">Daraz Nepal</a></li>
<li><a href="https://www.alibaba.com" target="_blank">Alibaba</a></li>
</ul>

<h2>4. Internal Link</h2>
<p>
```

```
<a href="#contact">Go to Contact Section</a>
</p>
```

```
<br><br>
```

```
<h2 id="contact">Contact Information</h2>
```

```
<p>
```

```
Name: Student Name <br>
```

```
Faculty: BHM <br>
```

```
Subject: E-Commerce
```

```
</p>
```

```
<p><b>End of Lab 3</b></p>
```

```
</body>
```

```
</html>
```

Output:

E-Commerce Hyperlinks Example

1. Basic Hyperlink

Visit Google: [Go to Google](#)

2. Open Link in New Tab

Visit Amazon in a new tab: [Go to Amazon](#)

3. Popular E-Commerce Websites

- [Daraz Nepal](#)
- [eBay](#)
- [Alibaba](#)

4. Internal Link

[Go to Contact Section](#)

Contact Information

Name: Student Name

Faculty: BHM

Subject: E-Commerce

End of Lab 3

Lab Practical - 4

Amenities Menus

Lists organize data so it is "scannable." Guests read bullet points.

- Unordered Lists (): Perfect for features where the order doesn't matter, like room amenities.
- Ordered Lists (): Perfect for step-by-step instructions, like the booking or check-in process.

Program Demonstrating Listing Types:

```
<html>
<head>
<title>Lab 4 - Lists in HTML</title>
</head>
<body>

<h1>E-Commerce Product Categories</h1>

<!-- Unordered List -->
<h2>Unordered List (Bullet Points)</h2>
<p>Popular product categories:</p>
<ul>
<li>Clothing</li>
<li>Electronics</li>
<li>Groceries</li>
<li>Books</li>
</ul>

<h2>Ordered List (Numbered)</h2>
<p>Steps to place an order online:</p>
<ol>
<li>Visit the website</li>
<li>Select a product</li>
<li>Add to cart</li>
<li>Proceed to checkout</li>
<li>Make payment</li>
</ol>

<h2>Mixed List Example</h2>
<p>E-Commerce Platforms and Features:</p>
<ul>
<li>Daraz
<ol>
<li>Online shopping</li>
<li>Home delivery</li>
</ol>
</li>
<li>Amazon
<ol>
```

```
<li>Global marketplace</li>
<li>Fast shipping</li>
</ol>
</li>
</ul>

<p><b>End of Lab 4</b></p>

</body>
</html>
```

Output:

E-Commerce Product Categories

Unordered List (Bullet Points)

Popular product categories:

- Clothing
- Electronics
- Groceries
- Books

Ordered List (Numbered)

Steps to place an order online:

1. Visit the website
2. Select a product
3. Add to cart
4. Proceed to checkout
5. Make payment

Mixed List Example

E-Commerce Platforms and Features:

- Daraz
 1. Online shopping
 2. Home delivery
- Amazon
 1. Global marketplace
 2. Fast shipping

End of Lab 4

Lab Practical – 5

Image Tag:

- → displays image
- src → image file location
- alt → backup text + accessibility
- width → image width
- height → image height

```

```

Program Demonstrating use of Image Tag:

```
<html>
<head>
<title>Lab 5 - Images using Online Source</title>
</head>
<body>

<h1>E-Commerce Product Display</h1>

<!-- Laptop Image -->
<h2>Electronics Product</h2>


<br><br>

<!-- Multiple Products -->
<h2>Multiple Products</h2>







<br><br>

<p><b>End of Lab 5 (All Images Working)</b></p>

</body>
</html>
```

Output :

E-Commerce Product Display

Electronics Product



Multiple Products



End of Lab 5 (All Images Working)

Lab Practical – 6

HTML Forms (Guest Interaction)

<form>

- Main container for form data
- Sends user input to another page (action)
- Method="post" sends data securely <label>
- Gives name/description to input fields ,Makes form easier to understand <input type="text">
- Creates a text box
- Used for typing name, email, etc.
- Placeholder shows hint text Radio button (type="radio")
- Used for selecting only one option. All options must have same name
- Example: Breakfast / Lunch / Dinner Checkbox (type="checkbox")
- Used for selecting multiple options •Example: Window seat, Birthday decoration Submit button (type="submit")
- Sends form data to server/page
- Executes form submission Reset button (type="reset")
- Clears all entered data
- Resets form to default state

HTML form Demonstration:

```
<html>
<head>
<title>Lab 6 - HTML Forms</title>
</head>
<body>

<h1>Hotel Feedback Form (E-Commerce Practice)</h1>

<form>

<h3>Personal Information</h3>

Name: <br>
<input type="text" name="name" placeholder="Enter your name">
<br><br>

Email: <br>
<input type="text" name="email" placeholder="Enter your email">
<br><br>

<!-- Radio Buttons -->
<h3>Gender</h3>

<input type="radio" name="gender" value="male"> Male <br>
```



```
<input type="radio" name="gender" value="female"> Female <br>
<input type="radio" name="gender" value="other"> Other
```

```
<br><br>
```

```
<h3>Services Used</h3>
```

```
<input type="checkbox" name="service" value="room"> Room Service <br>
<input type="checkbox" name="service" value="food"> Food Delivery <br>
<input type="checkbox" name="service" value="spa"> Spa <br>
<input type="checkbox" name="service" value="laundry"> Laundry
```

```
<br><br>
```

```
<input type="submit" value="Submit Form">
```

```
</form>
```

```
<p><b>End of Lab 6</b></p>
```

```
</body>
```

```
</html>
```

Output:

Hotel Feedback Form (E-Commerce Practice)

Personal Information

Name:

Email:

Gender

- ☐ Male
- ☐ Female
- ☐ Other

Services Used

- ☐ Room Service
- ☐ Food Delivery
- ☐ Spa
- ☐ Laundry

End of Lab 6