

# concstats: Market Structure, Concentration and Inequality Measures, with R

#### Andreas Schneider<sup>1</sup>

1 Independent Researcher, Schneider Consulting, Asuncion-Paraguay

#### DOI:

#### Software

- Review ♂
- Repository ♂
- Archive □

# Submitted: Published:

#### License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License (CC-BY).

## Summary

Measures of concentration, competition, and inequality are important key aspects in many disciplines of social sciences. In economics they give a first insight of a given market structure in a particular market. They are important to determine public policies and strategic corporate decisions. However, in research and in practice the most commonly used measure is the Herfindahl Hirschman Index (Herfindahl 1950) (Hirschman 1945), calculated as the sum of squared shares retained by individual firms in a given market.

## Statement of need

The Herfindahl Hirschman Index, given by  $HHI(x) = \sum_{i=1}^{n} \left(\frac{x_i}{\sum_{x_i}}\right)^2$  is still the most widely used measure when it comes to determine concentration or diversity. In economics it usually defines if a given market is concentrated or not. However, relying on one single standard measure may lead to erroneous conclusions and decisions. Various complementary or alternative measures exist, which - used as a set - might reduce uncertainty with respect to a given market situation, and, in consequence, make better and informed decisions. The goal of the concstats package is to offer a set of alternative and/or additional measures for researchers in social sciences and practitioners in institutions concerned with competition on a regular basis to better determine a given market structure and therefore reduce uncertainty with respect to a given market situation. While not limited to this task, various functions or groups of functions are available to achieve the desired goal in a fraction of time. Some of the available functions are scattered in other R packages. The Herfindahl Hirschman Index can be found in hhi (Waggoner 2018) and the divseg (Kenny 2022) packages. While the hhi package has just one function, neither of both packages offer a normalized version of the measure. The latter offers as well functions for the Entropy, Gini and Simpson measures. The acid (Sohn 2016) and the ineq (Zeileis and Kleiber 2014) packages offer functions for inequality and competition measures, e.g. for the Entropy and Gini metric. Some popular measures, e.g. Gini or the Herfindahl Hirschman index have also been implemented in Python.

However, almost none of these packages offer a normalized calculation of the respective measure, with the exception of the ineq package. Other functions are new implementations in R, e.g. Dominance Index, Palma ratio, Stenbacka Index, GRS measure, and the dual of the Herfindahl Hirschman Index. The main advantage for researchers and practitioners of the concetats package is the reach set of available functions to reduce uncertainty in their work.

The package is sustained by a suite of unit tests, continuous integration and maintenance, git version control, and an extensive documentation. The implementation and coding of



the package has been guided by statistical software standards of the rOpenSci community to guarantee a user friendly experience.

The R package concstats is designed to filling the above mentioned gap, by offering a simple-to-use set of 15 individual measures - more or less used by academics or practitioners in a straight forward manner, thereby avoiding dependence on a single metric while reducing uncertainty.

### Overview and features

The package offers four different groups with the following functions or functionality:

- **concstats**\_concstats calculates eight pre-selected measures in a one-step procedure to provide a first insight of the market.
- concstats\_mstruct is a wrapper for the following market structure measures: concstats\_firm() computes the number of firms in a given market with market shares, concstats\_nrs\_eq() (Numbers equivalent), concstats\_top(), concstats\_top3() and concstats\_top5() computes the respective cumulative sums of market shares in a given market, and concstats\_all\_mstruct() calculates all measures as a group.
- concstats\_comp is a group wrapper for the following competition / concentration measures: concstats\_hhi() calculates the Herfindahl-Hirschman Index (Herfindahl 1950; Hirschman 1945) and concstats\_hhi\_d() its respective dual (Tabak, Guerra, and De Souza Penaloza 2009), the concstats\_hhi\_min(), the concstats\_dom(), the dominance index (Idunate 1994), the concstats\_sten() computes the result of the Stenbacka index (Melnik, Shy, and Stenbacka 2008), and finally concstats\_all\_comp() which calculates all measures as a group.
- concstats\_inequ is a wrapper for inequality and diversity measures and contains: concstats\_entropy() (Shannon 1948), concstats\_gini(), concstats\_simpson(), the concstats\_palma() (Palma ratio) (Palma 2006) and the concstats\_grs() as an alternative measure proposed by Ginevicius (Ginevicius and Čirba 2009), concstats\_all\_inequ() calculates the group measures.

For calculating any individual measure users just need to call the function, e.g. concstats\_hhi(), its dual concstats\_hhi\_d(), or any other function of interest, and include the name of the vector with the market shares. The user may also calculate a group of measures, e.g. concstats\_mstruct (market structure) in a one-step procedure and the results will be printed in a table (see Figure 1). Alternatively the user might just want a quick overview of a given market calculating a predefined set of measures using the concstats\_concstats() function.

Where it makes sense, measures are bounded [0, 1] to provide a better comparability with respect to other measures. The user will be guided through a number of defensive coding features avoiding erroneous inferences, e.g. a warning message when the vector of shares is not in a decimal format or a stop error message when the specified vector does not sum to 1. These and other features should help the user to reduce uncertainty about a given market situation and finally make better informed decisions in a consistent way and in much shorter time. Last but not least, the package comes with a real world data set of large credit unions in Paraguay.

A practical use case and further details regarding the different measures used in this package can be found in the article *Kreditgenossenschaften: Marktstruktur, Wettbewerb und Verhalten. Das Beispiel Paraguay* (Schneider 2022), which analyzes the market structure and competition of large credit unions in Paraguay.



### **Examples**

First of all, make sure you have the concstats package installed from CRAN or the latest development version from Github.

Let us get a quick overview of a given market situation.

```
library(concstats)
# We create some simple data of market shares of each firm in a given market
x <- c(0.35, 0.4, 0.05, 0.1, 0.06, 0.04)
sum(x)
# [1] 1</pre>
```

Calculate a selected set of market structure and concentration measures

```
share_con <- concstats_concstats(x) # creates the object share_con</pre>
          Measures Values
#
# 1
             Firms
                      6.00
                      3.33
# 2 Nrs_equivalent
# 3
           Top (%)
                     40.00
# 4
          Top3 (%)
                     85.00
# 5
          Top5 (%)
                     96.00
# 6
               HHI
                      0.30
# 7
       Entropy (RE)
                      0.79
#8
       Palma ratio
                      2.67
```

Now, assume we are just interested in one single measure, e.g. the dominance index.

```
# We use the same vector of market shares, and we will name our object share_dom
x <- c(0.35, 0.4, 0.05, 0.1, 0.06, 0.04)
share_dom <- concstats_dom(x)
share_dom
# [1] 0.4519308

# Alternative way to compute the same measure, and controlling the output
x <- c(0.35, 0.4, 0.05, 0.1, 0.06, 0.04)
share_dom2 <- concstats_comp(x, type = "dom", digits = 2)
share_dom2
# [1] 0.4519308</pre>
```

As you can see the functions can be accessed in different ways. Now, let us assume we are interested in a group of measures, e.g. inequality.

```
# Our known vector
x <- c(0.35, 0.4, 0.05, 0.1, 0.06, 0.04)
share_ineq <- concstats_inequ(x, type = "all", digits = 2)
share_ineq

# Measure Value
# 1 Entropy 2.04
# 2 Gini Index 0.46</pre>
```



```
# 3 Simpson Index 0.70
# 4 Palma Ratio 2.67
# 5 GRS 0.40
```

Note that for some measures the parameter normalized = FALSE is the default setting.

#### Visual summaries

The concstats package integrates fine with other visualization packages from the R ecosystem, e.g. kabelExtra for tables or ggplot2 for nice looking plots.

This time, we will use our creditcoops data set, which comes with the package.

```
data("creditcoops")
head(creditcoops)
```

```
# A tibble: 6 x 5
            year total_loans paired total_loans_log
 coop_id
   <dbl>
            <fct>
                        <dbl>
                                 <int>
                                                 <dbl>
#
            2016
                                                 19.0
     1
                     173892358
                                   1
#
     1
            2018
                     199048199
                                   1
                                                 19.1
     2
                     323892456
                                                 19.6
            2016
                                   2
#
     2
            2018
                     461609439
                                   2
                                                 20.0
            2016
                     179981404
     3
                                   3
                                                 19.0
##
     3
            2018
                     227232008
                                   3
                                                 19.2
```

You will need the following two packages. Make sure you have these packages installed.

```
library(dplyr)
library(kableExtra)
```

Now, we will filter out data for the year 2016 and create a reusable table.

The resulting table is a summary of the available group functions for assessing a given market structure.



#### Market structure 2016

Measure	Value
Firms	22.0
Nrs_equivalent	8.2
Top (%)	22.1
Top3 (%)	55.0
Top5 (%)	68.8

Figure 1: Market structure summary table

Now, let's go a step further. We will make a visual comparison of the two samples for years 2016 and 2018. For this purpose, we will select from our creditcoops data set the relevant columns (coop\_id, year, paired, and total\_loans\_log) and make a new data frame.

```
df_shares <- creditcoops |> dplyr::select(coop_id, year, paired, total_loans_log)
```

Make sure you have the ggplot2 package installed. Load the package.

Having a look a the output of Figure 2, we see a box plot with paired values of the cooperatives and the evolution of their respective total loans over time for the two sample years 2016 and 2018.

## **Availability**

A stable version of concstats is available on CRAN and has a dedicated website for a quick start. The development version is available on Github

## Acknowledgements

The author acknowledge rOpenSci reviewers and package contributors. Detailed contributions are listed on the package's GitHub page.



# 

Source: Andreas Schneider with data from INCOOP

Figure 2: Paired sample of large credit cooperatives



#### References

- Ginevičius, Romualdas, and Stasys Čirba. 2009. "Additive Measurement of Market Concentration." *Journal of Business Economics and Management* 10 (3): 191–98. https://doi.org/10.3846/1611-1699.2009.10.191-198.
- Herfindahl, Orris Clemens. 1950. "Concentration in the Steel Industry." PhD thesis, Columbia University, New York.
- Hirschman, Albert O. 1945. National Power and Structure of Foreign Trade. University of California Press.
- Idunate, Pascual G. A. 1994. "Un Indice de Dominacion Para El Analisis de La Estructura de Los Mercados." El Trimestre Economico 61 (243(3)): 499–524. https://www.jstor.org/stable/20856736.
- Kenny, Christopher T. 2022. "divseg: Compute Diversity and Segregation Indices." https://CRAN.R-project.org/package=divseg.
- Melnik, Arie, Oz Shy, and Rune Stenbacka. 2008. "Assessing Market Dominance." Journal of Economic Behavior & Organization 68 (1): 63–72. https://doi.org/10.1016/j.jebo.2008.03.010.
- Palma, J. 2006. "Globalizing Inequality: 'Centrifugal' and 'Centripetal' Forces at Work." UN Department of Economic and Social Affairs (DESA) Working Papers, no. 35. https://doi.org/10.18356/395c7874-en.
- Schneider, Andreas. 2022. "Kreditgenossenschaften: Marktstruktur, Wettbewerb Und Verhalten. Das Beispiel Paraguay." Zeitschrift Fuer Das Gesamte Genossenschaftswesen 72 (1): 7–38. https://doi.org/10.1515/zfgg-2022-0002.
- Shannon, C. E. 1948. "A Mathematical Theory of Communication." *Bell System Technical Journal* 27 (3): 379–423. https://doi.org/10.1002/j.1538-7305.1948.tb01338.x.
- Sohn, Alexander. 2016. "Acid: Analysing Conditional Income Distributions." https://CRAN.R-project.org/package=acid.
- Tabak, Benjamin M., Solange M. Guerra, and Rodrigo De Souza Penaloza. 2009. "Banking Concentration and the Price-Concentration Relationship: The Case of Brazil." *International Journal of Accounting and Finance* 1 (4): 415–35. https://doi.org/10.1504/IJAF.2009.029147.
- Waggoner, Philip D. 2018. "The Hhi Package: Streamlined Calculation and Visualization of Herfindahl-Hirschman Index Scores." *Journal of Open Source Software* 3 (28): 828. https://doi.org/10.21105/joss.00828.
- Zeileis, Achim, and Christian Kleiber. 2014. "Ineq: Measuring Inequality, Concentration, and Poverty." https://CRAN.R-project.org/package=ineq.