Array
add,subtract,multiplication,large/small,average

```
#include <iostream>
using namespace std;

int main() {
   int n, choice;

   cout << "Enter array size: ";
   cin >> n;

   if (n <= 0) {
      cout << "Invalid array size";
      return 0;
   }

   int a[n], b[n];

   cout << "Enter first array elements: ";
   for (int i = 0; i < n; i++)
      cin >> a[i];

   cout << "Enter second array elements: ";
   for (int i = 0; i < n; i++)
      cin >> b[i];
```

```
cout << "\n1. Add two arrays";
cout << "\n2. Subtract two arrays";
cout << "\n3. Multiply two arrays";
cout << "\n4. Largest and smallest element";
cout << "\n5. Average of numbers";
cout << "\nEnter your choice: ";
cin >> choice;

switch (choice) {
   case 1:
      for (int i = 0; i < n; i++)
         cout << a[i] + b[i] << " ";
      break;

   case 2:
      for (int i = 0; i < n; i++)
         cout << a[i] - b[i] << " ";
      break;

   case 3:
      for (int i = 0; i < n; i++)
         cout << a[i] * b[i] << " ";
      break;

   case 4: {
      int largest = a[0], smallest = a[0];

      for (int i = 1; i < n; i++) {
```

```
            if (a[i] > largest)
                largest = a[i];

            if (a[i] < smallest)
                smallest = a[i];
        }

        cout << "Largest = " << largest << endl;
        cout << "Smallest = " << smallest;
        break;
    }

    case 5: {
        int sum = 0;

        for (int i = 0; i < n; i++)
            sum += a[i];

        cout << "Average = " << (double)sum / n;
        break;
    }

    default:
        cout << "Invalid choice";
  }

  return 0;
}
```