Job Scout: glossary

VERSION 0.14 · 21 OCTOBER 2026 · SHARED BY EVERY DOCUMENT IN THIS SET

TERM	MEANING
Advert reader	The local model step that copies the facts from a job advert. See AGENTS.
AI agent	An AI model with a task, instructions and a limited set of tools, which works on the task by itself.
Alert	An email from a job site listing new roles that match a saved search.
ATS	Applicant tracking system: the software employers use to receive and filter applications, often by keywords.
Backlog	The ranked list of planned work, with codes such as H5 or BUG-3. See BACKLOG.
Baseline	A reference result. Later results are compared with it to see if quality has changed.
Board	The Application Pipeline: a private web page in the user's Claude account with its own database. It holds application cards, replies, to-dos, a calendar and the settings.
Bridge	Proton Mail Bridge: Proton's app that decrypts mail on the PC and offers it to local programs through IMAP.
Card	One application on the board. The system adds Draft cards only.
Digest	The morning summary of a run: problems, shortlist, replies. `data\runs\<date>\digest.md`.
Digest (model)	A version fingerprint of the local model. Recorded daily so a silent update is noticed.
Demo	`npm run demo`: the whole system on made-up data, with a fictional candidate and a separate demo board. Never touches real mail, files or the real board. See `demo\README.md`.
DKIM	A digital signature on an email that proves which domain sent it. Used to judge a sender by more than its display name.
Draft card	A card the system created. The user moves it on when they decide.
Evaluation	A repeatable test that compares the AI's answers with answers a person has checked. See `EVAL.md`.
Grounding	A code check that keeps only the facts that appear in the original text, so the model cannot add any.
IMAP	The standard way for a program to read a mailbox. Job Scout uses its read-only commands.
Ledger	The log of every step of every run: agent, model, instructions hash, inputs and counts. `data\ledger\`.
Local model	An AI model that runs on the local PC, not on the internet. Here, qwen2.5:14b in Ollama.
Ollama	Free software that runs open AI models on a local computer.
Pack	The folder of drafts for one role: CV, letter, fit-and-gap note, form answers, keyword report.
Part 1, part 2	The two morning Claude scheduled tasks: part 1 finds adverts (07:23), part 2 scores and drafts (08:10).
Private store	`%LOCALAPPDATA%\JobScout` on the PC: the mail password and copies of emails. No AI can reach it.
Prompt injection	Hidden instructions placed in text, for example in a job advert, to make an AI do something its owner did not intend.
Red teaming	Testing a system by playing the attacker, to find weaknesses before a real attacker does. A practice from security testing.
Retention	How long data is kept before it is deleted.
Reviewer	The separate AI agent that checks every claim in a pack against the user's career record.
Rubric	The eight weighted criteria a role is scored on, with descriptions of what earns the points. `rubric.md`.
Request (score or pack on request)	A single role the user found themselves, scored or packed in a chat exactly like a morning role. Its folder is `data\runs\<date>-req-<n>\`.

TERM	MEANING
Run folder	`data\runs\<date>\`: everything one morning produced.
Scheduled task	A Claude task that runs at a set time without anyone starting it.
Sprint	A short, planned block of work with agreed test cases. Specifications are in `docs\refinement\`.
System card	A one-document description of an AI system: use, limits, models, results and risks. See SYSTEM-CARD.
Threat model	A description of what needs protecting, who might cause harm, where they can get in and what stops them. See THREAT-MODEL.
Tokens a second	How fast the local model writes its answer. Below 15, it is running on the main processor, not the graphics card, and the reader stops after one advert.
Untrusted text	Text written by strangers: alerts, adverts, replies, web pages. Always treated as data, never as instructions.
Worth a look	Roles that score just under the shortlist line (from 55 by default). Listed in their own digest section, so a near miss is not lost.
Vault	The user's career record and Job Scout's instructions, in `Professional development\_context\`.