SYNTHETIC GRAPH SOURCE {COUNT} $&

Musi ni sa athu u renga kana u thoma

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Tshigwada tsha kilima tsha ṱhoḓisiso: Fhethu ha u lima a hu athu u ṱalutshedzea. Tshigwada itshi a si nyeletshedzo yo khwaṱhisedzwaho ya bulasi iḽi.

Zwe na vhiga nga bulasi iḽi

Maḓi nga khalaṅwaha yo oma

A zwo ngo rekhodwa. Fhedzisani ṱhoḓisiso ya fhethu ni khwaṱhisedze maḓi ni sa athu u nanga pulane ine ya ṱoḓa zwishumiswa zwinzhi.

Murotholo kha bulasi iḽi

Zwe zwa vhonwa nga murotholo wa henefho a zwo ngo rekhodwa. Zwikati zwa ṅwedzi zwa sathelaithi a zwi koni u khwaṱhisedza maḓuvha a murotholo wa u thoma na wa u fhedza.

Ḓuvha na u bva ha maḓi mavuni

Ḓuvha: a zwo ngo rekhodwa.

U bva ha maḓi: a zwo ngo rekhodwa. Mvelelo dza u ṱola mavu na ṱhoḓea dza tshiliṅwa tshiṅwe na tshiṅwe zwi kha ḓi ṱoḓa u ṱolwa.

Rekhodo dza ṅwaha wa u vhiga - hu si mbonelaphanḓa

Zwivhalo na miṅwedzi zwa ṅwaha wo fhiraho wa u vhiga zwi ṱalutshedza zwo vhigwaho. A zwi fulufhedzisi zwiḽiwa kha pulane i ḓaho.

Original eggs {year} $&

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: 240 eggs.

Zwo shumiswaho muṱani: 0 eggs. Zwo rengiswaho: a zwo ngo rekhodwa.

Miṅwedzi ya khaṇo yo vhigwaho: Fulw, Fwan. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

Fish

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: a zwo ngo rekhodwa.

Zwo shumiswaho muṱani: a zwo ngo rekhodwa. Zwo rengiswaho: a zwo ngo rekhodwa.

Miṅwedzi ya khaṇo yo vhigwaho: a zwo ngo rekhodwa. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

Miṅwe miroho

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: 12 kg.

Zwo shumiswaho muṱani: 7 kg. Zwo rengiswaho: 3 kg.

Miṅwedzi ya khaṇo yo vhigwaho: Phan, Nyen. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṇu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani

Kriedoring

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: tshibveledzwa tsha zwiḽiwa a tshi athu khwaṱhisedzwa.

U sedzulusa tshumiso ya zwiḽiwa: khwaṱhisedzani vhuvha, tshipiḓa tshi ḽiwaho na u lugisela ho teaho na mueletshedzi wa henefho a re na ndalukanyo ni sa athu u katela tshimela itshi kha zwiḽiwa zwa muṱa. A tshi katelwi kha zwivhalo zwa zwiḽiwa zwo ḓoweleaho na mishumo ya u kaṋa.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Exact identity; no confirmed household food part: The checked primary assessment establishes exact identity and South African distribution only. It does not establish edible parts, food-use preparation, picking dates or yield; claims for a different Lycium species are not transferred.

Record the exact identity and obtain local expert food-use advice before counting it as household food.

Nyeletshedzo ya u renga: Confirm exact species with a qualified indigenous nursery. Do not substitute genus-level berry claims for identification.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṋa henefho.

Tshiko: SANBI Red List: Lycium cinereum

Kriedoring

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: mitshelo miṱuku — u shumiswa sa zwiḽiwa zwi ṱoḓa u sedzuluswa nga muḓivhi.

U sedzulusa tshumiso ya zwiḽiwa: khwaṱhisedzani vhuvha, tshipiḓa tshi ḽiwaho na u lugisela ho teaho na mueletshedzi wa henefho a re na ndalukanyo ni sa athu u katela tshimela itshi kha zwiḽiwa zwa muṱa. A tshi katelwi kha zwivhalo zwa zwiḽiwa zwo ḓoweleaho na mishumo ya u kaṋa.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Documented berry-use caution: This explicit caution prevents routine household-food forecasting. Sporadic all-year fruiting is not promoted to an edible-food availability calendar.

Keep this as an identified hedge/inventory plant. Seek expert local food-use review before treating berries as household food.

Nyeletshedzo ya u renga: Confirm the exact species and intended hedge use with a local indigenous nursery.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṋa henefho.

Tshiko: SANBI PlantZAfrica: Lycium ferocissimum

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Ice plant

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: maṱari na mitshelo.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Annual edible leaf and fruit crop: This is an annual, not a fruit tree. The account describes boiled leaves as a spinach substitute and pickling. It supplies no food harvest duration, kg/plant or exact leaf calendar.

Record planting batches and harvested leaves/fruit separately.

Match this frost-sensitive plant to dry saline/coastal conditions. Its accumulated salts can return to the soil as plants die.

Nyeletshedzo ya u renga: Obtain exact-species seed or plants and assess the bed soil; no regional food cultivar or annual food yield is verified.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṋa henefho.

Tshiko: SANBI PlantZAfrica: Mesembryanthemum crystallinum

Nkaka

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: maṱari/mitshelo yo lugiswaho nga nḓila ya sialala — hu ṱoḓea u sedzuluswa nga muḓivhi.

U sedzulusa tshumiso ya zwiḽiwa: khwaṱhisedzani vhuvha, tshipiḓa tshi ḽiwaho na u lugisela ho teaho na mueletshedzi wa henefho a re na ndalukanyo ni sa athu u katela tshimela itshi kha zwiḽiwa zwa muṱa. A tshi katelwi kha zwivhalo zwa zwiḽiwa zwo ḓoweleaho na mishumo ya u kaṋa.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Tsedzuluso ya tshipiḓa tshi ḽiwaho na tsireledzo: SANBI reports culinary uses but also toxic constituents and poisoning concerns. A preparation report is not a complete safe household recipe.

Retain this climber in mapped inventory, but do not count it as normal household food until a qualified local specialist confirms identity, edible part and safe preparation.

SANBI records it across South Africa except Western Cape, in varied habitats.

Nyeletshedzo ya u renga: Resolve food-use and preparation with an experienced local food-plant specialist before buying it as a household crop.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṋa henefho.

Tshiko: SANBI PlantZAfrica, momordica-balsamica

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Waxberry

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: mapfura a mitshelo miṱuku — tshibveledzwa tsho shumiwaho nga nḓila ya sialala.

U sedzulusa tshumiso ya zwiḽiwa: khwaṱhisedzani vhuvha, tshipiḓa tshi ḽiwaho na u lugisela ho teaho na mueletshedzi wa henefho a re na ndalukanyo ni sa athu u katela tshimela itshi kha zwiḽiwa zwa muṱa. A tshi katelwi kha zwivhalo zwa zwiḽiwa zwo ḓoweleaho na mishumo ya u kaṋa.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Historical processed fat, not a fresh-fruit forecast: Historical food use concerns the fatty berry coating, not a generic fresh sweet berry. No validated household extraction method, recovered food yield or storage life is established. Source coating/oil percentages are not assigned as processing conversion factors.

Treat edible-fat preparation as a specialist process requiring local validation.

Use well-drained coastal sand with sun or semi-shade; fruit production needs correctly sexed planting material.

Nyeletshedzo ya u renga: Confirm the exact species and male/female stock with an indigenous nursery. Keep landscape use separate from an unverified household food process.

U phaḓaladzwa ha muvhere: zwimela zwa tshinna na zwa tshisadzi zwo fhambanaho. Ṱolani ṱhoḓea dza lushaka lwo nangwaho na nesari.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṋa henefho.

Tshiko: SANBI PlantZAfrica: Morella cordifolia

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Banana

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: mitshelo (tshiṱoko tsha miomva).

Tshiko tsha khaṋo ya u thoma: miṅwedzi ya 13–20. KZN DARD i bula nga ho livhaho tshifhinga u bva kha u ṱavha u ya kha khaṋo na u bva kha khaṋo u ya kha iṅwe. Miṅwedzi yo shandulwa ya vha miṅwaha (13/12 u ya kha 20/12). Itshi a si mbonelaphanḓa i re na datumu kana tshifhinga tsha khaṋo ya ṅwaha kha miṅwedzi yoṱhe. Tshifhinga tsha vhukuma tshi ya nga lushaka na ṱhogomelo ya fhethu.

Annual plantation output: KZN plantation reference per year: conservative 20–25 t/ha, average 25–30 t/ha, good 40+ t/ha. This is annual area production; it is not the weight of one bunch or a measured age-yield curve for three plants in a banana circle.

Cultivar, planting and crop cycle: The KZN guide gives 13–20 months for both the first planting-to-harvest cycle and subsequent harvest-to-harvest cycles. It lists different commercial densities for Williams, Grand Nain and Chinese Cavendish. A banana circle counts as three planted bananas here; replacement followers are stages of those mats, not extra mapped trees or guaranteed year-round supply.

Hu ṱoḓea fhethu hu dudelaho hu si na ṅwando na maḓi a fulufhedzeaho. Vhulungani tshiṋangi tshi ḓo dzhielaho vhudzulo tsinde ḽo bviswaho musi ḽo no aṋwa.

Lushaka lu humbulelwaho u ṱavhiwa: Grand Nain kha fhethu hu dudelaho; shumisani dziṅwe nḓila dza muya/murotho dzi re kha nyeletshedzo ya u renga arali nyimele idzo dzi hone. Miṅwedzi ya henefho ya u kaṋa a i athu u khwaṱhisedzwa.

Nyeletshedzo ya u renga: Kha KZN hu rotholelaho: Williams; kha mikovhe i dudelaho: Grand Nain; khunzikhunzini ya lwanzhe hu re na muya: Chinese Cavendish. Rengani zwishumiswa zwa u ṱavha zwo kunaho. Izwi ndi u nanga u ya nga kilima, a si zwifhinga zwa u thoma/vhukati/murahu.

Miomva i ḽiwaho i aṋwa mitshelo hu si na u phaḓaladzwa ha muvhere.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṋa henefho.

Tshiko: KZN DARD, Bananas in KwaZulu-Natal, pp. 1–4

Tshiko: ProMusa (Bioversity International-affiliated global banana knowledge platform), 'Domestication of the banana'

Tshiko: KZN DARD, Fruit and Nut Production in KZN, Bearing age, p. 8

Tshiko: KZN DARD, Fruit and Nut Production in KZN (2006), Bananas: Yields, p. 9

Tshiko: KZN DARD, Fruit and Nut Production in KZN (2006), Bananas: Bearing age and Spacing, p. 8

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Wild olive

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: mitshelo yo vhibvaho ya wild-olive.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Tshipiḓa tshi ḽiwaho na tshumiso ya henefho: Wild olive is distinct from a named commercial olive cultivar. March–July describes fruit following flowers; no exact ripe-picking start/end is established.

SANBI records this slow-growing tree in summer and winter rainfall areas, with frost, drought and wind resistance.

Keep its roots away from walls, patios and pools; SANBI notes that they can be aggressive.

Nyeletshedzo ya u renga: Ask for the wild-olive taxon in the catalogue, rather than substituting a commercial olive cultivar. Record actual local picking.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṋa henefho.

Tshiko: SANBI PlantZAfrica, olea-europaea-subsp-africana

Pistachio

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: mitshelo ya makanda o khwaṱhaho.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Producer's own cultivars: The same questionnaire confirms the nuts are grown on the producer's farm. Cultivar names are reproduced as written; spelling is not a taxonomy or catalogue change.

Prince Albert establishment and maturity expectation: An expectation for the newly established Platberg project, not a measured universal age curve. Its planted cultivars are Shufra, Ariyeh and Sirora; irrigated Karoo context retained.

Female trees bear nuts and need pollen from suitable male trees. The Prieska reference comes from a dry, irrigated Karoo farm.

Confirm male and female planting material, irrigation and local winter/summer conditions; a February producer reference does not validate a humid coast.

Nyeletshedzo ya u renga: Discuss Shufrah and Ariyeh from the Prieska producer evidence, or Shufra, Ariyeh and Sirora from the Prince Albert project, with a specialist nursery. Select a compatible male and confirm local fit.

U phaḓaladzwa ha muvhere: zwimela zwa tshinna na zwa tshisadzi zwo fhambanaho. Ṱolani ṱhoḓea dza lushaka lwo nangwaho na nesari.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu athu u khwaṱhisedzwa tshifhinga tshithihi tsha lushaka lwa henefho. Khalaṅwaha dza ndaedzi dzi re afho fhasi a si mbonelaphanḓa.

Ndaedzi fhedzi — bulasi ḽa Orange River tsini na Prieska, Northern Cape — zwo vhonwaho nga mubveledzi wa Karoo Pistachios: Luhu.

Tshiko: Karoo Pistachios, first-person producer questionnaire on FoodHub

Tshiko: Prince Albert Municipality, Pistachio Pioneers, 20 October 2025

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Spekboom

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: maṱari a ḽiwaho.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Tshipiḓa tshi ḽiwaho na tshumiso ya henefho: The food is the tart leaf; flowers do not define leaf picking months.

Primary food-processing research: The study analyses processed spekboom leaves. Its laboratory method and composition are not a farm harvest rate, storage life or household food-safety recipe.

Protect young plants from heavy browsing. SANBI reports warm rocky and semi-arid habitats; ground-level goat browsing can prevent vegetative spread and reduce regeneration.

Nyeletshedzo ya u renga: Ask for correctly identified spekboom and record whether it is planted for food, browse or restoration. No measured household leaf yield is supplied.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṋa henefho.

Tshiko: SANBI PlantZAfrica, portulacaria-afra

Tshiko: Mahlanza et al., University of Johannesburg research record, International Journal of Food Science and Technology (2026)

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Sweet cherry

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: Mitshelo ya cherries i ṱapilaho yo vhibvaho.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Production at age six: The guide reports 4–6 kg/tree in year 6 and warns that yields are difficult to predict because of pollination and fruit set. The separate good result at year 8–9 is 9 t/ha. Do not connect them into a made-up growth curve or convert the later hectare result to arbitrary tree spacing.

Chilling and pollen partners: Conventional commercial cherry reference: more than 1,000 Positive Utah Chill Units, not 1,000 chill hours. Low-chill candidates need their own verified requirements. Most cultivars need compatible cross-pollination; the named self-fertile choices differ. The September flowering reference is not a picking-month array.

Observed Ceres season start: Ceres growers reported the start of the 2025 cherry harvest in late October, seven to ten days earlier than the prior year. This is an observed season in a named region, not a fixed future duration, KZN calendar or all-variety season.

Check measured winter chilling, spring frost, drainage and rain near picking. The older KZN guide regarded commercial suitability there as still under trial; a broad climate-zone label does not replace current local advice.

Pollination depends on the selected cultivar. Compatible flowering and pollen sources are separate from early or late fruit ripening.

Nyeletshedzo ya u renga: Regional guide candidates include Bing, Van, Rainier, Burlat and Vista, which generally need compatible pollen partners. It explicitly lists Lapins, Stella and Sweetheart as self-fertile. Minnie Royal, Royal Lee, Royal Dawn and Early Sweet are lower-chill candidates. Confirm current stock, exact rootstock, compatibility and measured local chilling before purchase; this is not a warm-coast recommendation.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṋa henefho.

Tshiko: KZN DARD, Fruit and Nut Production in KZN (2006), Sweet Cherry: Yield, p. 31

Tshiko: KZN DARD, Fruit and Nut Production in KZN (2006), Sweet Cherry: Climate and Cultivars, p. 30

Tshiko: Hortgro / Tru-Cape growers, Cherry season begins: Ideal conditions, 29 October 2025

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Almond

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: mitshelo ya makanda o khwaṱhaho.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Texas Mission pollen, chill and weight context: Texas Mission is classified high chill and names Nonpareil as pollinator. Its 5 kg/tree production entry does not state tree age, management, trial region or whether weight is kernel or in-shell; it is not a mature annual food forecast.

Texas Mission named production entry: The Texas Mission table's Production (kg/tree) row gives 5 kg/tree. It does not state tree age, reporting period, trial region or whether this means kernels or nuts in shell. Retained as a cultivar source claim to investigate; numeric mature annual kg remains null.

Check the named cultivar's winter needs and compatible pollen before planting. Texas Mission is self-incompatible.

Record whether nut weights mean kernels or nuts in shell; these are different quantities.

Nyeletshedzo ya u renga: Texas Mission is a documented SAPO cultivar; its sheet names Nonpareil as pollen partner and describes a high chilling requirement. Confirm local suitability with the nursery.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu athu u khwaṱhisedzwa tshifhinga tshithihi tsha lushaka lwa henefho. Khalaṅwaha dza ndaedzi dzi re afho fhasi a si mbonelaphanḓa.

Ndaedzi fhedzi — bammbiri ḽa lushaka ḽa SAPO ḽa South Africa; fhethu ha ndingo a ho ngo bulwa — khaṋo ya u thoma ya Texas Mission: Luhu.

Tshiko: SAPO Trust, Texas Mission almond cultivar information

Tshaka dza zwiliṅwa dza u sedzulusa henefho

Vhulungani dzina ḽa lushaka lune na nanga zwa vhukuma. Mitevhe mipfufhi ya ṱhoḓisiso i ṱoḓa khwaṱhisedzo ya khalaṅwaha ya henefho, maḓi na mavu.

Tomatoes

Lushaka lwo rekhodwaho: a lu athu u nangwa.

Kilima ya fhethu hafha a i athu u ṱalutshedzea, ngauralo a hu buliwi mutevhe mupfufhi wa henefho. Vulani garaṱa ya tshiliṅwa u vhona zwiko na u rekhoda zwe na nanga.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.