SYNTHETIC GRAPH SOURCE {COUNT} $&

Ngaphambi kokuthenga noma ukuqala

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Iqembu lesimo sezulu locwaningo: Indawo yokulima ayikacaci. Leli qembu alisona isincomo esiqinisekisiwe saleli pulazi.

Lokho okubikile ngaleli pulazi

Amanzi ngesikhathi esomile

Akurekhodiwe. Qedela inhlolovo yendawo bese uqinisekisa amanzi ngaphambi kokukhetha uhlelo oludinga izinsiza eziningi.

Isithwathwa kuleli pulazi

Okubonwe ngesithwathwa endaweni akurekhodiwe. Izilinganiso zanyanga zonke zesathelayithi azikwazi ukuthola izinsuku zokuqala nezokugcina zesithwathwa.

Ilanga nokuphuma kwamanzi

Ilanga: akurekhodiwe.

Ukuphuma kwamanzi: akurekhodiwe. Kusadingeka ukuhlola imiphumela yokuhlolwa komhlabathi nezidingo zesitshalo ngasinye.

Amarekhodi onyaka wokubika - hhayi isibikezelo

Izamba nezinyanga zonyaka wokubika odlule zichaza lokho okwabikwa. Azithembisi ukudla ohlelweni oluzayo.

Original eggs {year} $&

Isamba sonyaka esibikwe umlimi sango-2025: 240 eggs.

Okusetshenziswa ekhaya: 0 eggs. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: Jun, Jul. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Fish

Isamba sonyaka esibikwe umlimi sango-2025: akurekhodiwe.

Okusetshenziswa ekhaya: akurekhodiwe. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: akurekhodiwe. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Eminye imifino

Isamba sonyaka esibikwe umlimi sango-2025: 12 kg.

Okusetshenziswa ekhaya: 7 kg. Okuthengisiwe: 3 kg.

Izinyanga zokuvuna ezibikiwe: Jan, Dis. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu

Kriedoring

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: umkhiqizo wokudla awukaqinisekiswa.

Ukubuyekezwa kokusetshenziswa njengokudla: qinisekisa ubunikazi, ingxenye edliwayo nokulungiswa okufanele nomeluleki wendawo oqeqeshiwe ngaphambi kokufaka lesi sitshalo ekudleni kwasekhaya. Asibalwa ezambeni zokudla okuvamile nasemisebenzini yokuvuna.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Exact identity; no confirmed household food part: The checked primary assessment establishes exact identity and South African distribution only. It does not establish edible parts, food-use preparation, picking dates or yield; claims for a different Lycium species are not transferred.

Record the exact identity and obtain local expert food-use advice before counting it as household food.

Iseluleko sokuthenga: Confirm exact species with a qualified indigenous nursery. Do not substitute genus-level berry claims for identification.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI Red List: Lycium cinereum

Kriedoring

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amajikijolo — ukusetshenziswa njengokudla kudinga ukubuyekezwa uchwepheshe.

Ukubuyekezwa kokusetshenziswa njengokudla: qinisekisa ubunikazi, ingxenye edliwayo nokulungiswa okufanele nomeluleki wendawo oqeqeshiwe ngaphambi kokufaka lesi sitshalo ekudleni kwasekhaya. Asibalwa ezambeni zokudla okuvamile nasemisebenzini yokuvuna.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Documented berry-use caution: This explicit caution prevents routine household-food forecasting. Sporadic all-year fruiting is not promoted to an edible-food availability calendar.

Keep this as an identified hedge/inventory plant. Seek expert local food-use review before treating berries as household food.

Iseluleko sokuthenga: Confirm the exact species and intended hedge use with a local indigenous nursery.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Lycium ferocissimum

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Ice plant

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amaqabunga nezithelo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Annual edible leaf and fruit crop: This is an annual, not a fruit tree. The account describes boiled leaves as a spinach substitute and pickling. It supplies no food harvest duration, kg/plant or exact leaf calendar.

Record planting batches and harvested leaves/fruit separately.

Match this frost-sensitive plant to dry saline/coastal conditions. Its accumulated salts can return to the soil as plants die.

Iseluleko sokuthenga: Obtain exact-species seed or plants and assess the bed soil; no regional food cultivar or annual food yield is verified.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Mesembryanthemum crystallinum

Nkaka

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amaqabunga/izithelo ezilungiswe ngendlela yesintu — kudingeka ukubuyekezwa uchwepheshe.

Ukubuyekezwa kokusetshenziswa njengokudla: qinisekisa ubunikazi, ingxenye edliwayo nokulungiswa okufanele nomeluleki wendawo oqeqeshiwe ngaphambi kokufaka lesi sitshalo ekudleni kwasekhaya. Asibalwa ezambeni zokudla okuvamile nasemisebenzini yokuvuna.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ukubuyekezwa kwengxenye edliwayo nokuphepha: SANBI reports culinary uses but also toxic constituents and poisoning concerns. A preparation report is not a complete safe household recipe.

Retain this climber in mapped inventory, but do not count it as normal household food until a qualified local specialist confirms identity, edible part and safe preparation.

SANBI records it across South Africa except Western Cape, in varied habitats.

Iseluleko sokuthenga: Resolve food-use and preparation with an experienced local food-plant specialist before buying it as a household crop.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, momordica-balsamica

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Waxberry

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amafutha amajikijolo — umkhiqizo ocutshungulwe ngendlela yesintu.

Ukubuyekezwa kokusetshenziswa njengokudla: qinisekisa ubunikazi, ingxenye edliwayo nokulungiswa okufanele nomeluleki wendawo oqeqeshiwe ngaphambi kokufaka lesi sitshalo ekudleni kwasekhaya. Asibalwa ezambeni zokudla okuvamile nasemisebenzini yokuvuna.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Historical processed fat, not a fresh-fruit forecast: Historical food use concerns the fatty berry coating, not a generic fresh sweet berry. No validated household extraction method, recovered food yield or storage life is established. Source coating/oil percentages are not assigned as processing conversion factors.

Treat edible-fat preparation as a specialist process requiring local validation.

Use well-drained coastal sand with sun or semi-shade; fruit production needs correctly sexed planting material.

Iseluleko sokuthenga: Confirm the exact species and male/female stock with an indigenous nursery. Keep landscape use separate from an unverified household food process.

Impova: izitshalo zesilisa nezesifazane ezihlukene. Hlola izidingo zohlobo olukhethiwe nenkulisa yezitshalo.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Morella cordifolia

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Banana

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo (isixha sikabhanana).

Isikhombo sesivuno sokuqala: izinyanga ezingu-13–20. I-KZN DARD isho ngokucacile ibanga lesikhathi kusukela ekutshaleni kuya ekuvuneni nokusukela ekuvuneni kuya ekuvuneni okulandelayo. Izinyanga ziguqulwe zaba iminyaka (13/12 kuya ku-20/12). Lokhu akusona isibikezelo esinedethi noma isikhathi sokuvuna sonyaka sezinyanga zonke. Isikhathi sangempela sincike ohlotsheni nasekunakekelweni kwendawo.

Annual plantation output: KZN plantation reference per year: conservative 20–25 t/ha, average 25–30 t/ha, good 40+ t/ha. This is annual area production; it is not the weight of one bunch or a measured age-yield curve for three plants in a banana circle.

Cultivar, planting and crop cycle: The KZN guide gives 13–20 months for both the first planting-to-harvest cycle and subsequent harvest-to-harvest cycles. It lists different commercial densities for Williams, Grand Nain and Chinese Cavendish. A banana circle counts as three planted bananas here; replacement followers are stages of those mats, not extra mapped trees or guaranteed year-round supply.

Kudingeka indawo efudumele, engenasithwathwa namanzi athembekile. Gcina ihlumela elizolandela lapho isiqu esithelile sisusiwe.

Uhlobo olucatshangwayo lokutshala: Grand Nain endaweni efudumele; sebenzisa ezinye izinketho zomoya/amakhaza ezelulekweni zokuthenga uma lezo zimo zikhona. Izinyanga zokuvuna zendawo azikaqinisekiswa.

Iseluleko sokuthenga: E-KZN epholile: Williams; ezigodini ezifudumele: Grand Nain; ogwini olunomoya: Chinese Cavendish. Thenga izinto zokutshala ezihlanzekile. Lokhu ukukhetha ngokwesimo sezulu, akuzona izikhathi zokuqala/zaphakathi/zakamuva.

Obhanana abadliwayo bakha izithelo ngaphandle kokudluliswa kwempova.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: KZN DARD, Bananas in KwaZulu-Natal, pp. 1–4

Umthombo: ProMusa (Bioversity International-affiliated global banana knowledge platform), 'Domestication of the banana'

Umthombo: KZN DARD, Fruit and Nut Production in KZN, Bearing age, p. 8

Umthombo: KZN DARD, Fruit and Nut Production in KZN (2006), Bananas: Yields, p. 9

Umthombo: KZN DARD, Fruit and Nut Production in KZN (2006), Bananas: Bearing age and Spacing, p. 8

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Wild olive

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo ezivuthiwe ze-wild-olive.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: Wild olive is distinct from a named commercial olive cultivar. March–July describes fruit following flowers; no exact ripe-picking start/end is established.

SANBI records this slow-growing tree in summer and winter rainfall areas, with frost, drought and wind resistance.

Keep its roots away from walls, patios and pools; SANBI notes that they can be aggressive.

Iseluleko sokuthenga: Ask for the wild-olive taxon in the catalogue, rather than substituting a commercial olive cultivar. Record actual local picking.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, olea-europaea-subsp-africana

Pistachio

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amantongomane.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Producer's own cultivars: The same questionnaire confirms the nuts are grown on the producer's farm. Cultivar names are reproduced as written; spelling is not a taxonomy or catalogue change.

Prince Albert establishment and maturity expectation: An expectation for the newly established Platberg project, not a measured universal age curve. Its planted cultivars are Shufra, Ariyeh and Sirora; irrigated Karoo context retained.

Female trees bear nuts and need pollen from suitable male trees. The Prieska reference comes from a dry, irrigated Karoo farm.

Confirm male and female planting material, irrigation and local winter/summer conditions; a February producer reference does not validate a humid coast.

Iseluleko sokuthenga: Discuss Shufrah and Ariyeh from the Prieska producer evidence, or Shufra, Ariyeh and Sirora from the Prince Albert project, with a specialist nursery. Select a compatible male and confirm local fit.

Impova: izitshalo zesilisa nezesifazane ezihlukene. Hlola izidingo zohlobo olukhethiwe nenkulisa yezitshalo.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — ipulazi lase-Orange River eduze ne-Prieska, Northern Cape — okubikwe umkhiqizi we-Karoo Pistachios: Feb.

Umthombo: Karoo Pistachios, first-person producer questionnaire on FoodHub

Umthombo: Prince Albert Municipality, Pistachio Pioneers, 20 October 2025

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Spekboom

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amaqabunga adliwayo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: The food is the tart leaf; flowers do not define leaf picking months.

Primary food-processing research: The study analyses processed spekboom leaves. Its laboratory method and composition are not a farm harvest rate, storage life or household food-safety recipe.

Protect young plants from heavy browsing. SANBI reports warm rocky and semi-arid habitats; ground-level goat browsing can prevent vegetative spread and reduce regeneration.

Iseluleko sokuthenga: Ask for correctly identified spekboom and record whether it is planted for food, browse or restoration. No measured household leaf yield is supplied.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, portulacaria-afra

Umthombo: Mahlanza et al., University of Johannesburg research record, International Journal of Food Science and Technology (2026)

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Sweet cherry

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: Ama-cherry amnandi avuthiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Production at age six: The guide reports 4–6 kg/tree in year 6 and warns that yields are difficult to predict because of pollination and fruit set. The separate good result at year 8–9 is 9 t/ha. Do not connect them into a made-up growth curve or convert the later hectare result to arbitrary tree spacing.

Chilling and pollen partners: Conventional commercial cherry reference: more than 1,000 Positive Utah Chill Units, not 1,000 chill hours. Low-chill candidates need their own verified requirements. Most cultivars need compatible cross-pollination; the named self-fertile choices differ. The September flowering reference is not a picking-month array.

Observed Ceres season start: Ceres growers reported the start of the 2025 cherry harvest in late October, seven to ten days earlier than the prior year. This is an observed season in a named region, not a fixed future duration, KZN calendar or all-variety season.

Check measured winter chilling, spring frost, drainage and rain near picking. The older KZN guide regarded commercial suitability there as still under trial; a broad climate-zone label does not replace current local advice.

Pollination depends on the selected cultivar. Compatible flowering and pollen sources are separate from early or late fruit ripening.

Iseluleko sokuthenga: Regional guide candidates include Bing, Van, Rainier, Burlat and Vista, which generally need compatible pollen partners. It explicitly lists Lapins, Stella and Sweetheart as self-fertile. Minnie Royal, Royal Lee, Royal Dawn and Early Sweet are lower-chill candidates. Confirm current stock, exact rootstock, compatibility and measured local chilling before purchase; this is not a warm-coast recommendation.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: KZN DARD, Fruit and Nut Production in KZN (2006), Sweet Cherry: Yield, p. 31

Umthombo: KZN DARD, Fruit and Nut Production in KZN (2006), Sweet Cherry: Climate and Cultivars, p. 30

Umthombo: Hortgro / Tru-Cape growers, Cherry season begins: Ideal conditions, 29 October 2025

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Almond

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amantongomane.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Texas Mission pollen, chill and weight context: Texas Mission is classified high chill and names Nonpareil as pollinator. Its 5 kg/tree production entry does not state tree age, management, trial region or whether weight is kernel or in-shell; it is not a mature annual food forecast.

Texas Mission named production entry: The Texas Mission table's Production (kg/tree) row gives 5 kg/tree. It does not state tree age, reporting period, trial region or whether this means kernels or nuts in shell. Retained as a cultivar source claim to investigate; numeric mature annual kg remains null.

Check the named cultivar's winter needs and compatible pollen before planting. Texas Mission is self-incompatible.

Record whether nut weights mean kernels or nuts in shell; these are different quantities.

Iseluleko sokuthenga: Texas Mission is a documented SAPO cultivar; its sheet names Nonpareil as pollen partner and describes a high chilling requirement. Confirm local suitability with the nursery.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — ikhasi lohlobo le-SAPO lase-South Africa; indawo yokuhlola ayishiwongo — ukuvuna kokuqala kwe-Texas Mission: Feb.

Umthombo: SAPO Trust, Texas Mission almond cultivar information

Izinhlobo zezitshalo okufanele zihlolwe endaweni

Gcina igama lohlobo olukhethayo ngempela. Uhlu olufushane locwaningo ludinga ukuqinisekiswa kwesikhathi sendawo, amanzi nomhlabathi.

Tomatoes

Uhlobo olurekhodiwe: akukakhethwa.

Isimo sezulu sale ndawo asikacaci, ngakho akukho hlu olufushane lwendawo olushiwo. Vula ikhadi lesitshalo ukuze ubone imithombo bese urekhoda okukhethile.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.