A PRACTICAL PLAN FOR THE GARDEN TEAM

Production plan - Ubhejane Crèche garden

November 2026 to October 2027

LOCATION	CLIMATE	PLAN PERIOD	GENERATED
This site (satellite climate records)	**Hot area, no frost - summer rain**	**November 2026 to October 2027**	**11 November 2026**

A crop plan should reduce uncertainty. It should show the garden team what to prepare, plant, harvest and buy - without making them decode the system behind it.

44.0 m²
growing space
7 beds

Not shown
known benchmark total
no verified kg/m² crop entry

Not shown
benchmark density
known total ÷ whole growing area, to compare plans

Not calculated
loss-adjusted total
confirm a loss allowance from actual records

0/12
fresh-picking months
timing windows only; no monthly kg inferred

PLAN SIGNALS

- No crop in this plan has a verified kg/m² food-yield benchmark, so no kilogram comparison is shown.
- Nov, Dec, Jan carry the most planned jobs - counted as jobs, not hours.
- 84 bed-months of the year have no crop in the ground.

DECISIONS TO MAKE

- Check actual household demand and recorded harvests; the benchmark comparison is not a meal or surplus guarantee.
- Check who is available before the Nov-Jan job peak, and time the work against real hours.
- Confirm a loss allowance from actual records before calculating a usable total.

How the totals are calculated

No kilogram total is shown because this plan has no crop with a verified kg/m² food-yield benchmark.

An unavailable benchmark is not a 0kg harvest. Record actual harvests on the monthly record sheet.

HOW MUCH TO TRUST THIS PLAN

No agronomist has checked this plan. It is built from your own map, from climate and soil data measured by satellites and global models, and from published South African growing guidelines. It is put together carefully and in good faith - but it is a starting point, not an instruction.

Use your own judgement alongside it. A computer cannot see your land. It does not know where the water stands after heavy rain, which corner the frost settles in, what failed here last year, or what your family will actually eat. You do.

Soil is the figure most likely to be wrong. Ours comes from a global model that reads a wide area, and real soil can change from one end of a single field to the other. If any number here matters to a decision you are spending money on, a soil test is the only way to know. You can upload one and the plan will be rebuilt around your real numbers.

Show this to your local agricultural extension officer. They know your district, your rainfall and your pests in a way no model does, and they can correct in ten minutes what would otherwise cost you a season. It costs nothing, and it is the single most useful thing you can do with this document.

Expect some of it to be wrong. Write down what you actually planted and what you actually harvested. Every season you record makes the next plan fit your land more closely than this one does - that is the point of it.

Published optimum-condition maturity endpoints are planning slots, not promises. Before any successor is sown or transplanted, confirm the previous crop is finished and the bed is actually clear; crops may mature later.

MANAGER VIEW

The year in numbers

Use this page to compare benchmark timing with labour, kitchen demand, storage and mentoring visits before the work reaches the field.

CROP-CYCLE BENCHMARK ONLY

No kilogram comparison is available because none of this plan's food crops has a verified kg/m² benchmark. An unavailable benchmark is not a 0kg harvest.

0 of 12 months have at least one verified fresh-picking window; that is timing, not monthly kilograms.

Workload by month (jobs planned)




Chart note: the workload chart counts planned jobs, not hours - a plot of maize and a bed of lettuce each count as one. Crop-cycle benchmark weights are shown by crop only; no monthly kg or Rand is inferred.

BED CALENDAR

Growing plan: Nov 2026 - Oct 2027

Read across to see what occupies each bed. Each line is one planting, not a measured strip of land.

Bed reserved / growing Pick fresh food Finish a cover crop

Tray crops reserve the bed from their first readiness month. Follow the monthly jobs. An arrow means the crop continues after Oct 2027.

CROP / SHARE OF BED	Nov 2026	Dec 2026	Jan 2027	Feb 2027	Mar 2027	Apr 2027	May 2027	Jun 2027	Jul 2027	Aug 2027	Sep 2027	Oct 2027
Bed 1												6 m²
No dated crop reserved here												
Bed 2												6 m²
No dated crop reserved here												
Bed 3												6 m²
No dated crop reserved here												
Bed 4												6 m²
No dated crop reserved here												
Bed 5												6 m²
No dated crop reserved here												

BED CALENDAR - CONTINUED

Growing plan: Nov 2026 - Oct 2027

Read across to see what occupies each bed. Each line is one planting, not a measured strip of land.

Bed reserved / growing Pick fresh food Finish a cover crop

Tray crops reserve the bed from their first readiness month. Follow the monthly jobs. An arrow means the crop continues after Oct 2027.

CROP / SHARE OF BED	Nov 2026	Dec 2026	Jan 2027	Feb 2027	Mar 2027	Apr 2027	May 2027	Jun 2027	Jul 2027	Aug 2027	Sep 2027	Oct 2027
Bed 6												8 m²
No dated crop reserved here												
Hügel 1												6 m²
No dated crop reserved here												

ImbewuField

PICTURE CALENDAR

UBHEJANE CRÈCHE GARDEN

Nov 2026 - Oct 2027

Fruit, nuts and berries: solid marks are local dates. Outlined marks: references when established, not food promised this year.

This site (satellite climate records) - Hot area, no frost - summer rain

CROP / FOOD SOURCE	Nov NOW	Dec 2026	Jan 2027	Feb 2027	Mar 2027	Apr 2027	May 2027	Jun 2027	Jul 2027	Aug 2027	Sep 2027	Oct 2027
Fresh veg												
No picking months marked yet.												
Staple crops												
No staple picking months marked yet.												
Food forest - fruit, nuts & berries and other foods	When established											
No confirmed picking months shown. Check fruit, nuts and berries on your map in the app.												
Animal products												
No confirmed production months shown. Check animal products and housing on your map in the app.												
Growing space used	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%

Outlined bands are planning references when established; they do not enter food totals or picking jobs. Blank months have no picking window marked. Recorded planting ages keep young plants out of early reference months. Check plant ages and Food sources to check in the app. Gold rows require each crop's storage conditions; check the full plan or app. Red space figures mean the plan needs more growing space than is mapped.

Not checked by an agronomist - a planning guide, not an instruction. Show it to your extension officer, and get a soil test before spending on soil.

Published optimum-condition maturity endpoints are planning slots, not promises. Before any successor is sown or transplanted, confirm the previous crop is finished and the bed is actually clear; crops may mature later.

UBHEJANE CRÈCHE GARDEN

Fresh food, kept food and space

Known food options by month. Counted once per crop or product, not kilograms, portions or meals.


1. Fresh food (food kinds)



2. Fresh food + kept food (food kinds)



3. Used and free crop-growing space (m2)



The two food charts share a scale. A crop present fresh and kept still counts once; kept colours add other food kinds. Dated output records update fresh counts. Research season references and sources without local dates are outside food counts.

Pantry storage requires each crop's source conditions. Preserved stock is shown only for recorded months; no amount, recipe or safe shelf life is inferred.

No preserved stock is recorded. This is a record status, not proof that the farm has no stock.

Space is for 44 m2 of mapped beds and plots only; trees, animal housing and ponds are outside this area. Numbers above space bars show used m2.

UBHEJANE CRÈCHE GARDEN

Production weights and missing records

Monthly records, crop-cycle benchmarks and food kept in stock are separate measures. Missing quantities are not zero.

Monthly production kg are not recorded. The crop-cycle graph below is a planning benchmark; it does not fill in missing monthly harvest weights.

No crop-cycle kg comparison is available for cycles starting harvest in this dated year. Check planting dates, growing space and sourced crop benchmarks.

No monthly quantities are recorded for this dated year in kg, eggs, litres, items or kept-stock kg. Enter expected or actual amounts in the app; the printed monthly table appears once a quantity is recorded, including zero.

? means quantity not recorded, not zero. * marks a known stock subtotal with missing batch weights. Egg counts and litres use actual records where entered, otherwise expected records. They are never converted to kg. Stock kg are food already held; they are never added to new production.

UBHEJANE CRÈCHE GARDEN

As your plants grow

Vegetables and staples alongside fruit, nuts and berries. Ten-year projection; not a harvest promise.

Green = vegetable and staple crop cycles. Gold = your tree yield schedule. Striped ends show harvest that changes as plants age during the year. * = known subtotal only; missing yields are not zero.

Nov 2026 - Oct 2027	**0 kg**
Nov 2027 - Oct 2028	**0 kg**
Nov 2028 - Oct 2029	**0 kg**
Nov 2029 - Oct 2030	**0 kg**
Nov 2030 - Oct 2031	**0 kg**
Nov 2031 - Oct 2032	**0 kg**
Nov 2032 - Oct 2033	**0 kg**
Nov 2033 - Oct 2034	**0 kg**
Nov 2034 - Oct 2035	**0 kg**
Nov 2035 - Oct 2036	**0 kg**

UBHEJANE CRÈCHE GARDEN

What this forecast assumes

Projection, not a harvest promise. Vegetables and staples repeat only saved recurring sowings; dated and existing crops happen once.

Vegetable and staple crop-cycle kilograms are counted in the year of first picking, not divided into monthly quantities. Carry-in harvests need actual records.

Vegetable and staple estimates hold bed area, sowings and crop benchmarks constant. Revise the plan if growing trees change shade, water or available bed space.

Tree ages run from planting on this site. Separate older and younger plants into age groups. Research first-crop ages are references, not guaranteed dates.

Tree kg are your farm or nursery assumptions per plant per year. Values hold until the next age you enter; no growth multiplier is invented. A range covers changes within the year. Review the schedule as plants age.

Check that the variety, local climate, pollination, water and care match your yield assumptions. Ages alone do not establish site suitability or survival.

Known subtotals leave out missing yields. Eggs, meat, milk, fish and honey are not included in these crop kg totals. Picking months and food-gap checks still need local confirmation.

UBHEJANE CRÈCHE GARDEN

Before you buy or start

Use your farm observations and the research shortlists. Confirm choices locally before buying.

Research climate group: Subtropical coast or Lowveld / Bushveld. This grouping is not a validated recommendation for this farm.

What you reported about this farm

Water through the dry season

Not recorded. Complete the site survey and confirm water before choosing an intensive plan.

Frost on this farm

Local frost observations are not recorded. Satellite monthly averages cannot establish first and last frost dates.

Sun and drainage

Sun: not recorded.

Drainage: not recorded. Soil-test results and crop-specific needs still need checking.

FULL PLAN

Bed-by-bed plan

Each line is one planting. Yield is a conservative benchmark comparison where a verified kg/m² entry exists; "Not verified" is never treated as 0kg.

Area	Crop	Space	Establish	Into field	Harvest	Benchmark

INPUTS

Seed and seedling buying schedule

Find the month, then the crop and bed. Check the seed quantity and sowing method before buying.

The buying rule

Source direct-sown or tray seed before the named sowing month; the source does not provide a universal procurement lead time. Ready-grown seedlings are listed at the start of the field-readiness window; buy them only when the bed and seedlings are ready. Living corms, slips, cloves and seed potatoes are listed close to planting. For a tray crop, choose either packet seed for the nursery or ready-grown seedlings - not both.

A published field seed rate gives a weight range for the mapped area. Confirm the sowing method with the supplier; no germination or loss allowance is added. For crops without a published seed rate, field spacing supports only an approximate FINAL stand. It does not prove a seed-buying quantity: use the packet's crop-specific sowing rate and germination guidance. Living-material ranges are approximate field positions from mapped area and published spacing, not guaranteed order quantities or loss allowances; supplier and crop-specific guidance may change what to purchase.

Source/check	Crop	Quantity	Method	For	Planting timeline

PLAN VERSUS REALITY

Monthly harvest and field record

Write the month: _____ Team: _____

Write down what actually happened

Record the date, crop, bed and actual harvest weight. Write how much was used, kept, shared or lost. These records help you check the next plan.

Harvest record

Date	Crop / bed	Picked kg	Used kg	Stored kg	Sold/shared kg	Lost kg

PLAN VERSUS REALITY

Fruit, eggs, honey and other production

Write the month: _____ Team: _____

Use the unit you actually measured

Write the food and its source: tree, coop, hive or bed. Use kg for weighed food, eggs for counted eggs, or jars, bunches or items. Record jar size in the source column. Keep all amounts on one row in the same unit.

Date	Food / source	Collected	Unit	Used	Sold/shared	Lost

Weekly observation

Week	Rainfall	Irrigation	Pests / disease	What we observed	What we changed

Decision for next month

Observe. Adjust. Write it down.