SYNTHETIC GRAPH SOURCE {COUNT} $&

Ngaphambi kokuthenga noma ukuqala

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Iqembu lesimo sezulu locwaningo: Indawo yokulima ayikacaci. Leli qembu alisona isincomo esiqinisekisiwe saleli pulazi.

Lokho okubikile ngaleli pulazi

Amanzi ngesikhathi esomile

Akurekhodiwe. Qedela inhlolovo yendawo bese uqinisekisa amanzi ngaphambi kokukhetha uhlelo oludinga izinsiza eziningi.

Isithwathwa kuleli pulazi

Okubonwe ngesithwathwa endaweni akurekhodiwe. Izilinganiso zanyanga zonke zesathelayithi azikwazi ukuthola izinsuku zokuqala nezokugcina zesithwathwa.

Ilanga nokuphuma kwamanzi

Ilanga: akurekhodiwe.

Ukuphuma kwamanzi: akurekhodiwe. Kusadingeka ukuhlola imiphumela yokuhlolwa komhlabathi nezidingo zesitshalo ngasinye.

Amarekhodi onyaka wokubika - hhayi isibikezelo

Izamba nezinyanga zonyaka wokubika odlule zichaza lokho okwabikwa. Azithembisi ukudla ohlelweni oluzayo.

Original eggs {year} $&

Isamba sonyaka esibikwe umlimi sango-2025: 240 eggs.

Okusetshenziswa ekhaya: 0 eggs. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: Jun, Jul. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Fish

Isamba sonyaka esibikwe umlimi sango-2025: akurekhodiwe.

Okusetshenziswa ekhaya: akurekhodiwe. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: akurekhodiwe. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Eminye imifino

Isamba sonyaka esibikwe umlimi sango-2025: 12 kg.

Okusetshenziswa ekhaya: 7 kg. Okuthengisiwe: 3 kg.

Izinyanga zokuvuna ezibikiwe: Jan, Dis. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu

Kriedoring

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: umkhiqizo wokudla awukaqinisekiswa.

Ukubuyekezwa kokusetshenziswa njengokudla: qinisekisa ubunikazi, ingxenye edliwayo nokulungiswa okufanele nomeluleki wendawo oqeqeshiwe ngaphambi kokufaka lesi sitshalo ekudleni kwasekhaya. Asibalwa ezambeni zokudla okuvamile nasemisebenzini yokuvuna.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ubunikazi obuqondile; akukho ngxenye eqinisekiswe njengokudla kwasekhaya: Ukuhlolwa kokuqala okuhloliwe kuqinisekisa kuphela ubunikazi obuqondile nokusabalala e-South Africa. Akuqinisekisi izingxenye ezidliwayo, ukulungiswa kokudla, izinsuku zokuvuna noma isivuno; okushiwo ngolunye uhlobo lwe-Lycium akudluliselwa kulolu.

Bhala ubunikazi obuqondile besitshalo bese uthola iseluleko sikachwepheshe wendawo ngokusetshenziswa njengokudla ngaphambi kokusibala njengokudla kwasekhaya.

Iseluleko sokuthenga: Qinisekisa uhlobo oluqondile ngenkulisa yezitshalo zomdabu enobungcweti. Ungasebenzisi izimangalo zamajikijolo ezingeni le-genus esikhundleni sokuhlonza uhlobo.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI Red List: Lycium cinereum

Kriedoring

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amajikijolo — ukusetshenziswa njengokudla kudinga ukubuyekezwa uchwepheshe.

Ukubuyekezwa kokusetshenziswa njengokudla: qinisekisa ubunikazi, ingxenye edliwayo nokulungiswa okufanele nomeluleki wendawo oqeqeshiwe ngaphambi kokufaka lesi sitshalo ekudleni kwasekhaya. Asibalwa ezambeni zokudla okuvamile nasemisebenzini yokuvuna.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Isixwayiso esibhaliwe ngokusebenzisa amajikijolo: Lesi sixwayiso esicacile sivimbela ukubikezela ukudla kwasekhaya okuvamile. Ukuthela ngezikhathi ezingahleliwe unyaka wonke akwenziwa ikhalenda lokutholakala kokudla okudliwayo.

Gcina lesi njengesitshalo esihlonziwe sothango noma sohlu lwezitshalo ezikhona. Funa ukubuyekezwa nguchwepheshe wendawo ngokusetshenziswa njengokudla ngaphambi kokuphatha amajikijolo njengokudla kwasekhaya.

Iseluleko sokuthenga: Qinisekisa uhlobo oluqondile nokusetshenziswa okuhlosiwe kothango ngenkulisa yendawo yezitshalo zomdabu.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Lycium ferocissimum

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Macadamia

Isikhombo sesifunda: Macadamia - kulindeleke lapho sekumile kahle

Jan	Feb	Mas	Eph	Mey	Jun	Jul	Aga	Sep	Okt	Nov	Dis

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: Amantongomane: bhala amantongomane asesemagobolondweni ngokwehlukana nezikhwebu.

Isikhombo sesivuno sokuqala: iminyaka engu-4–5. Isikhombo sokuqala ukukhula sase-KZN; lo mthombo uchaza nokuthela kamuva ezindaweni eziphakeme. Akusona isithembiso kuzo zonke izinhlobo noma kuyo yonke indawo yase-SA. Isikhathi sangempela sincike ohlotsheni nasekunakekelweni kwendawo.

Isikhombo sokukhiqiza osekusimeme: iminyaka engu-7–9. I-USDA FAS ichaza ukuvuthwa kokukhiqiza kokudayisa ngeminyaka engu-7–9 kuyilapho izivuno zingaqhubeka zikhula eminye iminyaka engu-15–20. Lokhu akubeki ubudala obusimeme besivuno esiphezulu kunazo zonke.

Ukukhiqiza kwe-Macadamia eminyakeni ebekiwe — imithombo ye-WIS elinganiselwe: Unyaka 4 we-Beaumont: cishe 0.6–0.8 kg/tree (isisekelo sonyaka 4 asicaciswanga); unyaka 5: 2–10 kg/tree Wet In Shell (WIS); unyaka 8: cishe 16 kg/tree; unyaka 13–14: kufika ku-35 kg/tree WIS. I-SAMAC ithi umehluko wezindawo uqinisekisiwe. Lokhu kuwumthombo wokubheka, akulona uhlelo lwendawo oluqinisekisiwe; akunakugcwalisa ama-kg ezinhlamvu ezidliwayo noma ijika elixhumanisa yonke iminyaka kuzo zonke izindawo.

Ukuzinza kwe-Macadamia kuncike endleleni yokuzalanisa izitshalo: Izithombo ezixhunyelelwe: amantongomane okuqala cishe eminyakeni engu-3–5, kuya ngohlobo; ezikhuliswe ngembewu zivame ukuthatha iminyaka engu-10–12, ngezinye izikhathi ngaphezulu. I-SAMAC incoma ukususa izimbali kuze kube unyaka 3 ngesikhathi izitshalo zisazinza. Umthombo okhona we-KZN weminyaka engu-4–5 yokuqala ukuthela usenemibandela; indlela inkulisa ezalanise ngayo izitshalo kufanele ibhalwe ngaphambi kokuwusebenzisa.

Khetha uhlobo oluhambisana nesimo sezulu sendawo encane; gwema isithwathwa esinzima nomhlabathi ongakhiphi amanzi kahle.

Qoqa njalo amantongomane awile, susa amakhoba masinyane bese womisa endaweni ehlanzekile engenisa umoya. Izinkukhu nomquba makuqhele lapho kuvunwa khona amantongomane.

Iseluleko sokuthenga: Uhlu olufushane logu lwase-KZN oluku-90–300 m: Beaumont (695), Purvis (294), Makai (800), 660. Qinisekisa ukuphakama kwendawo nezeluleko zamanje zempova/ukuvuthwa.

Impova: iyakwazi ngokwengxenye ukwakha izithelo ngempova yayo. Hlola izidingo zohlobo olukhethiwe nenkulisa yezitshalo.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Macadamia (kuyaqhubeka)

Isikhombo sesifunda: Macadamia. South Africa (ngokujwayelekile — Mpumalanga, KwaZulu-Natal, Limpopo). Isikhathi sesifunda samantongomane asemagobolondweni; ukuvuthwa kohlobo ngalunye kusadinga ukuhlolwa. Isikhombo sokuhlela lapho sekumile kahle; qinisekisa izinsuku zokuvuna zendawo. Akuthenjiswa inani lokudla noma isivuno sonyaka wokuqala.

Umthombo: KZN DARD, Fruit and Nut Production, PDF pp. 24–25 (regional reference; confirm current nursery stock)

Umthombo: ARC Climate-Smart Agriculture, module 6, printed pp. 245–246

Umthombo: SAMAC, Best Practices: Harvesting, Dehusking, Drying (2023), pp. 1–6

Umthombo: USDA Foreign Agricultural Service (FAS), GAIN Report SF2025-0023, 'South Africa's Macadamia Industry Grows Despite Export Uncertainty', FAS Pretoria Post, 2025, p. 5

Umthombo: SAMAC (South African Macadamia Growers' Association), 'What have we learned 2024' research summary newsletter

Umthombo: KZN DARD, Fruit and Nut Production in KZN, Macadamia bearing age, p. 24

Umthombo: SAMAC Information Hub, FAQs: potential yield at different ages

Umthombo: SAMAC Information Hub, FAQs: time to produce nuts

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Apple

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhombo sesivuno sokuqala: iminyaka engu-3. Isikhombo sencwadi yase-KZN sokuthela okuncane ngonyaka wesi-3, ezimweni zama-apula zesimo esipholile ezifaneleka kakhulu lapho kuyi-Dry Highland Sourveld. Isiphunzi, uhlobo nobudala bokuqala basenkulisa akucacisiwe. Uhlobo olubiziwe oludinga amakhaza ambalwa lusadinga amakhaza anele ebusika endaweni nokusimama; lokhu akusona isiqinisekiso sogu olufudumele. Isikhathi sangempela sincike ohlotsheni nasekunakekelweni kwendawo.

Isikhombo sokukhiqiza osekusimeme: iminyaka engu-7. Ukukhiqiza okugcwele ngonyaka wesi-7 kule ncwadi ejwayelekile yase-KZN. Akukho nani lokukhiqiza ngesihlahla elishiwo kulobu budala, futhi isiphunzi, uhlobo nokuphathwa kungashintsha ukuthela. Izabelomali ezine zase-Langkloof ziyizinto ezicatshangelwe zokuhlela zesifunda ezihlukene, azisona isiqinisekiso esilinganisiwe salobu budala obujwayelekile.

Apple ngonyaka 3 — ukukhiqiza okubekwe kwisabelomali sebhizinisi sase-Langkloof: Langkloof, Little Karoo, inhlabathi yohlobo lwe-sandy loam: inani lomkhiqizo elibekwe kwisabelomali ngonyaka 3 lingu-10,000 kg/ha. Lokhu kuwukucatshangwa kwesabelomali sebhizinisi lokuhweba, akusona isilinganiso esithathwe ensimini. Isabelomali asinikezi ukuminyana kwezihlahla, isiphunzi sokuxhunyelelwa noma uhlobo olutshalwayo okuhambisana nalezi zibalo; ungaguquli kube kg/tree, ukusebenzise esihlahleni esincane esizimele noma uxhumanise eminye iminyaka engabikwanga. Umthombo ucashunwe ezingxenyeni zetafula: isamba sisekholomu ethi Quantity, imigqa yemali yomkhiqizo we-Apple isebenzisa u-Kg; isisekelo sendawo yehektha elilodwa sibhalwe esihlokweni.

Apple ngonyaka 4–5 — ukukhiqiza okubekwe kwisabelomali sebhizinisi sase-Langkloof: Langkloof, Little Karoo, inhlabathi yohlobo lwe-sandy loam: inani lomkhiqizo elibekwe kwisabelomali ngonyaka 4–5 lingu-25,000 kg/ha. Lokhu kuwukucatshangwa kwesabelomali sebhizinisi lokuhweba, akusona isilinganiso esithathwe ensimini. Isabelomali asinikezi ukuminyana kwezihlahla, isiphunzi sokuxhunyelelwa noma uhlobo olutshalwayo okuhambisana nalezi zibalo; ungaguquli kube kg/tree, ukusebenzise esihlahleni esincane esizimele noma uxhumanise eminye iminyaka engabikwanga. Umthombo ucashunwe ezingxenyeni zetafula: isamba sisekholomu ethi Quantity, imigqa yemali yomkhiqizo we-Apple isebenzisa u-Kg; isisekelo sendawo yehektha elilodwa sibhalwe esihlokweni.

Apple ngonyaka 6–7 — ukukhiqiza okubekwe kwisabelomali sebhizinisi sase-Langkloof: Langkloof, Little Karoo, inhlabathi yohlobo lwe-sandy loam: inani lomkhiqizo elibekwe kwisabelomali ngonyaka 6–7 lingu-48,590 kg/ha. Lokhu kuwukucatshangwa kwesabelomali sebhizinisi lokuhweba, akusona isilinganiso esithathwe ensimini. Isabelomali asinikezi ukuminyana kwezihlahla, isiphunzi sokuxhunyelelwa noma uhlobo olutshalwayo okuhambisana nalezi zibalo; ungaguquli kube kg/tree, ukusebenzise esihlahleni esincane esizimele noma uxhumanise eminye iminyaka engabikwanga. Umthombo ucashunwe ezingxenyeni zetafula: isamba sisekholomu ethi Quantity, imigqa yemali yomkhiqizo we-Apple isebenzisa u-Kg; isisekelo sendawo yehektha elilodwa sibhalwe esihlokweni.

Apple ngonyaka 8 — ukukhiqiza okubekwe kwisabelomali sebhizinisi sase-Langkloof: Langkloof, Little Karoo, inhlabathi yohlobo lwe-sandy loam: inani lomkhiqizo elibekwe kwisabelomali ngonyaka 8 lingu-64,000 kg/ha. Lokhu kuwukucatshangwa kwesabelomali sebhizinisi lokuhweba, akusona isilinganiso esithathwe ensimini. Isabelomali asinikezi ukuminyana kwezihlahla, isiphunzi sokuxhunyelelwa noma uhlobo olutshalwayo okuhambisana nalezi zibalo; ungaguquli kube kg/tree, ukusebenzise esihlahleni esincane esizimele noma uxhumanise eminye iminyaka engabikwanga. Umthombo ucashunwe ezingxenyeni zetafula: isamba sisekholomu ethi Quantity, imigqa yemali yomkhiqizo we-Apple isebenzisa u-Kg; isisekelo sendawo yehektha elilodwa sibhalwe esihlokweni.

Ngaphambi kokuthenga, hlola uhlobo lwangempela, isiphunzi, ukubanda kwasebusika nomthombo wempova ohambisanayo. Ilebula lendawo yesimo sezulu efudumele noma ebandayo lodwa alikuqinisekisi lokhu.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Apple (kuyaqhubeka)

Iseluleko sokuthenga: I-Afri-Star iwuhlobo olungadingi ukubanda okuningi olwakhiwe yi-ARC, olunesidingo esibhalwe esingu-300–500 Infruitec Chilling Unit; izinsuku zalo zika-Disemba–Januwari zatholakala e-Bien Donne, Simondium, Western Cape futhi zidinga ukuqinisekiswa endaweni kwenye indawo. I-Granny Smith inereferensi yokuqala ukukha e-Elgin ngasekupheleni kuka-Mashi; i-SAPO ibala i-Golden Delicious noma i-Hillieri njengezinhlobo zempova ezihambisanayo. Lezi izinkomba zezinhlobo ezehlukene, akusona isikhathi esiqhubekayo sokukha noma isincomo se-KZN efudumele. Qinisekisa izitshalo ezitholakala enkulisa manje nokusebenza kwazo endaweni.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — Bien Donne, Simondium, Western Cape — inkomba yokuhlolwa kohlobo lwe-Afri-Star: Dis–Jan.

Inkomba kuphela — Elgin, Western Cape — ukuvuna kokuqala kohlobo lwe-Granny Smith: Mas.

Umthombo: Culdevco / ARC: Afri-Star apple cultivar information (Bien Donne, Simondium trial context; checked 10 October 2026)

Umthombo: SAPO Trust: Granny Smith apple cultivar information (Elgin first pick; checked 10 October 2026)

Umthombo: Culdevco / ARC Infruitec-Nietvoorbij, Afri-Star apple cultivar information sheet

Umthombo: SAPO Trust, Granny Smith apple cultivar information sheet

Umthombo: KZN DARD, Fruit and Nut Production in KZN, Apple bearing age; printed p.28, p. 32

Umthombo: Western Cape Department of Agriculture, Agricultural Economic Services, Apples (Yr 3), updated November 2024, p. 1

Umthombo: Western Cape Department of Agriculture, Agricultural Economic Services, Apples (Yr 4–5), updated November 2024, p. 1

Umthombo: Western Cape Department of Agriculture, Agricultural Economic Services, Apples (Yr 6–7), updated November 2024, p. 1

Umthombo: Western Cape Department of Agriculture, Agricultural Economic Services, Apples (Yr 8), updated November 2024, p. 1

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Mango

Isikhombo sesifunda: Mango - kulindeleke lapho sekumile kahle

Jan	Feb	Mas	Eph	Mey	Jun	Jul	Aga	Sep	Okt	Nov	Dis

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhombo sesivuno sokuqala: iminyaka engu-3–4. Izitshalo zomango ezixhunyelelwe encwadini yase-KZN ngokuvamile ziqala ukuthela emva kweminyaka engu-3–4. Isimo esichaziwe ukukhiqiza endaweni engenasithwathwa, eshisayo/efudumele eseduze nesimo sasezindaweni ezishisayo, enomswakama ophansi ngesikhathi sokuqhakaza, kuhlanganisa i-Zululand eyomile, i-Valley Bushveld ne-Lowveld. Umbhalo uhlukanisa izitshalo ezixhunyelelwe ne-Peach/Sabre ekhuliswe ngembewu; ungasebenzisi lobu budala esithombeni esingaqoshiwe noma ucabange ama-kg onyaka. Isikhathi sangempela sincike ohlotsheni nasekunakekelweni kwendawo.

Ukuzinza kwe-mango exhunywe ngokuxhunyelelwa — umhlahlandlela wesifunda: Izithombo ezixhunyelelwe ngokuvamile ziqala ukuthela cishe eminyakeni engu-3–4 futhi zingaqhubeka zikhiqiza iminyaka engu-20 noma ngaphezulu ngaphansi kwezimo zomhlahlandlela. Izihlahla ezikhuliswe ngembewu ziyisimo esihlukile sezinto zokutshala. Kufanele kuhlolwe isithwathwa, izimo ezimanzi zokuqhakaza entwasahlobo, uhlobo olutshalwayo nokuzinza ensimini; ubude bokuphila abulona ijika lesivuno ngokweminyaka.

Hlola isithwathwa, ukuphuma kwamanzi nobungozi bezifo ngesikhathi sokuqhakaza. Ukuzwela ekushiseni nasekushisweni yilanga kuyehluka ngezinhlobo.

Uhlobo olucatshangwayo lokutshala: Tommy Atkins, kuye ngokuhlolwa kokuqhakaza nesithwathwa endaweni. Qinisekisa izinyanga zalo zokuvuna endaweni; ikhalenda lisebenzisa inkomba yesifunda ephawuliwe lapho inomthombo.

Iseluleko sokuthenga: I-ARC ibala i-Tommy Atkins ne-Kent phakathi kwezinhlobo ezibekezelela ukushisa/ukushiswa yilanga kangcono; i-Sensation ne-Keitt zithinteka kalula. Qinisekisa izinsuku zokuvuna zendawo ngaphambi kokukhetha izinhlobo ezilandelanayo.

Isikhombo sesifunda: Mango. South Africa (ngokujwayelekile; Limpopo + Mpumalanga = 96% yendawo yama-mango yase-SA). Isikhathi semboni sesifunda, hhayi isikhathi sesivuno se-Tommy Atkins kuphela. Isikhombo sokuhlela lapho sekumile kahle; qinisekisa izinsuku zokuvuna zendawo. Akuthenjiswa inani lokudla noma isivuno sonyaka wokuqala.

Umthombo: ARC Climate-Smart Agriculture, module 6, printed pp. 239–242

Umthombo: National Agricultural Marketing Council (NAMC), South African Fruit Trade Flow Report, Issue 56, December 2024 (citing FPEF 2024), p. 3

Umthombo: KZN DARD, Fruit and Nut Production in KZN, Mango bearing age; printed p.16, p. 20

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Ice plant

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amaqabunga nezithelo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Isitshalo sonyaka esinamaqabunga nezithelo ezidliwayo: Lesi yisitshalo sonyaka, asisona isihlahla sezithelo. Umbhalo uchaza amaqabunga abilisiwe esikhundleni sesipinashi nokugcinwa ngokufakwa kuviniga. Awunikezi ubude besikhathi sokuvuna ukudla, kg/plant noma ikhalenda eliqondile lamaqabunga.

Bhala amaqoqo okutshalwa namaqabunga noma izithelo ezivuniwe ngokwehlukana.

Fanisa lesi sitshalo esizwela isithwathwa nezimo ezomile ezinosawoti noma zasogwini. Usawoti osiqongelelile ungabuyela emhlabathini lapho izitshalo zifa.

Iseluleko sokuthenga: Thola imbewu noma izitshalo zohlobo oluqondile bese uhlola inhlabathi yombhede; alukho uhlobo lokudla lwesifunda noma isivuno sokudla sonyaka oluqinisekisiwe.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Mesembryanthemum crystallinum

Coastal red milkwood

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo ezivuthiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: Umthombo uchaza izithelo ezivuthiwe ezibomvu okusawolintshi ngokugqamile. Awunikezi ikhalenda lokuvuna.

I-SANBI ibhala lesi sihlahla ehlathini lezindunduma zogwini olusempumalanga kusukela e-Eastern Cape kudlule KwaZulu-Natal, sibekezelela inkungu yasolwandle enosawoti.

Iseluleko sokuthenga: Qinisekisa i-Mimusops afra nokuthi ivela ngokusemthethweni enkulisa. Hlola izidingo zamanje zokuqoqwa kwezihlahla ezivikelwe ngaphambi kokuthatha izitshalo noma imikhiqizo ezihlahleni ezikhona.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, mimusops-afra

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Nkaka

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amaqabunga/izithelo ezilungiswe ngendlela yesintu — kudingeka ukubuyekezwa uchwepheshe.

Ukubuyekezwa kokusetshenziswa njengokudla: qinisekisa ubunikazi, ingxenye edliwayo nokulungiswa okufanele nomeluleki wendawo oqeqeshiwe ngaphambi kokufaka lesi sitshalo ekudleni kwasekhaya. Asibalwa ezambeni zokudla okuvamile nasemisebenzini yokuvuna.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ukubuyekezwa kwengxenye edliwayo nokuphepha: I-SANBI ibika ukusetshenziswa ekuphekeni kodwa futhi nezinto ezinobuthi nokukhathazeka ngokungenwa ubuthi. Ukubikwa kwendlela yokulungisa akuyona iresiphi ephelele ephephile yasekhaya.

Gcina lesi sitshalo esikhwelayo ohlwini lwezitshalo ezikhona ebalazweni, kodwa ungasibali njengokudla okuvamile kwasekhaya kuze kube uchwepheshe wendawo oqeqeshiwe uqinisekisa ubunikazi, ingxenye edliwayo nendlela ephephile yokusilungisa.

I-SANBI isibhala ezindaweni ezihlukahlukene e-South Africa yonkana ngaphandle kwase-Western Cape.

Iseluleko sokuthenga: Cacisa ukusetshenziswa njengokudla nendlela yokulungisa nochwepheshe wendawo onolwazi lwezitshalo zokudla ngaphambi kokusithenga njengesitshalo sokudla kwasekhaya.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, momordica-balsamica

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Waxberry

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amafutha amajikijolo — umkhiqizo ocutshungulwe ngendlela yesintu.

Ukubuyekezwa kokusetshenziswa njengokudla: qinisekisa ubunikazi, ingxenye edliwayo nokulungiswa okufanele nomeluleki wendawo oqeqeshiwe ngaphambi kokufaka lesi sitshalo ekudleni kwasekhaya. Asibalwa ezambeni zokudla okuvamile nasemisebenzini yokuvuna.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Amafutha acutshunguliwe asetshenziswa kudala, akusona isibikezelo sezithelo ezintsha: Ukusetshenziswa kokudla kwakudala kuphathelene nongqimba olunamafutha olumboze ijikijolo, hhayi noma yiliphi ijikijolo elimnandi elisha. Ayikho indlela eqinisekisiwe yokukhipha amafutha ekhaya, isivuno sokudla esitholakalayo noma ubude besikhathi sokugcina obuqinisekisiwe. Amaphesenti ongqimba noma kawoyela asemthonjeni awasetshenziswa njengezilinganiso zokuguqula ekucutshungulweni.

Phatha ukulungiswa kwamafutha adliwayo njengenqubo yobuchwepheshe edinga ukuqinisekiswa endaweni.

Sebenzisa isihlabathi sasogwini esikhipha amanzi kahle, elangeni noma emthunzini oyingxenye; ukukhiqiza izithelo kudinga izitshalo zokutshala eziqinisekiswe kahle ukuthi ezesilisa noma ezesifazane.

Iseluleko sokuthenga: Qinisekisa uhlobo oluqondile nezitshalo zesilisa/zesifazane ngenkulisa yezitshalo zomdabu. Hlukanisa ukusetshenziswa kokulungisa indawo nenqubo yokudla kwasekhaya engakaqinisekiswa.

Impova: izitshalo zesilisa nezesifazane ezihlukene. Hlola izidingo zohlobo olukhethiwe nenkulisa yezitshalo.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Morella cordifolia

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Moringa

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: Amaqabunga nemidumba eluhlaza; gcina amarekhodi ako ehlukene.

Isikhombo sesivuno sokuqala: izinyanga ezingu-6–12. Isikhombo sezinyanga ezingu-6–12 siphathelene nokuvunwa kokuqala kwamaqabunga emva kokutshala. Izimbali nama-pod ngokuvamile kukhiqizwa ngonyaka wesibili wokukhula encwadini efanayo yase-North West. Ukulungela kwamaqabunga akusho ukukhiqiza ama-pod noma izinyanga zokuwakha. Isikhathi sangempela sincike ohlotsheni nasekunakekelweni kwendawo.

Ukukhula kwemidumba, akusilo ikhalenda lokuvuna imidumba emincane eluhlaza: Le ncazelo yesayensi yezitshalo ikhuluma ngemidumba eba nsundu lapho ivuthwa. Ingxenye ehlukile yokuvuna idinga imidumba emincane, ethambile, eluhlaza njengokudla futhi ayinikezi ikhalenda laleso sigaba. Mashi–Ephreli kugcinwa njengezikhathi zokukhula kwemidumba, hhayi isikhathi esiqinisekisiwe sokuvuna imidumba emincane noma ikhalenda lamaqabunga.

Khetha indawo yokukhula enelanga ekhipha amanzi kahle, vikela ukusimama kwesitshalo bese uhlela ukuthenela ukuvuna amaqabunga.

Iseluleko sokuthenga: Sebenzisa izinto zokutshala zendawo ezikhonjwe kahle. Alukho uhlu olufushane lwezinhlobo eziqanjwe amagama oluqinisekiswe endaweni olunomthombo; lolu hlelo alusho ukuthi isitshalo sibopha i-nitrogen noma siyelapha.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: North West DARD: Moringa production for food security (2021)

Umthombo: North West Department of Agriculture and Rural Development, Moringa (Moringa oleifera) production: A possible solution to South African food security challenges, p. 33

Umthombo: North West Department of Agriculture and Rural Development, Moringa (Moringa oleifera) production: A possible solution to South African food security challenges, p. 7

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Black mulberry

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ubunikazi obuqondile besithelo nokuhlukahluka kwaso: Umthombo wesikhungo walolu hlobo lwesitshalo uhlukanisa izinhlobo ezithelayo nezindlela zokuzalana ezihlukahlukene. Izithelo ezivuthiwe zisetshenziswa njengokudla; isihlahla esithela ezimnyama akufanele sithathe lobu bunikazi noma isimo somthetho solunye uhlobo lwe-Morus ngaphandle kokucaciswa.

Irekhodi laseNingizimu Afrika lokutshalwa nokuhlukaniswa kwezitshalo ngokwesayensi: Imnyuziyamu ibala i-M. nigra njengelinywayo eningizimu ye-Afrika futhi ihlukanisa izinhlobo ze-Morus esezikhula ngaphandle kokutshalwa. Ayinikezi izinyanga zokuvuna okuvuthiwe noma isivuno esibaliwe.

Ukuvuthwa kwezithelo nomongo wamanzi: Umthombo wesikhungo wokuphatha uxhumanisa ukoma kwezimpande nokuwa kwezithelo ngaphambi kwesikhathi. Uqukethe isitatimende seminyaka engu-15 sokuqala ukukhiqiza kakhulu esingesona salapha; leyo akuyona iminyaka yesivuno sokuqala yaseNingizimu Afrika futhi ayisetshenziswa njengesibikezelo.

Qinisekisa uhlobo oluqondile lwe-mulberry nokuthi isitshalo esikhethiwe siyathela. Umbala wesithelo uwodwa awukwazi ukusihlonza.

Qaphela ukushoda kwamanzi ngesikhathi sokukhula kwezithelo bese ubhala izinyanga zangempela zokukha ezivuthiwe.

Iseluleko sokuthenga: Cela izitshalo zokutshala ze-Morus nigra ezihlonziwe, ezithela ngezikhathi ezibonwe endaweni. Ungasebenzisi i-mulberry nje enezithelo ezimnyama noma isitshalo sokuhlobisa esingathelisi njengobufakazi balo mkhiqizo.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: Orwa et al. (2009), World Agroforestry, Morus nigra profile, p. 1

Umthombo: Iziko Museums, Biodiversity Explorer, Morus

Umthombo: Orwa et al. (2009), World Agroforestry, Morus nigra profile, p. 4

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Banana

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo (isixha sikabhanana).

Isikhombo sesivuno sokuqala: izinyanga ezingu-13–20. I-KZN DARD isho ngokucacile ibanga lesikhathi kusukela ekutshaleni kuya ekuvuneni nokusukela ekuvuneni kuya ekuvuneni okulandelayo. Izinyanga ziguqulwe zaba iminyaka (13/12 kuya ku-20/12). Lokhu akusona isibikezelo esinedethi noma isikhathi sokuvuna sonyaka sezinyanga zonke. Isikhathi sangempela sincike ohlotsheni nasekunakekelweni kwendawo.

Ukukhiqiza kwensimu etshalwe ngokuhweba ngonyaka: Umthombo wezinsimu zokuhweba ze-KZN ngonyaka: okulinganiselwe ngokucophelela 20–25 t/ha, okuvamile 25–30 t/ha, okuhle 40+ t/ha. Lokhu ukukhiqiza kwendawo ngonyaka; akusona isisindo sesixha esisodwa noma ijika lesivuno ngokweminyaka elilinganisiwe lezitshalo ezintathu kumbuthano kabhanana.

Uhlobo olutshalwayo, ukutshala nomjikelezo wesitshalo: Umhlahlandlela we-KZN unikeza izinyanga ezingu-13–20 kukho kokubili umjikelezo wokuqala wokutshala kuze kube ukuvuna nemijikelezo elandelayo yokuvuna kuya ekuvuneni. Ubala ukuminyana okuhlukene kwezohwebo kwe-Williams, Grand Nain ne-Chinese Cavendish. Umbuthano kabhanana ubalwa njengezitshalo ezintathu zikabhanana ezitshaliwe lapha; amahlumela alandelayo athatha indawo ayizigaba zalezo ziqu ezihlangene, akuzona izihlahla ezengeziwe ebalazweni noma isiqinisekiso sokudla unyaka wonke.

Kudingeka indawo efudumele, engenasithwathwa namanzi athembekile. Gcina ihlumela elizolandela lapho isiqu esithelile sisusiwe.

Uhlobo olucatshangwayo lokutshala: Grand Nain endaweni efudumele; sebenzisa ezinye izinketho zomoya/amakhaza ezelulekweni zokuthenga uma lezo zimo zikhona. Izinyanga zokuvuna zendawo azikaqinisekiswa.

Iseluleko sokuthenga: E-KZN epholile: Williams; ezigodini ezifudumele: Grand Nain; ogwini olunomoya: Chinese Cavendish. Thenga izinto zokutshala ezihlanzekile. Lokhu ukukhetha ngokwesimo sezulu, akuzona izikhathi zokuqala/zaphakathi/zakamuva.

Obhanana abadliwayo bakha izithelo ngaphandle kokudluliswa kwempova.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: KZN DARD, Bananas in KwaZulu-Natal, pp. 1–4

Umthombo: ProMusa (Bioversity International-affiliated global banana knowledge platform), 'Domestication of the banana'

Umthombo: KZN DARD, Fruit and Nut Production in KZN, Bearing age, p. 8

Umthombo: KZN DARD, Fruit and Nut Production in KZN (2006), Bananas: Yields, p. 9

Umthombo: KZN DARD, Fruit and Nut Production in KZN (2006), Bananas: Bearing age and Spacing, p. 8

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Wild olive

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo ezivuthiwe ze-wild-olive.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: I-Wild olive ihlukile ohlotsheni lwe-olive lokuhweba olunegama. Mashi–Julayi kuchaza izithelo ezilandela izimbali; akukasungulwa ukuqala nokuphela okuqondile kokuvuna okuvuthiwe.

I-SANBI ibhala lesi sihlahla esikhula kancane ezindaweni zemvula yasehlobo neyasebusika, simelana nesithwathwa, isomiso nomoya.

Gcina izimpande zaso zikude nezindonga, izindawo ezingaphandle ezigandayiwe namachibi okubhukuda; i-SANBI ithi zinganda ngamandla.

Iseluleko sokuthenga: Cela i-wild-olive taxon esohlwini lwezitshalo, ungayishintshi ngohlobo lwe-olive lokuhweba. Bhala ukukha kwangempela kwendawo.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, olea-europaea-subsp-africana

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Olive

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ukukhetha uhlobo olutshalwayo nomkhiqizo: I-Frantoio ichazwa njengohlobo olungakhiqiza uwoyela nolungaba ngumlingani wempova. I-Mission ifanele ama-olive amnyama asetafuleni nowoyela; i-Kalamata ifanele amnyama asetafuleni, i-Manzanilla ne-Barouni aluhlaza asetafuleni. Ukufaneleka kwesimo sezulu nezidingo zempova kuncike ohlotsheni olutshalwayo.

Isabelomali sensimu yezihlahla yesifunda asibona ubufakazi besivuno sesihlahla ngasinye: Lokhu kuyimodeli yezimali yehektha elilodwa yakudala; ayinikezi ama-kg esihlahla ngasinye ahambisana nayo noma ijika elilinganisiwe lokukhula nokuvuthwa kwesitshalo. Azikho izimali noma izindlela zokuxuba izibulala-zinambuzane ezikopishiwe.

Fanisa uhlobo olukhethiwe nama-olive okudliwa etafuleni noma amafutha. Hlola ukuphuma kwamanzi enhlabathini, ukuchelela nezimo zasebusika; imvula yasehlobo enomswakama ingaletha izinkinga zezifo.

Kha ngesikhathi esihlosiwe sokuba luhlaza, mnyama noma ukwenza amafutha. Izimo zokucutshungulwa nokugcinwa komkhiqizo ngokuphephile kufanele zibhalwe ngokwehlukana.

Iseluleko sokuthenga: I-Mission iyindlela engase ikhethwe, esekelwe emthonjeni, yama-olive amnyama okudliwa namafutha; i-Kalamata ingeyama-olive amnyama okudliwa; i-Manzanilla ne-Barouni ingeyama-olive aluhlaza okudliwa; i-Frantoio ingeyamafutha nempova ehambisanayo. Qinisekisa ukufaneleka kwesifunda ngezinkulisa ezibhalisiwe ze-SA Olive.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — Western Cape — isivuno se-olive esincike ohlotsheni nasekusetshenzisweni kokugcina: Feb–Jul.

Umthombo: SA Olive Association, Olive Growing

Umthombo: Western Cape Department of Agriculture, Oil Olives, Garden/Little Karoo budget, 13 March 2021, p. 1

Bietou

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo ezivuthiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: Ukudla yisithelo esivuthiwe. Ukuqhakaza kakhulu ekwindla/ebusika nezithelo ezilandela masinyane akubeki izinyanga zokuvuna ezishiwo ngamagama.

I-SANBI ichaza isihlahla esincane esiyiphayona esisakazekayo, esifanele ilanga nenhlabathi ekhipha amanzi kahle, kuhlanganise nezindawo zasogwini nezangaphakathi. Shiya indawo yokusakazeka kwaso.

Iseluleko sokuthenga: Qinisekisa uhlobo oluqondile nemvelaphi yendawo; umthombo ohloliwe awunikezi uhlobo lwesithelo olukhethiwe olunegama.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, osteospermum-moniliferum

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Jacket plum

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: Inyama yezithelo ezivuthiwe yokudliwa isentsha noma yokulondolozwa.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ukuvela kwezithelo, akusona isikhathi esinezinsuku zokuvuna ezivuthiwe: I-SANBI ichaza izithelo eziluhlaza kamuva eziqhekeka ziveze inyama ebomvu edliwayo. Isikhathi sayo sokukhiqiza izithelo sika-Disemba–Julayi asisho ukuthi izithelo zivuthwa nini. Gcina lokhu njengomthombo ojwayelekile wezikhathi zezigaba zokukhula eningizimu ye-Afrika; izinyanga zendawo zokuvuna okuvuthiwe zisalokhu zingaziwa.

Ukukhula kuhamba kancane ezimweni ezibandayo noma ezomile. Amafutha ezinhlamvu awethulwa lapha njengamafutha okupheka.

Iseluleko sokuthenga: Qinisekisa izinto zokutshala zendawo ezithela izithelo; alukho uhlobo oluqanjwe igama olunomthombo.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: pappea-capensis

Umthombo: SANBI PlantZAfrica - Pappea capensis

Izinhlobo zezitshalo okufanele zihlolwe endaweni

Gcina igama lohlobo olukhethayo ngempela. Uhlu olufushane locwaningo ludinga ukuqinisekiswa kwesikhathi sendawo, amanzi nomhlabathi.

Tomatoes

Uhlobo olurekhodiwe: akukakhethwa.

Isimo sezulu sale ndawo asikacaci, ngakho akukho hlu olufushane lwendawo olushiwo. Vula ikhadi lesitshalo ukuze ubone imithombo bese urekhoda okukhethile.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.