SYNTHETIC GRAPH SOURCE {COUNT} $&

Ngaphambi kokuthenga noma ukuqala

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Iqembu lesimo sezulu locwaningo: Indawo yokulima ayikacaci. Leli qembu alisona isincomo esiqinisekisiwe saleli pulazi.

Lokho okubikile ngaleli pulazi

Amanzi ngesikhathi esomile

Akurekhodiwe. Qedela inhlolovo yendawo bese uqinisekisa amanzi ngaphambi kokukhetha uhlelo oludinga izinsiza eziningi.

Isithwathwa kuleli pulazi

Okubonwe ngesithwathwa endaweni akurekhodiwe. Izilinganiso zanyanga zonke zesathelayithi azikwazi ukuthola izinsuku zokuqala nezokugcina zesithwathwa.

Ilanga nokuphuma kwamanzi

Ilanga: akurekhodiwe.

Ukuphuma kwamanzi: akurekhodiwe. Kusadingeka ukuhlola imiphumela yokuhlolwa komhlabathi nezidingo zesitshalo ngasinye.

Amarekhodi onyaka wokubika - hhayi isibikezelo

Izamba nezinyanga zonyaka wokubika odlule zichaza lokho okwabikwa. Azithembisi ukudla ohlelweni oluzayo.

Original eggs {year} $&

Isamba sonyaka esibikwe umlimi sango-2025: 240 eggs.

Okusetshenziswa ekhaya: 0 eggs. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: Jun, Jul. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Fish

Isamba sonyaka esibikwe umlimi sango-2025: akurekhodiwe.

Okusetshenziswa ekhaya: akurekhodiwe. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: akurekhodiwe. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Eminye imifino

Isamba sonyaka esibikwe umlimi sango-2025: 12 kg.

Okusetshenziswa ekhaya: 7 kg. Okuthengisiwe: 3 kg.

Izinyanga zokuvuna ezibikiwe: Jan, Dis. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu

Avocado

Uhlobo olucatshangiwe: Hass - kulindeleke lapho sekumile kahle

Jan	Feb	Mas	Eph	Mey	Jun	Jul	Aga	Sep	Okt	Nov	Dis

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhombo sesivuno sokuqala: iminyaka engu-2–3. Bruyns Hill, iqembu lesimo sezulu nokuphila lase-Natal Midlands lesi-2; i-Hass eniselwayo esiphunzini se-Duke 7 esiphindwe ngendlela ye-clone, 7 x 7 m (izihlahla ezingu-200/ha), yatshalwa ngo-1982–1984. Iphepha libika ukuthi i-Hass yaqala ngesizini yayo yesibili ne-Fuerte ngeyesithathu. Isikhombo seminyaka emibili kuya kwemithathu sichaza lezo zinhlobo ezavivinywa, hhayi wonke ama-avocado noma ubudala bokuqala basenkulisa. Isikhathi sangempela sincike ohlotsheni nasekunakekelweni kwendawo.

Isikhombo sokukhiqiza osekusimeme: iminyaka engu-6–8. Kulesi sivivinyo sase-Natal Midlands esiniselwayo nesinakekelwa kakhulu, i-Hass yafinyelela cishe ku-20 t/ha ineminyaka engu-6 kanti izinsimu zasondela esivunweni esimaphakathi esiphezulu esingaqhubeka ngokusimama lapho zineminyaka engu-8. Lesi isikhombo sokuthela esiphathelene nalesi sivivinyo kuphela; asikho isilinganiso esingasakhuli sikazwelonke noma igrafu yobudala nesivuno egcwaliswa ngokuzenzakalela phakathi kweminyaka.

Isikhombo sokukhiqiza: 100–112.5 kg/isitshalo. Ukubala kwesivivinyo esifanayo ngobuningi bokuqala obungu-200 trees/ha: 20,000 kg/ha / 200 = 100 kg/tree eneminyaka engu-6; isilinganiso esingaqhubeka ngokusimama 22,500 kg/ha / 200 = 112.5 kg/tree. Eminyakeni engu-3, 10,000 kg/ha / 200 = 50 kg/tree njengesilinganiso esilinganayo. La manani ayizikhombo ezilinganiswa nesilinganiso esimaphakathi sezimo ezishiwo zensimu ye-Hass/Duke 7, awazona izivuno zesihlahla ngasinye ezilinganisiwe noma ukukhiqiza okuzenzakalelayo kobunye ubuningi, uhlobo, isimo sezulu noma ukuphathwa. Akucatshangelwa amanani obudala obuphakathi.

Izinkomba zeminyaka ze-Hass — isilingo esiniselwayo sase-Natal Midlands: I-Hass ku-Duke 7, ekuqaleni izihlahla ezingu-200 trees/ha e-Bruyns Hill (iqembu lesimo sezulu nokuphila lase-Natal Midlands elingu-2), ngokunisela nokondla kakhulu. Iminyaka 3: 10,000 kg/ha; iminyaka 6: 20,000 kg/ha; isilinganiso esimaphakathi esingaqhubeka cishe 22,500 kg/ha. Ukuminyana kwezihlahla kuleso silingo kuvumela okulingana no-50 kg/tree eminyakeni engu-3 no-100 kg/tree eminyakeni engu-6; awukho umthombo weminyaka ngayinye ephakathi. Lezi zinkomba zensimu yezihlahla zincike ezinsizeni ezinhle, isimo sezulu esifanayo nokuphathwa kwensimu ngesikhathi esifanele, kuhlanganise nokulawula i-Phytophthora nokunciphisa (thinning); ungagcwalisi ngokuzenzakalela amanani epulazi.

Izimpande mazihlale emhlabathini okhipha amanzi kahle; amanzi abalulekile ngesikhathi sokuqhakaza.

Iseluleko sokuthenga: Ukulandelana kwase-KZN: i-Fuerte yokuqala (Meyi–Novemba), i-Hass yaphakathi (Agasti–Disemba), i-Ryan yakamuva (Novemba–Februwari). Lezi zikhathi ziyagqagqana. Thenga izihlahla ezixhunyelelwe ezinamalebula; qinisekisa isiphunzi nezinhlobo ezihambisanayo zempova.

Impova: iyakwazi ngokwengxenye ukwakha izithelo ngempova yayo. Hlola izidingo zohlobo olukhethiwe nenkulisa yezitshalo.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Avocado (kuyaqhubeka)

Uhlobo olucatshangiwe: Hass. South Africa - izifunda ezifudumele eziseduze nezishisayo (uhlobo lwe-Hass). Isikhombo sokuhlela lapho sekumile kahle; qinisekisa izinsuku zokuvuna zendawo. Akuthenjiswa inani lokudla noma isivuno sonyaka wokuqala.

Umthombo: KZN DARD, Fruit and Nut Production, PDF pp. 6–7 (regional reference; confirm current nursery stock)

Umthombo: SA Avocado Industry Overview – South African Avocado Growers' Association (SAAGA)

Umthombo: Directorate Communication: Cultivation of Avocados (South African Dept. of Agriculture / ARC-Institute for Tropical and Subtropical Crops), p. 5

Umthombo: Wolstenholme, Kaiser & Palmer, SAAGA Yearbook 1991, 14:15-18

Umthombo: Wolstenholme, Kaiser & Palmer, 'Yield Potential of Intensively Managed Avocados in the Natal Midlands — The Early Bearing Years', South African Avocado Growers' Association Yearbook 1991, 14:15-18, p. 6

Umthombo: Wolstenholme, Kaiser & Palmer, SAAGA Yearbook 1991, 14:15-18, p. 7

Umthombo: Wolstenholme, Kaiser & Palmer (1991), SAAGA Yearbook 14:15–18; reflowed PDF, p. 6

Date palm

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Izikhathi zezigaba zokukhula e-Kakamas azilona ikhalenda lokuvuna: Itafula liyisikhathi sokusunguleka kwesithelo kuze kube ukuvuthwa, akuzona izinyanga zokuvuna okuvuthiwe. Itafula lalo elihlukile libala ukuqhakaza ngo-Julayi–Agasti. Akukho kulokhu okuba yibha yokutholakala kokudla.

Umthombo we-Southern Hemisphere, osalinde ukuqinisekiswa endaweni: Umongo obanzi wengxenye yomhlaba, akulona ikhalenda elilinganisiwe lohlobo olutshalwayo noma lendawo. Kugcinwa ngaphandle kwezikhathi zendawo zokuvuna ezibekwe ohlelweni.

Isilingo sokuvuthwa nokonakala kwe-Medjool e-Western Cape: Isilingo sango-2022 e-Kleinplasie eduze kwe-Hermon siphathelene ne-Medjool. Izinsuku zokwelashwa ezisesifinyezweni zibiza izigaba zokuvuthwa ngendlela engahambisani; azikho izinyanga zokuvuna ezicatshangwayo. Isixhumanisi serekhodi eliphelele lenyuvesi sabuyisa i-HTTP 403 ngesikhathi sihlolwa.

Amasundu esifazane adinga impova yesilisa efanele. Bhala ubulili, uhlobo olukhethiwe nokuphathwa kokuvundiswa ngempova ngaphambi kokubikezela izithelo.

Hlola ukushisa, amanzi nemvula ngesikhathi sokuvuthwa. Ucwaningo lwase-Hermon lwathola ukuvuthwa okungalingani nokonakala, ngakho impumelelo yesifunda iyodwa ayiqinisekisi isivuno sendawo.

Iseluleko sokuthenga: I-Medjool ibhalwe ocwaningweni lwase-Hermon. Thola izitshalo zesifazane ezaziwayo ukuthi ziyathela neseluleko sempova ehambisanayo; ukubukeka kwesithombo akufakazeli ubulili baso noma ikhwalithi yezithelo esiyozithela.

Impova: izitshalo zesilisa nezesifazane ezihlukene. Hlola izidingo zohlobo olukhethiwe nenkulisa yezitshalo.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: FAO Date Palm Cultivation (2002), Chapter VIII

Umthombo: FAO Date Palm Cultivation (2002), Chapter IV, Table 23

Umthombo: FAO Date Palm Cultivation (2002), Chapter IX

Umthombo: Peddie (2023), Stellenbosch MScAgric thesis, university-provided abstract in FAO AGRIS

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Pistachio

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amantongomane.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Izinhlobo olime zona umkhiqizi ngokwakhe: Lona lolo hlu lwemibuzo luqinisekisa ukuthi amantongomane atshalwa epulazini lomkhiqizi. Amagama ezinhlobo ezitshalwayo abhalwa njengoba esemthonjeni; indlela apelwa ngayo ayilushintsho lokuhlukaniswa kwezitshalo ngokwesayensi noma lwekhathalogi.

Ukuzinza nokuvuthwa okulindelwe e-Prince Albert: Lokhu okulindelwe kuphrojekthi yase-Platberg esanda kusungulwa, akulona ijika leminyaka elilinganisiwe elisebenza yonke indawo. Izinhlobo zayo ezitshaliwe yi-Shufra, Ariyeh ne-Sirora; umongo wase-Karoo oniselwayo uyagcinwa.

Izihlahla zesifazane zithela amantongomane futhi zidinga impova yezihlahla zesilisa ezifanele. Isikhombo sase-Prieska sivela epulazini elomile lase-Karoo eliniselwa ngenkasa.

Qinisekisa izitshalo zokutshala zesilisa nezesifazane, ukuchelela nezimo zasebusika/ehlobo zendawo; isikhombo somkhiqizi sango-Februwari asiqinisekisi ukufaneleka kogwini olunomswakama.

Iseluleko sokuthenga: Xoxa ngama-Shufrah ne-Ariyeh asebufakazini bomkhiqizi wase-Prieska, noma ama-Shufra, Ariyeh ne-Sirora asephrojekthini yase-Prince Albert, nenkulisa enobuchwepheshe. Khetha isitshalo sesilisa esihambisanayo bese uqinisekisa ukufaneleka kwendawo.

Impova: izitshalo zesilisa nezesifazane ezihlukene. Hlola izidingo zohlobo olukhethiwe nenkulisa yezitshalo.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — ipulazi lase-Orange River eduze ne-Prieska, Northern Cape — okubikwe umkhiqizi we-Karoo Pistachios: Feb.

Umthombo: Karoo Pistachios, first-person producer questionnaire on FoodHub

Umthombo: Prince Albert Municipality, Pistachio Pioneers, 20 October 2025

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Spekboom

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amaqabunga adliwayo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: Ukudla yiqabunga elimuncu; izimbali azibeki izinyanga zokuvuna amaqabunga.

Ucwaningo lokuqala lokucutshungulwa kokudla: Ucwaningo luhlaziya amaqabunga e-spekboom acutshunguliwe. Indlela yalo yaselabhorethri nokwakheka kwawo akulona izinga lokuvuna epulazini, ubude besikhathi sokugcina noma iresiphi yokuphepha kokudla kwasekhaya.

Vikela izitshalo ezincane ekudliweni kakhulu yizilwane. I-SANBI ibika izindawo ezifudumele ezinamatshe nezomile kancane; ukudla kwezimbuzi eduze komhlabathi kungavimbela ukusabalala ngezingxenye zesitshalo futhi kunciphise ukuvuseleleka.

Iseluleko sokuthenga: Cela i-spekboom ehlonzwe kahle bese ubhala ukuthi itshalelwa ukudla, ukudliwa yizilwane noma ukubuyisela indawo esimweni. Asikho isivuno samaqabunga esilinganisiwe sokudla kwasekhaya esinikeziwe.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, portulacaria-afra

Umthombo: Mahlanza et al., University of Johannesburg research record, International Journal of Food Science and Technology (2026)

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Apricot

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Umongo wobusika nempova ye-Solitaire: I-Solitaire ibhalwe njengaleyo eyamukela impova yayo. Amayunithi ayo amakhaza ayizidingo zohlobo oluthile olunegama, akusona isikhawu sezinombolo esisebenza kuwo wonke ama-apricot.

Umongo wesilingo esiniselwayo sase-Robertson: Isilingo sasensimini sasebenzisa izinsimu zezihlahla eziphathwayo ze-organic futhi sathola izinzuzo ezihambisana nokulahlekelwa okuthile emiphumeleni yesembozo senhlabathi; asiqinisekisi ukuthi isembozo sithuthukisa isivuno kuyo yonke indawo.

Gcina isikhombo sokukha sohlobo ngalunye olukhethiwe ngokwehlukana. Isibonelo sase-Robertson sasebenzisa ukuchelela ehlobo.

Qinisekisa ukubanda kwasebusika, amanzi nezitshalo zangempela zokutshala ngaphambi kokusebenzisa isikhombo njengohlelo lwendawo.

Iseluleko sokuthenga: I-Solitaire inesikhombo esivela emthonjeni sokukha kokuqala ngo-Novemba nezimo zokubanda ezichaziwe e-Simondium; xoxa ngenkulisa ngokufaneleka kwayo endaweni.

Iseluleko sokuthenga: I-Imperial inesikhombo sango-Disemba e-Robertson. Iyindlela engase ihlolwe endaweni, hhayi iseluleko sasogwini lwase-KZN olungenasithwathwa.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — Bien Donne, Simondium, Western Cape — ukuvuna kokuqala kwe-Solitaire: Nov.

Inkomba kuphela — Tierhoek Organic Farm, Robertson, Breede River Valley, Western Cape — ukuhlolwa kwe-Imperial: Dis.

Umthombo: Culdevco / ARC Infruitec-Nietvoorbij, Solitaire apricot cultivar sheet

Umthombo: Birkhofer et al. (2019), Effects of Ground Cover Management in Organic Deciduous Fruit Orchards in South Africa, Table 1

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Sweet cherry

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: Ama-cherry amnandi avuthiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ukukhiqiza eneminyaka eyisithupha: Umhlahlandlela ubika 4–6 kg/tree ngonyaka 6 futhi uxwayisa ukuthi isivuno sinzima ukusibikezela ngenxa yokumpova nokusunguleka kwezithelo. Umphumela ohlukile omuhle ngonyaka 8–9 ungu-9 t/ha. Ungakuxhumanisi kube ijika lokukhula eliqanjiwe noma uguqule umphumela wehektha wakamuva usebenzisa izikhala zezihlahla oziqagelile.

Amakhaza nezinhlobo ezihambisana ngempova: Umthombo we-cherry yokuhweba evamile: ngaphezu kuka-1,000 Positive Utah Chill Units, hhayi amahora amakhaza angu-1,000. Izinhlobo ezingadingi amakhaza amaningi zidinga izidingo zazo eziqinisekisiwe. Izinhlobo eziningi zidinga impova ehambisanayo evela kolunye uhlobo; ezishiwo ngegama ezikwamukela impova yazo ziyahlukahluka. Umthombo wokuqhakaza ngo-Septhemba awulona uhlu lwezinyanga zokuvuna.

Ukuqala kwesikhathi esibonwe e-Ceres: Abalimi base-Ceres babika ukuqala kokuvuna kwe-cherry kwango-2025 ngasekupheleni kuka-Okthoba, izinsuku eziyisikhombisa kuya kweziyishumi ngaphambi kwesikhathi sokuqala sangonyaka owandulele. Lesi yisikhathi esibonwe esifundeni esiqanjwe ngegama, akusona isikhathi esizayo esingashintshi, ikhalenda le-KZN noma isikhathi sazo zonke izinhlobo.

Hlola ukubanda kwasebusika okulinganisiwe, isithwathwa sasentwasahlobo, ukuphuma kwamanzi nemvula eduze nesikhathi sokukha. Umhlahlandlela wakudala wase-KZN wawubheka ukufaneleka kokuhweba khona njengokusahlolwa; ilebula elibanzi lendawo yesimo sezulu alithathi indawo yeseluleko samanje sendawo.

Ukuvundiswa ngempova kuya ngohlobo olukhethiwe. Ukuqhakaza okuhambisanayo nemithombo yempova kwehlukile ekuvuthweni kwezithelo kusenesikhathi noma sekwephuzile.

Iseluleko sokuthenga: Izinhlobo ezingase zikhethwe emhlahlandleleni wesifunda zihlanganisa i-Bing, Van, Rainier, Burlat ne-Vista, ngokuvamile ezidinga izinhlobo zempova ezihambisanayo. Ubala ngokucacile i-Lapins, Stella ne-Sweetheart njengezivundisayo ngempova yazo. I-Minnie Royal, Royal Lee, Royal Dawn ne-Early Sweet yizinhlobo ezingase zikhethwe ezidinga ukubanda okuncane. Qinisekisa izitshalo ezitholakalayo manje, isiphunzi esiqondile, ukuhambisana nokubanda kwendawo okulinganisiwe ngaphambi kokuthenga; lokhu akusona isincomo sogu olufudumele.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: KZN DARD, Fruit and Nut Production in KZN (2006), Sweet Cherry: Yield, p. 31

Umthombo: KZN DARD, Fruit and Nut Production in KZN (2006), Sweet Cherry: Climate and Cultivars, p. 30

Umthombo: Hortgro / Tru-Cape growers, Cherry season begins: Ideal conditions, 29 October 2025

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Almond

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amantongomane.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Umongo wempova, amakhaza nesisindo se-Texas Mission: I-Texas Mission ihlukaniswe njengedinga amakhaza amaningi futhi ibiza i-Nonpareil njengomnikezi wempova. Umbhalo wayo wokukhiqiza ongu-5 kg/tree awusho iminyaka yesihlahla, indlela yokuphatha, isifunda sesilingo noma ukuthi isisindo singesenhlamvu noma sinamagobolondo; akusona isibikezelo sokudla sonyaka sesihlahla esikhulile.

Ukukhiqiza okubhalwe ngegama le-Texas Mission: Umugqa othi Production (kg/tree) etafuleni le-Texas Mission unikeza 5 kg/tree. Awusho iminyaka yesihlahla, isikhathi sokubika, isifunda sesilingo noma ukuthi lokhu kusho izinhlamvu noma amantongomane anamagobolondo. Kugcinwa njengokushiwo ngumthombo wohlobo olutshalwayo okufanele kuphenywe; ama-kg onyaka esihlahla esikhulile asala engu-null.

Hlola izidingo zasebusika zohlobo oluqanjwe ngegama nempova ehambisanayo ngaphambi kokutshala. I-Texas Mission ayihambisani nempova yayo.

Bhala ukuthi izisindo zamantongomane zisho ingaphakathi elidliwayo noma amantongomane asenamagobolondo; lezi izilinganiso ezihlukene.

Iseluleko sokuthenga: I-Texas Mission iwuhlobo olubhalwe yi-SAPO; iphepha layo liqamba i-Nonpareil njengomlingani wempova futhi lichaza isidingo esikhulu sokubanda. Qinisekisa ukufaneleka kwendawo ngenkulisa.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — ikhasi lohlobo le-SAPO lase-South Africa; indawo yokuhlola ayishiwongo — ukuvuna kokuqala kwe-Texas Mission: Feb.

Umthombo: SAPO Trust, Texas Mission almond cultivar information

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Japanese plum

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhombo sesivuno sokuqala: iminyaka engu-3. Kushiwo nge-African Delight® kuphela, uhlobo lweplamu lwase-Japan olwakhiwa yi-ARC; “isizini yesithathu yokukhula” ithathwe njengonyaka wesi-3. Isikhathi sangempela sincike ohlotsheni nasekunakekelweni kwendawo.

Isivuno se-African Delight ngeminyaka yensimu yezihlahla — iyunithi yoqobo yehektha: African Delight: iminyaka 3, 12,000–20,000 kg/ha; iminyaka 4, 20,000–35,000 kg/ha; izinsimu zezihlahla ezikhulile, 35,000–50,000 kg/ha. Iminyaka yokukhiqiza ngokugcwele nokuminyana kokutshala okuhambisana nalezi zibalo akushiwo; ungaguquli usebenzisa izikhala ze-Ruby Crisp noma uxhumanise isivuno ngokweminyaka sesihlahla ngasinye.

Isivuno esingafinyelelwa se-Ruby Crisp — iminyaka ayishiwongo: Ukukhiqiza okungafinyelelwa kwe-Ruby Crisp kungu-30,000 kg/ha. Itafula 1 ekhasini 5 le-PDF libala izikhala zesilingo se-Ruby Crisp ezingu-4 x 1.25 m nezihlahla ezingu-2,000 trees/ha; okulinganayo okutholakala ngokubala kungu-15 kg/tree, kodwa okushiwo ngokungafinyelelwa akushiwo ngokucacile njengesilinganiso sesilingo noma inkomba yeminyaka yesihlahla esikhulile. Gcina iyunithi yoqobo engu-kg/ha kanye nalo mbandela.

Umthombo wamakhaza ohlobo lwe-African Delight: Isidingo sohlobo oluqanjwe ngegama kuphela: 200–400 Infruitec Chilling Units. Idatha yomthombo ivela e-Bien Donne, Simondium, Western Cape futhi ingase ingameli ezinye izindawo. Qinisekisa amakhaza endawo, isiphunzi sokuxhunyelelwa nokuhambisana kwempova ngaphambi kokuthenga.

Umthombo wamakhaza ohlobo lwe-Ruby Crisp: Isidingo sohlobo oluqanjwe ngegama kuphela: 400–600 Infruitec Chilling Units. Idatha yomthombo ivela e-Bien Donne, Simondium, Western Cape futhi ingase ingameli ezinye izindawo. Qinisekisa amakhaza endawo, isiphunzi sokuxhunyelelwa nokuhambisana kwempova ngaphambi kokuthenga.

Umthombo wamakhaza ohlobo lwe-Flavour Star: Isidingo sohlobo oluqanjwe ngegama kuphela: 500–600 Infruitec Chilling Units. Idatha yomthombo ivela e-Bien Donne, Simondium, Western Cape futhi ingase ingameli ezinye izindawo. Qinisekisa amakhaza endawo, isiphunzi sokuxhunyelelwa nokuhambisana kwempova ngaphambi kokuthenga.

Ukukhiqiza okubhalwe ngegama le-African Delight — iminyaka ayishiwongo: Umthombo oqondile wokukhiqiza oshiwo ngegama: 25 kg/tree ezikhaleni ezingu-4 × 1.5 m, e-Bien Donne, Simondium, Western Cape. Iminyaka yesihlahla nesikhathi sokubika akushiwo, ngakho kugcinwa njengomthombo wohlobo olutshalwayo ongenayo iminyaka, hhayi ukukhiqiza okuvamile konyaka kwesihlahla esikhulile.

Hlanganisa izidingo zokubanda nezinhlobo zempova ezihambisanayo. Olunye uhlobo kufanele luqhakaze ngesikhathi esihambisanayo, lungamane luvuthwe ngesikhathi esihlukile.

Iseluleko sokuthenga: Uhlobo olungacatshangelwa: African Delight (200–400 Infruitec units). Izinhlobo zempova ezibhalwe yi-ARC/Culdevco: Pioneer noma African Rose. Idatha yokuqala ukukha ngasekupheleni kuka-Februwari ivela endaweni yereferensi yase-Western Cape, ayisona isithembiso se-KZN efudumele.

Impova: idinga impova yesinye isitshalo esihambisanayo. Hlola izidingo zohlobo olukhethiwe nenkulisa yezitshalo.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — Western Cape (izindawo zezithelo zamatshe zase-Boland / Klein Karoo / Robertson): Feb.

Inkomba kuphela — Bien Donne, Simondium, Western Cape — ukuvuna kokuqala kwe-Ruby Crisp: Jan.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Japanese plum (kuyaqhubeka)

Inkomba kuphela — Bien Donne, Simondium, Western Cape — ukuvuna kokuqala kwe-Flavour Star: Jan.

Umthombo: Culdevco / ARC: African Delight cultivar sheet

Umthombo: Culdevco (ARC/Deciduous Fruit Industry joint-venture cultivar licensing body) — African Delight® plum cultivar information; cross-referenced with Hortgro's 'TOP CULDEVCO LICENSED PLUM CULTIVARS' article

Umthombo: Culdevco / ARC, Ruby Crisp cultivar information sheet

Umthombo: Culdevco / ARC, Flavour Star cultivar information sheet

Umthombo: Hortgro / Culdevco, 'TOP CULDEVCO LICENSED PLUM CULTIVARS' (2020) — African Delight® section

Umthombo: Hortgro / Culdevco, 'TOP CULDEVCO LICENSED PLUM CULTIVARS' (2020) — African Delight® section, p. 4

Umthombo: Hortgro / Culdevco (2020), African Delight section, p. 4

Umthombo: Hortgro / Culdevco (2020), Ruby Crisp section and Table 1, p. 2

Umthombo: Culdevco / ARC, African Delight cultivar information sheet

Pear

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Izinhlobo ezihambisana nempova ye-Rosemarie Select: Lezi yizinhlobo ezithile ezingenzeka zihambisane ngempova, akusona isiqinisekiso sokuthi noma yiziphi izihlahla ezimbili ze-pear zizompovana.

Izinhlobo ezihambisana nempova ye-Packham's Triumph: I-SAPO ichaza amakhaza ngokuthi aphansi nokukhiqiza ngokuthi kuphezulu; akukho kulokhu okunikeza iminyaka eyinombolo noma kg/tree.

Bhala uhlobo oluqanjwe ngegama nezinyanga zangempela zokukha kokuqala nokokugcina. Izikhombo zango-Januwari no-Februwari zingezinye ongakhetha kuzo, hhayi ikhalenda lensimu exubile lezihlahla zonke.

Iseluleko sokuthenga: I-Rosemarie Select iwuhlobo lwase-Western Cape olungase lukhethwe, olusekelwe emthonjeni, okufanele kuxoxwe ngalo nenkulisa. Buza nge-December noma i-Packham's Triumph njengezinhlobo zempova ezihambisanayo.

Iseluleko sokuthenga: Nge-Packham's Triumph, buza nge-Clapp's Favourite, December noma i-Starkrimson bese uhlola izimo zasebusika zendawo.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — Ceres, Koue Bokkeveld, Western Cape — ukuvuna kokuqala kwe-Rosemarie Select: Jan.

Inkomba kuphela — Wolseley, Western Cape — ukuvuna kokuqala kwe-Rosemarie Select: Jan.

Inkomba kuphela — ikhasi lohlobo lase-South Africa; indawo yokuhlola ayishiwongo — ukuvuna kokuqala kwe-Packham's Triumph: Feb.

Umthombo: Culdevco / ARC Infruitec-Nietvoorbij, Rosemarie Select pear cultivar sheet

Umthombo: SAPO Trust, Packham's Triumph pear cultivar sheet

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Dogwood

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amaqabunga okunandisa lapho kuphiswa — ukusetshenziswa nguchwepheshe.

Ukubuyekezwa kokusetshenziswa njengokudla: qinisekisa ubunikazi, ingxenye edliwayo nokulungiswa okufanele nomeluleki wendawo oqeqeshiwe ngaphambi kokufaka lesi sitshalo ekudleni kwasekhaya. Asibalwa ezambeni zokudla okuvamile nasemisebenzini yokuvuna.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ukusetshenziswa okubhaliwe ekucutshungulweni kokudla wukwenza kubabe ngamaqabunga: Umongo wase-Ethiopia wokwenza isiphuzo ngamaqabunga e-gesho uqinisekisa ukusetshenziswa okukhethekile kokunambitha okucutshunguliwe, hhayi umsoco wezithelo ezintsha ovamile noma iresiphi yasekhaya yaseNingizimu Afrika. Akunikezwanga kg/plant yamaqabunga, ubude besikhathi sokugcina ukudla noma usuku lokuvuna lwendawo.

Izikhathi zokuvela kwamajikijolo zaseNingizimu Afrika ziphathelene nokudla kwezilwane zasendle: Amajikijolo ango-Disemba–Juni abhalwe engxenyeni yemvelo njengokudla kwezilwane zasendle; lesi akusona isikhathi esiqinisekisiwe sokuvuna amajikijolo adliwa abantu.

Qinisekisa ubunikazi obuqondile nendlela ehlosiwe yokulungisa ukudla nomeluleki wendawo onolwazi.

Umbhalo wase-South Africa uchaza ukukhula osebeni lwemifudlana nasemithambekeni yamahlathi nokumelana nesithwathwa; amajikijolo aso achazwa njengokudla kwezinyoni.

Iseluleko sokuthenga: Thenga izitshalo zohlobo oluqondile ukuze zisetshenziselwe inhloso eqinisekisiwe. Ungaphathi ubufakazi bokwelapha noma bezithelo ezidliwa izilwane zasendle njengesibikezelo sokudla okusha kwasekhaya.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: Negash et al. (2021), primary study of Rhamnus prinoides leaves

Umthombo: SANBI PlantZAfrica: Rhamnus prinoides

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Baboon grape

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amajikijolo avuthiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: Umthombo unikeza isikhathi samajikijolo avuthiwe. Lokhu akuqinisekisi izinyanga zokutholakala kwejamu egciniwe noma ubude besikhathi sokugcina obuphephile.

Nika isekelo sokukhwela bese ulawula ukusakazeka kwaso lapho indawo incane. I-SANBI isibhala ezindundumeni zasogwini nasemaphethelweni amahlathi kusukela e-Western Cape kuya KwaZulu-Natal nase-Mpumalanga.

Iseluleko sokuthenga: Qinisekisa i-Rhoicissus digitata; ezinye izinhlobo ze-wild-grape zinezincazelo ezihlukile futhi azikwazi ukunikeza izikhathi zayo.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — umbhalo webhothani wase-Western/Eastern Cape, KwaZulu-Natal nase-Mpumalanga — amajikijolo avuthiwe: Mas–Aga.

Umthombo: SANBI PlantZAfrica, rhoicissus-digitata

Bushman's grape

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amajikijolo adliwayo; izimpande azifakiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: Ukudla yijikijolo; umbhalo ofanayo we-SANBI ubika izimpande ezivuvukele eziyizigaxa ezinobuthi. Septhemba–Juni kuchaza ukuvela kwamajikijolo, akusona isikhathi esilinganisiwe sokuvuna avuthiwe.

Nika uhlaka lokukhwela noma esinye isekelo. Izitshalo ezincane zidinga amanzi zize zime kahle; i-SANBI ichaza ukubekezelela isomiso kamuva nokukhula elangeni kuya emthunzini oyingxenye.

Iseluleko sokuthenga: Cela i-Rhoicissus tridentata bese ubhala izinyanga zezithelo ezivuthiwe endaweni. Ungasebenzisi ukusetshenziswa kwezimpande ekwelapheni noma ezilwaneni njengobufakazi bokudla.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, rhoicissus-tridentata

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Rosemary

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amaqabunga amasha noma omisiwe okunandisa ukudla.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Umkhiqizo wamaqabunga okudla uhlukile emafutheni ephunga: Incwajana isebenzisa igama elidala lesayensi yezitshalo elithi Rosmarinus officinalis; ubunikazi bekhathalogi buyagcinwa. Ibhala amaqabunga okunandisa ukudla nokusetshenziswa okuhlukile kwamafutha ephunga, ngaphandle kwesivuno samaqabunga okudla, iminyaka yokusika kokuqala noma ikhalenda lendawo lokuvuna.

Sebenzisa inhlabathi ekhipha amanzi kahle namanzi anele lapho izitshalo zisakhula ukuze zime kahle; gwema ukugcwala kwamanzi nokubola kwezimpande.

Bhala amaqabunga amasha, isinongo esomisiwe namafutha ephunga lesitshalo (essential oil) njengemikhiqizo ehlukene.

Iseluleko sokuthenga: Thola izitshalo ezinempilo ze-rosemary ezihlonziwe neseluleko sokukhulisa sendawo; alukho uhlobo lwesifunda olunesivuno samaqabunga okupheka oluqinisekisiwe.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: DAFF: Rosemary production brochure (2012), p. 2

Karoo boer-bean

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: imbewu edliwayo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: Ukudliwa kubhalwe ngalolu hlobo oluthile kuphela; ungasebenzisi igama elivamile elithi boer-bean njengobufakazi bokudla kuzo zonke izinhlobo zezitshalo.

Indawo yaso yemvelo ihlanganisa osebeni olomile lwemifudlana e-Little Karoo nasezindaweni ezomile kakhulu zase-Eastern Cape naseningizimu ye-Western Cape.

Imidumba isabalalisa imbewu lapho yomile. Bhala ukuqoqwa nokusetshenziswa kwembewu endaweni yakini; lokhu akusona isivuno sokudla esilinganisiwe.

Iseluleko sokuthenga: Cela i-Schotia afra var. afra, ubunikazi besitshalo buqinisekisiwe. Isimangalo somthombo somthunzi ngeminyaka emihlanu asisona isikhathi sokudla kokuqala.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — umbhalo webhothani wase-Little Karoo nasezindaweni ezomile kakhulu zase-Cape — inkomba yokukhiqizwa kwembewu edliwayo: Mey–Jun.

Umthombo: SANBI PlantZAfrica, schotia-afra-var-afra

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Karee

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amajikijolo avuthiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: Septhemba–Januwari kuchaza ukukhiqizwa kwezithelo; izinsuku eziqondile zokuvuna ezivuthiwe azishiwo. Ungabali amaqabunga asetshenziswa njengefolishi lezilwane njengokudla kwasekhaya.

I-SANBI ibhala lesi sihlahla somthunzi esimelana nesithwathwa nesomiso ezimweni zase-Karoo nase-Kalahari.

Ngokusho kwe-SANBI, amaqabunga aso amaningi angonakalisa ukunambitheka kobisi lwezilwane zobisi; lokhu akusona isincomo sesabelo sokudla.

Iseluleko sokuthenga: Buza ngezitshalo zesilisa nezesifazane uma kuhloswe izithelo. Ukusabalala kwemvelo okusemthonjeni akuhlanganisi i-KwaZulu-Natal; ukubekezelela izimo eziningi akusona isiqinisekiso sezithelo endaweni.

Impova: izitshalo zesilisa nezesifazane ezihlukene. Hlola izidingo zohlobo olukhethiwe nenkulisa yezitshalo.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, searsia-lancea

Glossy currant

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo ezivuthiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ukusetshenziswa kwezithelo ze-Currant njengokudla nezikhathi zezigaba zokukhula: Umbhalo wokuqala uqinisekisa izithelo ezivuthiwe ezidliwayo nokuvela kwezithelo ngo-Okthoba–Juni. Leso sikhathi sihlanganisa izithelo ezisakhula futhi sigcinwa njengezikhathi zezigaba zokukhula kuphela, hhayi ikhalenda lokuvuna ezivuthiwe. Akunikezwanga ama-kg okudla ngonyaka noma iminyaka yokuqala ukuthela.

Kha izithelo ezivuthiwe bese ubhala ukomisa ngokwehlukana.

Lesi sihlahla esincane sifanele izingadi zasogwini ezivulekele umoya nokuqinisa izindunduma zesihlabathi; qinisekisa imvelaphi yendawo.

Iseluleko sokuthenga: Cela inkulisa yezitshalo zomdabu ukuthi iqinisekise uhlobo oluqondile nezitshalo zendawo. Alukho uhlobo lokudla lwesifunda olunesivuno esikhulu oluqinisekisiwe.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Searsia lucida

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izinhlobo zezitshalo okufanele zihlolwe endaweni

Gcina igama lohlobo olukhethayo ngempela. Uhlu olufushane locwaningo ludinga ukuqinisekiswa kwesikhathi sendawo, amanzi nomhlabathi.

Tomatoes

Uhlobo olurekhodiwe: akukakhethwa.

Isimo sezulu sale ndawo asikacaci, ngakho akukho hlu olufushane lwendawo olushiwo. Vula ikhadi lesitshalo ukuze ubone imithombo bese urekhoda okukhethile.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.