SYNTHETIC GRAPH SOURCE {COUNT} $&

Ngaphambi kokuthenga noma ukuqala

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Iqembu lesimo sezulu locwaningo: Indawo yokulima ayikacaci. Leli qembu alisona isincomo esiqinisekisiwe saleli pulazi.

Lokho okubikile ngaleli pulazi

Amanzi ngesikhathi esomile

Akurekhodiwe. Qedela inhlolovo yendawo bese uqinisekisa amanzi ngaphambi kokukhetha uhlelo oludinga izinsiza eziningi.

Isithwathwa kuleli pulazi

Okubonwe ngesithwathwa endaweni akurekhodiwe. Izilinganiso zanyanga zonke zesathelayithi azikwazi ukuthola izinsuku zokuqala nezokugcina zesithwathwa.

Ilanga nokuphuma kwamanzi

Ilanga: akurekhodiwe.

Ukuphuma kwamanzi: akurekhodiwe. Kusadingeka ukuhlola imiphumela yokuhlolwa komhlabathi nezidingo zesitshalo ngasinye.

Amarekhodi onyaka wokubika - hhayi isibikezelo

Izamba nezinyanga zonyaka wokubika odlule zichaza lokho okwabikwa. Azithembisi ukudla ohlelweni oluzayo.

Original eggs {year} $&

Isamba sonyaka esibikwe umlimi sango-2025: 240 eggs.

Okusetshenziswa ekhaya: 0 eggs. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: Jun, Jul. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Fish

Isamba sonyaka esibikwe umlimi sango-2025: akurekhodiwe.

Okusetshenziswa ekhaya: akurekhodiwe. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: akurekhodiwe. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Eminye imifino

Isamba sonyaka esibikwe umlimi sango-2025: 12 kg.

Okusetshenziswa ekhaya: 7 kg. Okuthengisiwe: 3 kg.

Izinyanga zokuvuna ezibikiwe: Jan, Dis. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu

Natal currant

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo ezivuthiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Izithelo ezidliwayo ze-Natal currant nezikhathi zezigaba zokukhula endaweni: Umbhalo wokuqala uqinisekisa izithelo ezivuthiwe ezidliwayo nokuvela kwezithelo ngo-Februwari–Julayi. Leso sikhathi sihlanganisa izithelo ezisakhula futhi sigcinwa njengezikhathi zezigaba zokukhula kuphela, hhayi ikhalenda lokuvuna ezivuthiwe. Akunikezwanga ama-kg okudla ngonyaka noma iminyaka yokuqala ukuthela.

Vumela izithelo zivuthwe. Lesi sihlahla esincane esimelana nesomiso singaba uthango; sithene sifanele indawo ekhona.

Iseluleko sokuthenga: Qinisekisa uhlobo oluqondile ngenkulisa yendawo yezitshalo zomdabu; alukho uhlobo lwesifunda oluhloliwe noma ukukhethwa kwesivuno esikalwe ngobuningi okuqinisekisiwe.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Searsia natalensis

Kuni bush

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo ezivuthiwe ezomisiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ukusetshenziswa kokudla kwesithelo esomisiwe okushiwo ngesiko: Ingxoxo ifaka ngokucacile i-S. undulata phakathi kwezithelo ze-currant ezivuthiwe ezomisiwe ezidliwayo nasekusetshenzisweni kwendabuko kokuvutshelwa. Ikhalenda lohlobo lwesitshalo okukhulunywa ngalo esihlokweni esiqukethe le ngxoxo alidluliselwa ku-S. undulata.

Uhlobo lwesitshalo oluqondile nendawo esikhula kuyo: Ukuhlolwa kuhlonza uhlobo lwesitshalo olusekhathalogini nokusabalala kwaso e-Northern/Western Cape; akunikezi ikhalenda lokuvuna noma isivuno sokudla.

Bhala ukukha izithelo ezivuthiwe nokuzomisa ngokwehlukana. Asikho isikhathi sokugcina noma iresiphi yokuvutshelwa enikeziwe.

Iseluleko sokuthenga: Qinisekisa uhlobo oluqondile nemvelaphi yendawo; ukuhlolwa kwe-SANBI kusibeka emithambekeni enamatshe ye-fynbos/karroid yase-Northern Cape nase-Western Cape.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Searsia burchellii, food-use discussion naming S. undulata

Umthombo: SANBI Red List: Searsia undulata

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

White milkwood

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amajikijolo avuthiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: I-SANBI ibeka imibandela kokushiwo ngokudla; kuphathelene namajikijolo avuthiwe, hhayi ubisi lwesitshalo, amagxolo noma izimpande. Ukuba khona kwezithelo ngo-Februwari–Septhemba akuqinisekisi ukuvunwa kokuvuthiwe kuso sonke leso sikhathi.

Ukuhlonza uhlobo lwesitshalo e-KwaZulu-Natal: Ucwaningo lokuqala lubhala ukudidaniswa ne-Bridelia micrantha. Alunikezi ikhalenda lokuvuna eliphephile noma kg/tree.

Vikela lesi sihlahla sasogwini emoyeni wasolwandle oqonde kuso onosawoti; i-SANBI ibika ukushiswa usawoti nakuba sikhula ogwini.

Iseluleko sokuthenga: Cela inkulisa ukuthi iqinisekise uhlobo nemvelaphi esemthethweni. Hlola izidingo zamanje zokuqoqa ngaphambi kokuthatha izitshalo noma imikhiqizo ezihlahleni ezikhona.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, sideroxylon-inerme

Umthombo: University of KwaZulu-Natal, Phytochemical and elemental studies of two indigenous medicinal plants

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Spiny monkey orange

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: Inyama yezithelo ezivuthiwe kuphela.

Isikhombo sesivuno sokuqala: iminyaka engu-3–5. Ukubuyekezwa kubeka lobu budala beminyaka engu-3–5 ocwaningweni luka-Avakoudjo et al. e-Benin, eNtshonalanga Afrika, hhayi esivivinyweni sokuthela saseNingizimu Afrika. Indlela yokwandisa nezimo zendawo kufanele kuqinisekiswe ngaphambi kokusebenzisa lesi sikhombo endaweni yaseNingizimu Afrika; akubona ubudala obuqinisekisiwe endaweni noma igrafu yesivuno ngokobudala. Isikhathi sangempela sincike ohlotsheni nasekunakekelweni kwendawo.

Isikhombo sokukhiqiza: 40–100 kg/isitshalo. Ukubuyekezwa kubika u-40–100 kg ngesihlahla esimile ngaphandle kwesikhathi sonyaka, ubudala bokuvuthwa, uhlobo oluqondanisiwe noma izimo zensimu zaseNingizimu Afrika. Gcina isisindo sokuqala ngesitshalo njengomongo kuphela: ungasibizi ngokuthi kg/year, usihlukanisele izinyanga noma usithathe njengesibikezelo sepulazi.

Isikhathi sokuvuna esinendawo yaseNingizimu Afrika engaqinisekisiwe: Ukubuyekezwa kuthi Agasti–Disemba kodwa akuvezi indawo yaleso sikhathi. Izincwadi ezihlobene ne-monkey-orange zikhuluma ngalesi sikhathi e-Zimbabwe nasezinhlotsheni ze-Strychnos ezingaphezu kolulodwa; lokhu akuqinisekisi ikhalenda lokuvuna i-spinosa laseNingizimu Afrika. Isikhathi sangaphambili esithi South Africa (general) sibanjelwe ngaphandle. Bhala izinyanga zepulazi zokuvuna inyama yesithelo evuthiwe; imbewu nenyama engakavuthwa akukhona ukudla okuvamile.

Indawo yomthombo weminyaka yokuqala ukuthela okhonjwe ukubuyekezwa: Ukubuyekezwa kwango-2021 kucaphuna lolu cwaningo lwase-Benin esitatimendeni salo seminyaka engu-3–5 yokuqala ukuthela. Indawo yomthombo ocashuniwe yi-West Africa, hhayi insimu yezihlahla yaseNingizimu Afrika. Gcina isitatimende sezinombolo sokubuyekezwa kanye nalo mbandela; alikho ijika lesivuno sendawo lonyaka elinikeziwe.

Izinhlamvu nezithelo ezingakavuthwa zinobuthi. Izingane mazingavuni noma zilungiselele ngaphandle kokuqashwa.

Iseluleko sokuthenga: Qinisekisa ukuthi yisiphi isitshalo nokuphathwa okufanele ngaphambi kokusifaka ohlelweni lokudla; alukho uhlobo oluqanjwe igama olunomthombo.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: FAO Ecocrop / ICRAF: Strychnos spinosa

Umthombo: Undervalued Spiny Monkey Orange (Strychnos spinosa Lam.): An Indigenous Fruit for Sustainable Food-Nutrition and Economic Prosperity (peer-reviewed review, PMC8703348)

Umthombo: Omotayo & Aremu (2021), Undervalued Spiny Monkey Orange, section 3

Umthombo: Avakoudjo et al. (2020), Local Knowledge, Uses, and Factors Determining the Use of Strychnos spinosa Organs in Benin (West Africa), abstract

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Waterberry

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: Amajikijolo avuthiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ukuqhakaza nokuvela kwezithelo, akulona ikhalenda lokuvuna ezivuthiwe: Umbhalo wokuqala we-PROTA ubeka izikhathi zokuqhakaza nokuthela kodwa awubeki isikhathi sokuvuthwa. I-SANBI ichaza amajikijolo avuthiwe abomvu kuya konsomi omnyama ngaphandle kwezinyanga zokuvuna avuthiwe. Okubonwe ngo-Novemba–Mashi kugcinwa njengezikhathi zezigaba zokukhula eningizimu ye-Afrika; izinyanga zendawo zokuvuna ukudla okulungele ukudliwa zisalokhu zingaziwa.

Sithanda amanzi: indawo eyomile idinga umthombo womswakama othembekile. Ukuqhakaza okusetshenziswa yizinyosi akusona isibikezelo sokuvuna uju.

Iseluleko sokuthenga: Khetha indawo enomswakama nezitshalo ezivela endaweni; alukho uhlobo oluqanjwe igama olunomthombo.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: syzygium-cordatum

Umthombo: Brink, M. (2008), PROTA4U: Syzygium cordatum, Growth and development

Dune spinach

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: iziqongo ezincane ezinamaqabunga neziqu.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ukuvuna nokulungisa imifino yamaqabunga: Ukukhula okusha ngesikhathi semvula kunikeza izihloko ezinhle kakhulu; geza ususe kahle isihlabathi sasogwini bese ubilisa njengokulungiswa kwemifino okubhaliwe. Ukuqhakaza ngo-Agasti–Novemba akusho ukutholakala kwamaqabunga.

Vuna iziqongo ezincane ezinamaqabunga; geza isihlabathi ngaphambi kokupheka.

Sebenzisa isihlabathi sasogwini esikhipha amanzi kahle bese ugcina izitshalo ezihlukanisiwe zinomswakama zize zime kahle.

Iseluleko sokuthenga: Thola izitshalo zasogwini zokutshala ezihlonzwe kahle; bhala ukukhula nezinyanga zokukha amaqabunga endaweni ngoba izikhathi zemvula ziyehluka e-South Africa.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Tetragonia decumbens

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Kinkelbossie

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amahlumela amancane, aphekiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ukusetshenziswa kwamahlumela amancane njengemifino: Umbhalo uchaza ukubilisela amahlumela amancane aze athambe. Ukuqhakaza ngo-Septhemba–Januwari akulona ikhalenda lokuvuna amahlumela; ukukhiqiza ifolishi akuwona ama-kg okudla kwasekhaya.

Vuna amahlumela amancane okupheka. Bhala isivuno sokudla ngokwehlukana nokudla kwezilwane.

Sebenzisa indawo enelanga, ekhipha amanzi kahle, yasogwini, ye-fynbos noma ye-Karoo, efanele lesi sitshalo esiyiphayona esingadingi amanzi amaningi.

Iseluleko sokuthenga: Thola izitshalo zendawo zokutshala ezihlonzwe kahle; alukho uhlobo lokudla olunegama noma isilinganiso sonyaka se-kg/plant esivela emthonjeni.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Tetragonia fruticosa

Veldkool

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: imiqumbe yezimbali.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ubunikazi behlumela elidliwayo: Isitshalo esiphila iminyaka eminingi esikhula esihlabathini sasogwini, esinamahlumela ezimbali aminyene adliwayo. Isikhathi esishiwo sokuqhakaza sika-Julayi–Septhemba asihlonzi izinyanga eziqondile zokuvuna amahlumela ezimbali angakavuleki.

Bhala ukukha imiqumbe emincane yezimbali ngokwehlukana nezimbali ezivulekile.

Fanisa isitshalo nezimo zesihlabathi sasogwini ezikhipha amanzi kahle nokukhula kwaso ngokwezikhathi zonyaka.

Iseluleko sokuthenga: Sebenzisa ukuhlonza kwenkulisa okuqinisekisa uhlobo oluqondile; ayiqinisekisiwe iminyaka yokuvuna imiqumbe kokuqala noma isilinganiso sokudla se-kg/plant.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Trachyandra ciliata

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Pigeonwood

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amaqabunga amancane okuba yimifino ephekiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ukusetshenziswa okubhaliwe kwamaqabunga amancane njengokudla: Umkhiqizo wokudla kwabantu ngamaqabunga amancane. Amajikijolo achazwe njengokudla kwezinyoni/amalulwane awenziwa isivuno sezithelo sabantu. Akunikeziwe iminyaka yokusika amaqabunga, izinyanga eziqondile noma ama-kg amaqabunga asekhaya.

Fanisa lesi sitshalo esiyiphayona esikhula ngokushesha nezimo ezifudumele ezinomswakama zasempumalanga/zasenyakatho; vikela izithombo ezinomswakama ezisemthunzini.

Bhala isivuno samaqabunga amancane ngokwehlukana nezithelo ezidliwa izilwane zasendle.

Iseluleko sokuthenga: Sebenzisa izitshalo zendawo zokutshala ezihlonzwe kahle; alukho uhlobo olunegama lwamaqabunga okudla noma umkhiqizo wokudla wonyaka olinganisiwe ngobuningi okuqinisekisiwe.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Trema orientalis

Wild garlic

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amaqabunga nezimbali ezidliwayo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: Amaqabunga nezimbali kubhalwe njengezingxenye zokupheka. Ukusetshenziswa kwe-bulb njengomuthi akwenzi yonke ingxenye ibe ukudla.

Sibekezelela isomiso eside kodwa sikhula kangcono ngamanzi avamile. I-SANBI ibhala ukusabalala kwaso empumalanga ye-South Africa.

Iseluleko sokuthenga: Cela i-Tulbaghia violacea, unganeliseki ngesitshalo esihlonzwe kuphela njenge-wild garlic. Bhala ukukha amaqabunga nezimbali kwendawo ngokwehlukana.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — umbhalo webhothani wasempumalanga ye-South Africa — izimbali ezidliwayo kuphela: Jan–Eph.

Umthombo: SANBI PlantZAfrica, tulbaghia-violacea

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Wild medlar

Isikhombo sesifunda: Wild medlar - kulindeleke lapho sekumile kahle

Jan	Feb	Mas	Eph	Mey	Jun	Jul	Aga	Sep	Okt	Nov	Dis

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: Izithelo ezivuthiwe, ezintsha noma ezomisiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Okubonwe ngokuthela ngesikhathi eside, akusona isikhathi sokuvuna okuvuthiwe: Lo mbhalo uhlukanisa ngokwehlukana izithelo eziluhlaza ezingakavuthwa nezinsundu ezivuthiwe, kodwa umusho wawo wezinto eziphilayo wango-Novemba–Ephreli awubeki isikhathi salolo shintsho lokuvuthwa. Isikhathi esibanzi sihlala siyizikhathi zezigaba zokukhula eningizimu ye-Afrika. Incazelo ye-SANBI ka-Januwari–Ephreli yezithelo ezivuthiwe ezidliwayo inikeza umthombo wesifunda wokudla okulungele ukudliwa.

Qinisekisa izimo zokusimama endaweni ngaphambi kokuthembela kureferensi yesifunda yokuthela izithelo.

Iseluleko sokuthenga: Cela izitshalo ezithela izithelo ezifanele indawo; alukho uhlobo oluqanjwe igama olunomthombo.

Isikhombo sesifunda: Wild medlar. South Africa (ngokujwayelekile; ukusabalala e-SA kunikezwe njenge-Eastern Cape, Free State, Gauteng, KwaZulu-Natal, Limpopo, Mpumalanga, North West, Northern Cape). Isikhombo sokuhlela lapho sekumile kahle; qinisekisa izinsuku zokuvuna zendawo. Akuthenjiswa inani lokudla noma isivuno sonyaka wokuqala.

Umthombo: SANBI PlantZAfrica: vangueria-infausta

Umthombo: Vangueria infausta | PlantZAfrica (SANBI)

Umthombo: Agroforestree Database 4.0 (Orwa et al. 2009), Vangueria infausta fact sheet, BIOLOGY section, p. 1

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Grape vine

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Flame Seedless ngonyaka 4 — isabelomali sebhizinisi sase-Hex River Valley: Isabelomali sokuhweba sonyaka 4: 4,400 cartons/ha ngo-4.5 kg/carton = 19,800 kg/ha. Umthombo awunikezi vines/ha noma izikhala zomugqa/umvini ezihambisana nalezi zibalo, ngakho akukho kg/vine okubalwayo. Lokhu kuwukucatshangwa kwesabelomali sohlobo olulodwa olutshalwayo nesifunda esisodwa, akuyona iminyaka evamile yokukhiqiza ngokugcwele noma irekhodi lokukhiqiza lomvini wendawo osebalazweni.

Khetha uhlobo lwesivini oluhambisana nesifunda sokukhiqiza, amanzi nohlelo lokusekela. Isikhathi sikazwelonke sokuhlinzeka sihlanganisa izifunda eziningana.

Iseluleko sokuthenga: Ireferensi yezimboni ye-DAFF: i-Prime Seedless, i-Sugraone ne-Flame Seedless zakuqala; i-Dauphine ne-Crimson Seedless zakamuva. I-SATI ibala izinketho zase-Orange River ezihlanganisa i-Prime, i-Thompson Seedless ne-Sugraone. Qinisekisa izinsuku nezitshalo ezitholakala endaweni; ukulandelana kwezimboni akulona ikhalenda lepulazi lase-KZN.

Impova: iyakwazi ukwakha izithelo ngempova yayo. Hlola izidingo zohlobo olukhethiwe nenkulisa yezitshalo.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — South Africa — isifunda se-Northern Province(s) (isifunda sokukhiqiza se-SATI; indawo emnene eseduze nezishisayo, ukuvuna kokuqala kakhulu e-SA): Nov–Dis.

Inkomba kuphela — South Africa (sekukonke, zonke izifunda zihlanganisiwe): Nov–Mey.

Umthombo: DAFF, Table grape market value chain profile (2012), p. 1

Umthombo: SATI: Production regions

Umthombo: South African Table Grape Industry (SATI) — 'About' page, production regions section

Umthombo: South African Table Grape Industry (SATI) — 'About' page

Umthombo: Zou, Massonnet, Minio et al., 'Multiple independent recombinations led to hermaphroditism in grapevine', Proceedings of the National Academy of Sciences (PNAS), Vol. 118, No. 15, e2023548118 (2021)

Umthombo: Western Cape Department of Agriculture (Elsenburg), Agricultural Economic Services — 'Table Grape-Flame SL (Yr 4)' Enterprise Budget, Hex River Valley, Cape Winelands (updated 12 March 2024), p. 1

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Ginger

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: iziqu ezingaphansi komhlabathi ezisanda kuvunwa; ujinja omisiwe ubhalwa ngokwehlukana.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ubude besikhathi sokuvuna esilingweni saseNingizimu Afrika nezivuno ngamayunithi oqobo: Isilingo esivikelwe emvuleni sase-Pretoria Hillcrest, ngo-2015/16 nango-2016/17, ngokunisela ngamaconsi emhlabathini we-sandy clay loam. I-ginger yokuhweba i-Z. officinale ezinyangeni eziyisishiyagalombili: 38.3 t/ha weziqu ezingaphansi komhlaba (rhizomes) ezisanda kuvunwa no-8.8 t/ha wezisomisiwe endleleni enamanzi anele; i-African ginger yayiwuhlobo oluhlukile olunezinombolo ezihlukile. Akunikezwanga ukuminyana kwezitshalo okuhambisana nalezi zibalo, ngakho akukho kg/plant noma ukuguqulwa kokomisa kwasekhaya okubaliwe. Isifinyezo sithi insimu evulekile, kanti ingxenye ethi Methods icacisa ukuvikelwa emvuleni; izimo ziyagcinwa.

Uhlobo lwesitshalo nomkhiqizo okuqinisekisiwe okuphekwayo: Ezokweluleka kwezolimo zihlonza iziqu ze-ginger ezingaphansi komhlaba ezisetshenziswa ekuphekeni njengezinongo, okugciniwe neziphuzo. Izinyanga zokutshala nezokuvuna zase-Florida azifakwa ekhalendeni laseNingizimu Afrika.

Iseluleko sokuvuna: Isifinyezo sombhali sincoma ukuvuna ngemva kwezinyanga eziyisikhombisa kuya kweziyisishiyagalombili zokutshala; lokhu kuwubude bomjikelezo wesitshalo esineziqu ezingaphansi komhlaba, akuyona iminyaka yesihlahla esikhiqiza ngokugcwele.

Sebenzisa usuku lokutshala ukubhala umjikelezo wokuvuna ama-rhizome, iziqu ezingaphansi komhlabathi. Isikhombo socwaningo lwase-Pretoria sinemibandela, akusona ikhalenda elingaguquki kuzo zonke izimo zezulu.

Bhala izisindo zama-rhizome amasha nesinongo esomisiwe ngokwehlukana; hlukanisa ujinja odliwayo nezinhlobo zejinja zokuhlobisa noma ze-African ginger.

Iseluleko sokuthenga: Cela umphakeli wendawo ama-rhizome okutshala e-Zingiber officinale anempilo, ahlonziwe; alikho ijika lesivuno lohlobo oluthile lwase-South Africa eliqinisekisiwe.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: Gatabazi et al. (2022), Scientia Horticulturae 304:111353, p. 17

Umthombo: UF/IFAS: Ginger, Galangal, and Turmeric Production in Florida

Umthombo: University of Pretoria author manuscript: Gatabazi et al. (2022)

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Buffalo thorn

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amajikijolo avuthiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: I-SANBI ichaza inyama evuthiwe eyomile enoshukela omncane. Ukusala kwezithelo ezihlahleni ezingenamaqabunga ngo-Mashi–Agasti kusho ukuhlala kwazo lapho, akusona isikhathi sokuvuna sezinyanga eziyisithupha esiqinisekisiwe.

I-SANBI ibhala ukusabalala okubanzi kusukela ogwini olungenasithwathwa kuya ezifundeni ezinesithwathwa sasebusika. Ameva aso agobile naqondile abalulekile lapho kukhethwa izindlela zokungena nokuhamba.

Iseluleko sokuthenga: Cela isitshalo se-buffalo-thorn esihlonziwe esifanele izimo zendawo; umthombo ohloliwe awunikezi uhlobo lokudla olunegama.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, ziziphus-mucronata

Izinhlobo zezitshalo okufanele zihlolwe endaweni

Gcina igama lohlobo olukhethayo ngempela. Uhlu olufushane locwaningo ludinga ukuqinisekiswa kwesikhathi sendawo, amanzi nomhlabathi.

Tomatoes

Uhlobo olurekhodiwe: akukakhethwa.

Isimo sezulu sale ndawo asikacaci, ngakho akukho hlu olufushane lwendawo olushiwo. Vula ikhadi lesitshalo ukuze ubone imithombo bese urekhoda okukhethile.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.