SYNTHETIC GRAPH SOURCE {COUNT} $&

Musi ni sa athu u renga kana u thoma

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Tshigwada tsha kilima tsha ṱhoḓisiso: Fhethu ha u lima a hu athu u ṱalutshedzea. Tshigwada itshi a si nyeletshedzo yo khwaṱhisedzwaho ya bulasi iḽi.

Zwe na vhiga nga bulasi iḽi

Maḓi nga khalaṅwaha yo oma

A zwo ngo rekhodwa. Fhedzisani ṱhoḓisiso ya fhethu ni khwaṱhisedze maḓi ni sa athu u nanga pulane ine ya ṱoḓa zwishumiswa zwinzhi.

Murotholo kha bulasi iḽi

Zwe zwa vhonwa nga murotholo wa henefho a zwo ngo rekhodwa. Zwikati zwa ṅwedzi zwa sathelaithi a zwi koni u khwaṱhisedza maḓuvha a murotholo wa u thoma na wa u fhedza.

Ḓuvha na u bva ha maḓi mavuni

Ḓuvha: a zwo ngo rekhodwa.

U bva ha maḓi: a zwo ngo rekhodwa. Mvelelo dza u ṱola mavu na ṱhoḓea dza tshiliṅwa tshiṅwe na tshiṅwe zwi kha ḓi ṱoḓa u ṱolwa.

Rekhodo dza ṅwaha wa u vhiga - hu si mbonelaphanḓa

Zwivhalo na miṅwedzi zwa ṅwaha wo fhiraho wa u vhiga zwi ṱalutshedza zwo vhigwaho. A zwi fulufhedzisi zwiḽiwa kha pulane i ḓaho.

Original eggs {year} $&

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: 240 eggs.

Zwo shumiswaho muṱani: 0 eggs. Zwo rengiswaho: a zwo ngo rekhodwa.

Miṅwedzi ya khaṇo yo vhigwaho: Fulw, Fwan. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

Fish

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: a zwo ngo rekhodwa.

Zwo shumiswaho muṱani: a zwo ngo rekhodwa. Zwo rengiswaho: a zwo ngo rekhodwa.

Miṅwedzi ya khaṇo yo vhigwaho: a zwo ngo rekhodwa. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

Miṅwe miroho

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: 12 kg.

Zwo shumiswaho muṱani: 7 kg. Zwo rengiswaho: 3 kg.

Miṅwedzi ya khaṇo yo vhigwaho: Phan, Nyen. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṇu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo

Mbudzi: Dairy goat (Saanen / Toggenburg / British Alpine)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: mafhi. A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Nyeletshedzo ya u renga: yelanyisani lushaka/zwifuwo na tshibveledzwa, furu ya henefho, kilima na vhukoni ha ṱhogomelo; khwaṱhisedzani na mueletshedzi wa henefho wa zwifuwo kana u fuwa ṋotshi.

Pulanani u ya nga u bebiwa ha vhukuma ha ṋamana/zwibudzana na u mamisa. Zwifuwo zwi sa mamisaho a zwi ṋei mafhi.

Tshifhinga tsha tshibveledzwa tsha u thoma: a tshi na tshiko kha bindu iḽi.

Ndaedzi ya vhubveledzi: 775.4–1073.4 kg ya mafhi/nga mbudzi ya tshisadzi/nga tshifhinga tsha u bveledza mafhi tsha maḓuvha a 305. Lowest (>=7th parity) and highest (3rd parity) group means for milk yield per 305-day standardised lactation in 16,407 analysed South African ARC Saanen lactation records, 1955–2018, mostly intensive/semi-intensive stud herds. Original PDF Table 3 labels the last group >=7th; HTML renders it >7th. Kept in kg, without litres conversion, annualisation or yield-by-age interpolation.

Ndaedzi ya vhukale/sisṱeme: South African Saanen reference by lactation number, not age in years: mean milk mass per standardised 305-day lactation was 947.3 kg at first parity, 1043.2 at second, 1073.4 at third, 1020.3 at fourth, 972.8 at fifth, 901.6 at sixth and 775.4 at >=7th. These ARC milk-recorded groups were mostly intensive/semi-intensive stud herds. Record actual kidding date, lactation number and collected milk; do not divide these totals evenly into months.

Ndaedzi ya vhukale/sisṱeme: At Putukwane near Polokwane, 179 lactating does under extensive feeding with irregular supplementation were observed for 210 days after kidding. Mean milk mass was 1.45 kg/day for Saanen, 0.75 for British Alpine and 0.56 for Toggenburg during observed lactation. Early lactation exceeded mid and late lactation; March–April kidding outperformed October–November in this cohort. These conditions differ from stud-herd records. Discuss adapted stock and feed locally; these are not litres/day or year-round promises.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṋeani maḓi o kunaho a fulufhedzeaho.

Ndi mulandu u vhea mbudzi hune tshikhala, muya, tshedza kana vhudzumbamo kha mufhiso, phepho kana mutsho zwa sa eḓane, kana u i valela kana u i vhofha nga nḓila i vhangaho u tambula hu sa ṱoḓei.

Ndi mulandu u tambudza mbudzi nga nḓala, u i ṋea zwiḽiwa zwi sa eḓani, kana u i dzima maḓi kana zwiḽiwa.

Muṋe ha ngo tea u litsha mbudzi yo tshikafhala kana yo ḓala zwilumi zwi dzulaho khayo, nahone u tea u ṱoḓela tshipuka tshi lwalaho, tsho huvhalaho kana tshi re na vhulwadze dzilafho ḽa dokotela wa zwipuka kana ḽiṅwe dzilafho musi a tshi kona.

Foot-and-mouth disease (FMD) is a controlled animal disease under the Animal Diseases Act: veterinary services enforce isolation and movement restrictions, and a suspected case must be reported.

Inside a declared FMD-affected zone, goats and their products (including milk) cannot be moved into, out of, or within the zone without a state veterinary movement permit and compliance with its conditions.

Every goat owner must register an official identification mark and mark their goats with it, under the Animal Identification Act.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Mbudzi: Dairy goat (Saanen / Toggenburg / British Alpine) (zwi khou bvela phanḓa)

A goat may only be slaughtered for sale at a registered abattoir under the Meat Safety Act (relevant when culled dairy does or male kids are sold for meat); slaughtering for the farmer's own consumption, or for cultural/religious purposes, is exempt but that meat may not then be sold.

Tshiko: Animals Protection Act 71 of 1962, s.2(1)(b), p. 1

Tshiko: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Tshiko: Animals Protection Act 71 of 1962, s.2(1)(e), p. 1

Tshiko: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Tshiko: Animal Identification Act 6 of 2002, s.7(1), p. 4

Tshiko: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Tshiko: Malemela, Nemutandani & Tada (2024), South African Saanen goats, Table 3, p. 625

Tshiko: Norris et al. (2011), Milk Production of Three Exotic Dairy Goat Genotypes in Limpopo Province, South Africa: methods, results and Table 2

Tshiko: Malemela, Nemutandani & Tada (2024), South African Saanen goats: Table 3, 305-day milk yield by parity, p. 625

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Mbudzi: Indigenous veld / communal goat (e.g. Nguni, Tankwa, Xhosa lob-ear)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: ṉama. A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Nyeletshedzo ya u renga: yelanyisani lushaka/zwifuwo na tshibveledzwa, furu ya henefho, kilima na vhukoni ha ṱhogomelo; khwaṱhisedzani na mueletshedzi wa henefho wa zwifuwo kana u fuwa ṉotshi.

Ndaedzi ya tshibveledzwa tsha u thoma: vhege dza 69.6–78.3. This is age at first KIDDING (birth of first kids), not first weaned kids. 16 months x 4.35 = 69.6 weeks; 18 months x 4.35 = 78.3 weeks, from doe birth to her giving birth for the first time. Adding the source's own ~150-day (~5-month, ~21.75-week) weaning assumption would put first WEANED kids at roughly 91-100 weeks of doe age, but that compound figure is not shown as the primary value since the field is documented as 'age/time from start (hatch, birth) to first product' and first kidding is the clearer, directly-stated milestone; the weaning offset is noted here for transparency.

Ndaedzi ya vhukale/sisṱeme: The 2016 government goat manual distinguishes indigenous, Boer, Savanna and Kalahari Red meat-purpose stock from milk/fibre breeds, with breeding objectives and individual birth, weaning, weight and sale records. Uncontrolled communal mating can produce births at any time; that does not establish meat or weaned-kid availability all year. Choose stock for the local system and record survival and product stage before forecasting quantities.

Ndaedzi ya vhukale/sisṱeme: In KZN Highland Sourveld smallholder systems, winter and early-spring feed shortage can restrict goats. Autumn-kidding does feed kids through winter; spring-kidding does face late-pregnancy feed shortage, especially with late rains. Plan local winter feed and monitor weights with extension support; this is regional care context, not kg or a universal kidding calendar.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṉeani maḓi o kunaho a fulufhedzeaho.

Ndi mulandu u vhea mbudzi hune tshikhala, muya, tshedza kana vhudzumbamo kha mufhiso, phepho kana mutsho zwa sa eḓane, kana u i valela kana u i vhofha nga nḓila i vhangaho u tambula hu sa ṱoḓei.

Ndi mulandu u tambudza mbudzi nga nḓala, u i ṉea zwiḽiwa zwi sa eḓani, kana u i dzima maḓi kana zwiḽiwa.

Muṉe ha ngo tea u litsha mbudzi yo tshikafhala kana yo ḓala zwilumi zwi dzulaho khayo, nahone u tea u ṱoḓela tshipuka tshi lwalaho, tsho huvhalaho kana tshi re na vhulwadze dzilafho ḽa dokotela wa zwipuka kana ḽiṅwe dzilafho musi a tshi kona.

U ṱahela ha zwiḽiwa vhuria mafuloni a tshitshavha a sourveld ndi khombo i ḓivheaho kha mutakalo na vhubveledzi: mbudzi dza tsadzi dzi bebaho tshifhefho dzi tea u mamisa zwibudzana vhuria, ngeno dzi bebaho luṱavula dzi tshi shaya pfushi kha magumo a u ḓihwala, ngauralo zwiḽiwa zwa u engedza vhuria ndi zwa ndeme.

Foot-and-mouth disease (FMD) is a controlled animal disease under the Animal Diseases Act: veterinary services enforce isolation and movement restrictions, and a suspected case must be reported.

Inside a declared FMD-affected zone, goats and their products cannot be moved into, out of, or within the zone without a state veterinary movement permit and compliance with its conditions.

Every goat owner, including communal/smallholder owners, must register an official identification mark and mark their goats with it, under the Animal Identification Act.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṉu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Mbudzi: Indigenous veld / communal goat (e.g. Nguni, Tankwa, Xhosa lob-ear) (zwi khou bvela phanḓa)

A goat may only be slaughtered for sale at a registered abattoir under the Meat Safety Act; slaughtering it for the farmer's own consumption, or for cultural/religious purposes (including ceremonial slaughter, common with indigenous goats), is exempt from that rule, but that meat may not then be sold.

Tshiko: Animals Protection Act 71 of 1962, s.2(1)(b), p. 1

Tshiko: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Tshiko: Animals Protection Act 71 of 1962, s.2(1)(e), p. 1

Tshiko: Letty, B. & Madiba, S., KZN DARD. Constraints to Small-Scale Goat Production in the Highland Sourveld Area of KwaZulu-Natal, p. 3

Tshiko: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Tshiko: Animal Identification Act 6 of 2002, s.7(1), p. 4

Tshiko: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Tshiko: DAFF (2016), Goat Training Manual: breeds p2, records pp4–5, uncontrolled mating section 2.4.6 p7, p. 7

Tshiko: KZN DARD: Goat Production in KwaZulu-Natal, Highland Sourveld research and winter nutrition

Tshiko: Webb, E.C. & Mamabolo, M.J. (2004). Production and reproduction characteristics of South African indigenous goats in communal farming systems. S. Afr. J. Anim. Sci. 34(5):236-239

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Mbudzi: Boer goat (meat enterprise)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: ṉama. A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Nyeletshedzo ya u renga: yelanyisani lushaka/zwifuwo na tshibveledzwa, furu ya henefho, kilima na vhukoni ha ṱhogomelo; khwaṱhisedzani na mueletshedzi wa henefho wa zwifuwo kana u fuwa ṉotshi.

Tshifhinga tsha tshibveledzwa tsha u thoma: a tshi na tshiko kha bindu iḽi.

Ndaedzi ya vhubveledzi: 1.5 zwibudzana zwo lumulwaho/nga mbudzi ya tshisadzi yo ṱanganyiswaho u tswala (doe mated). The reported weaning rate is 149%, or 1.49 kids weaned per doe mated. The source describes observations over twenty years for extensive Boer does at 295 mm rainfall; it does not state kids weaned per doe per calendar year. This is a reproductive outcome, not kg of live animals or dressed meat. A separate mean litter size of 1.93 kids born per parturition has a different denominator and stage and is not merged into this figure.

Ndaedzi ya vhukale/sisṱeme: The 2016 government goat manual distinguishes indigenous, Boer, Savanna and Kalahari Red meat-purpose stock from milk/fibre breeds, with breeding objectives and individual birth, weaning, weight and sale records. Uncontrolled communal mating can produce births at any time; that does not establish meat or weaned-kid availability all year. Choose stock for the local system and record survival and product stage before forecasting quantities.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṉeani maḓi o kunaho a fulufhedzeaho.

Ndi mulandu u vhea mbudzi hune tshikhala, muya, tshedza kana vhudzumbamo kha mufhiso, phepho kana mutsho zwa sa eḓane, kana u i valela kana u i vhofha nga nḓila i vhangaho u tambula hu sa ṱoḓei.

Ndi mulandu u tambudza mbudzi nga nḓala, u i ṉea zwiḽiwa zwi sa eḓani, kana u i dzima maḓi kana zwiḽiwa.

Muṉe ha ngo tea u litsha mbudzi yo tshikafhala kana yo ḓala zwilumi zwi dzulaho khayo, nahone u tea u ṱoḓela tshipuka tshi lwalaho, tsho huvhalaho kana tshi re na vhulwadze dzilafho ḽa dokotela wa zwipuka kana ḽiṅwe dzilafho musi a tshi kona.

Foot-and-mouth disease (FMD) is a controlled animal disease under the Animal Diseases Act: veterinary services enforce isolation and movement restrictions, and a suspected case must be reported.

Inside a declared FMD-affected zone, goats and their products cannot be moved into, out of, or within the zone without a state veterinary movement permit and compliance with its conditions.

Every goat owner must register an official identification mark and mark their goats with it, under the Animal Identification Act.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṉu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Mbudzi: Boer goat (meat enterprise) (zwi khou bvela phanḓa)

A goat may only be slaughtered for sale at a registered abattoir under the Meat Safety Act; slaughtering it for the farmer's own consumption, or for cultural/religious purposes, is exempt from that rule, but that meat may not then be sold.

Tshiko: Animals Protection Act 71 of 1962, s.2(1)(b), p. 1

Tshiko: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Tshiko: Animals Protection Act 71 of 1962, s.2(1)(e), p. 1

Tshiko: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Tshiko: Animal Identification Act 6 of 2002, s.7(1), p. 4

Tshiko: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Tshiko: DAFF (2016), Goat Training Manual: breeds p2, records pp4–5, uncontrolled mating section 2.4.6 p7, p. 7

Tshiko: King, F.J.M. (2009). Production Parameters for Boer Goats in South Africa (MSc dissertation, University of the Free State), citing National Dept of Agriculture data via Malan, S.W. (2000)

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Nguluvhe: Pig (small-scale / emerging-farmer sow herd)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: ṉama. A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Nyeletshedzo ya u renga: yelanyisani lushaka/zwifuwo na tshibveledzwa, furu ya henefho, kilima na vhukoni ha ṱhogomelo; khwaṱhisedzani na mueletshedzi wa henefho wa zwifuwo kana u fuwa ṉotshi.

Tshifhinga tsha tshibveledzwa tsha u thoma: a tshi na tshiko kha bindu iḽi.

Ndaedzi ya vhukale/sisṱeme: ARC Table 1 lists pregnant sows at 10–18 L drinking water/day and lactating sows at 18–23 L/day. These are breeding-sow stages, not one amount for every pig. Farrowing care separates sow cooling from piglet warmth; outdoor systems need locally adapted hardy stock, shade and shelter. Confirm stage, reliable clean water, feed and housing locally. The manual supplies no verified edible kg per breeding sow for this plan.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṉeani maḓi o kunaho a fulufhedzeaho.

Musi nguluvhe dzi tshi endedzwa nga ṱhiraka, khoudu ya Afrika Tshipembe ya u fara na u endedza zwipuka i themendela 0.3 m² nga porker, 0.4 m² nga baconer na 0.8 m² nga nguluvhe iṅwe na iṅwe yo no aluwaho.

Ndi mulandu u vhea nguluvhe hune tshikhala, muya, tshedza kana vhudzumbamo kha mufhiso, phepho kana mutsho zwa sa eḓane, kana u i valela kana u i vhofha nga nḓila i vhangaho u tambula hu sa ṱoḓei.

Ndi mulandu u tambudza nguluvhe nga nḓala, u i ṉea zwiḽiwa zwi sa eḓani, kana u i dzima maḓi kana zwiḽiwa.

Nga zwifhinga zwa mufhiso muhulu, nnḓu dza nguluvhe dzi ṱoḓa u dzhena na u tshimbila ha muya hu khwine na tshivhalo tsho fhungudzwaho tsha nguluvhe fhethu huthihi, nahone nguluvhe dza nnḓa dzi ṱoḓa murunzi na vhudzumbamo.

African swine fever (ASF) is listed as a controlled animal disease pertaining to pigs under the Animal Diseases Act; warthogs and Ornithodorus ticks are carriers/vectors.

Foot-and-mouth disease (FMD) is also listed as a controlled animal disease pertaining to pigs under the Animal Diseases Act.

Swill (food waste) may not be fed to pigs unless it has been boiled for at least 60 minutes or sterilised by another equally effective method.

Pigs may only be moved into a biosecure compartment from another compartment that is officially certified/approved for that purpose.

A pig may not be slaughtered anywhere but a registered abattoir, except for own household consumption or cultural/religious purposes.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṉu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phaṋda

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phaṋda)

Nguluvhe: Pig (small-scale / emerging-farmer sow herd) (zwi khou bvela phaṋda)

A pig owner must apply to register an official identification mark and mark their pigs with it, under the Animal Identification Act.

Tshiko: Muchenje, V. & Ndou, S.P., How pig pre-slaughter welfare affects pork quality and the pig industry (Univ. of Fort Hare, hosted by SAPPO), quoting Tomlinson (2000) Code of Practice for the Handling and Transport of Livestock, p. 7

Tshiko: Animals Protection Act 71 of 1962, s.2(1)(b), p. 1

Tshiko: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Tshiko: ARC Climate-Smart Agriculture Training Manual, Module 10: Pig Production, p. 9

Tshiko: ARC Climate-Smart Agriculture Training Manual, Module 10: Pig Production, Table 2, p. 15

Tshiko: Munzhelele et al., Investigation of African swine fever outbreaks in pigs outside the controlled areas of South Africa, 2012-2017 (Journal of the South African Veterinary Association, SciELO SA mirror)

Tshiko: Meat Safety Act 40 of 2000, s.7(1)(a), p. 6

Tshiko: Animal Identification Act 6 of 2002, s.7(1), p. 4

Tshiko: ARC Climate-Smart Agriculture: Pig production, farrowing/adaptation pp442–445, Table 1 p446, p. 446

Tshiko: ARC Climate-Smart Agriculture Training Manual, Module 10: Pig Production, Table 1 (Water requirements of pigs, litres/pig/day), p. 10

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbaṋḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phaṋda ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Mivhuḓa: Meat rabbit (New Zealand White / Californian, backyard hutches)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: ṉama. A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Nyeletshedzo ya u renga: yelanyisani lushaka/zwifuwo na tshibveledzwa, furu ya henefho, kilima na vhukoni ha ṱhogomelo; khwaṱhisedzani na mueletshedzi wa henefho wa zwifuwo kana u fuwa ṉotshi.

Tshifhinga tsha tshibveledzwa tsha u thoma: a tshi na tshiko kha bindu iḽi.

Ndaedzi ya vhubveledzi: 30–35 mivhuḓa miṱuku i swikaho kha vhukale ha u ṱhavhiwa/u tswala/nga muvhuḓa wa tshisadzi/nga ṅwaha. FAO general backyard target, not a South African observed rate. The 30–35 young per doe annually have reached slaughter or reproduction age after allowance for post-weaning loss; they are not merely weaned and are not kg of meat. The source models six litters and 5.5 surviving young per litter, describing a 30-rabbit objective; an extra litter raises its stated objective to 35. Do not combine this backyard target with grower-house carcass weight from a different trial.

Ndaedzi ya vhutshilo ha vhubveledzi: miṅwaha ya 0.8. 279 days / 365 = 0.76 years. This figure is from French INTENSIVE commercial rabbitries (average of 1992 national recording-scheme data), NOT backyard/extensive hutches - the source gives no separate productive-life figure for backyard systems (see gaps). Treat as a lower-bound / industrial-system reference only.

Ndaedzi ya vhukale/sisṱeme: South African grower reference: New Zealand White and Phendula rabbits in the 2017 Stellenbosch trial were slaughtered at about 11 weeks from birth. Overall means were 2.62 kg live slaughter weight, 1.55 kg hot carcass, 1.48 kg chilled carcass and 1.26 kg reference carcass with head and red offal removed, still including bones. Balanced pellets and water were freely available in a grower house. These weights are not boneless meat or annual doe output; do not multiply them by the unrelated FAO backyard target.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṉeani maḓi o kunaho a fulufhedzeaho.

Ndi mulandu u dzima muvhuḓa zwiḽiwa kana maḓi, kana u u vhea hune ha shaya tshikhala tsho eḓanaho, muya wo eḓanaho, tshedza kana vhudzumbamo kha mufhiso na phepho.

Ṋeani mivhuḓa ya u bebisa tshikhala tsha fhasi ha nnḓu tshi ṱoḓaho u vha 0.48-0.70 m2 nga muthihi, vhulapfu vhu vhe 50-60 cm, hu si kheidzhi yo tsikeledzeaho.

Rabbits are one of the domesticated animal species listed in the Meat Safety Act, so the Act's rules on abattoirs and hygiene apply to them, as they do to ducks and other listed species.

Rabbits slaughtered to be sold must be slaughtered at a registered abattoir; slaughter for the farmer's own consumption is exempt from this rule but the meat from it may not be sold.

At the abattoir, rabbits (like other listed animals) must be handled humanely during loading, transport, offloading, housing, immobilising and killing, under the Animals Protection Act.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṉu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Mivhuḓa: Meat rabbit (New Zealand White / Californian, backyard hutches) (zwi khou bvela phanḓa)

The wild European rabbit (the same species as farmed New Zealand White/Californian rabbits) is only listed as an invasive species under NEMBA on South Africa's off-shore islands - it is not a listed/restricted species on the mainland.

Tshiko: Animals Protection Act 71 of 1962 (consolidated text, s.2(1)(b)-(c)), p. 2

Tshiko: FAO Animal Production and Health Series No.21 - The Rabbit: Husbandry, Health and Production (Lebas et al.), p. 172

Tshiko: Meat Safety Act 40 of 2000, Schedule 1 (Animals to which this Act applies), p. 16

Tshiko: Meat Safety Act 40 of 2000, s.7, p. 6

Tshiko: Meat Safety Act 40 of 2000, s.9, p. 7

Tshiko: South Africa's National Listed Invasive Species booklet (NEMBA Alien and Invasive Species Lists), p. 27

Tshiko: North et al. (2019), Growth, carcass and meat quality traits of two South African meat rabbit breeds: methods p816, Table 2 p819, p. 819

Tshiko: FAO Animal Production and Health Series No.21 - The Rabbit: Husbandry, Health and Production (Lebas et al.), p. 107

Tshiko: FAO Animal Production and Health Series No.21 - The Rabbit: Husbandry, Health and Production (Lebas et al.), p. 201

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Danga: Meat sheep (Dorper, Damara, indigenous fat-tailed and crossbred)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: ṉama. A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Nyeletshedzo ya u renga: yelanyisani lushaka/zwifuwo na tshibveledzwa, furu ya henefho, kilima na vhukoni ha ṱhogomelo; khwaṱhisedzani na mueletshedzi wa henefho wa zwifuwo kana u fuwa ṉotshi.

Tshifhinga tsha tshibveledzwa tsha u thoma: a tshi na tshiko kha bindu iḽi.

Ndaedzi ya vhubveledzi: 0.6–1.4 ngwana dza nngu dzo bebwaho nga nngu ya tshisadzi. outputUnit is 'lambs born/ewe/year' rather than the suggested 'kg live weight/lamb at weaning or slaughter' or 'lambs weaned/ewe/year': the source explains 'Measuring accurate lambing percentages for smallholder sheep farmers is challenging as these farmers mostly farm extensively and do not keep records', and instead calculates 'Lambs born per ewe (as recorded from the surveys based on interviews with individual respondents)' - a lambing (born), not weaning, figure, self-reported by smallholder farmers rather than measured/weighed. 139%=1.39, 83%=0.83, 61%=0.61 lambs born/ewe/year; the range [0.61, 1.39] spans the three Western Cape smallholder districts surveyed (Eden, Central Karoo, West Coast), all from this one study/quote - not merged with any other document. The same paper separately states a COMMERCIAL extensive benchmark of 110-156% lambing and 94-132% weaning (Snyman & Herselman, 2005), explicitly 'expressed over ewes joined' (a different denominator/system) - not merged into this smallholder range.

Ndaedzi ya vhukale/sisṱeme: The government sheep manual describes controlled breeding at Mara Research Station, Limpopo: June–July mating and November–December lambing to match rain and grass. This is one station breeding calendar, not mutton harvest months. Match adapted meat-purpose stock and feed locally, then record birth, survival, weaning and actual slaughter or sale; lambs born per ewe are not edible kg.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṉeani maḓi o kunaho a fulufhedzeaho.

Nngu a dzo ngo tea u tsikeledzwa zwitangani: tshikhala tsha fhasi tshi si ho fhasi ha mitara dza tshikwea dza 0.56 nga nngu uri tshipuka tshiṅwe na tshiṅwe tshi kone u eḓela.

Zwibaya zwa muḓagasi, ṱhamu kana zwibaya zwa u khada a zwo ngo tea u shumiswa kha nngu.

Nngu dzi khadzwaho nga milenzhe a dzo ngo tea u endedzwa u fhira 20 km nga ḓuvha ḽithihi (25 km i dzhiiwa i nnzhi u fhirisa).

Zwe zwa fuwiwa zwi tea u ṉewa maḓi na zwiḽiwa nga u ṱavhanya musi zwi tshi swika gammbeni ya vhusiku kana fhethu ha magumo hune zwa khou ya hone.

Nngu dzo huvhalaho, dzo holefhalaho kana dzi sa vhoni dzi tea u rangiswa kha u ṱhavhiwa, kana dza ṱhavhiwa nga shishi, u thivhela vhuṱungu kana u tambula ho engedzeaho.

Foot-and-mouth disease (FMD) is a controlled animal disease under the Animal Diseases Act; Veterinary Services enforce isolation and movement restrictions.

Inside a declared FMD zone, sheep and their products cannot be moved into, out of, or within it without a state veterinary permit.

Sheep scab is a controlled disease by law: a suspected or positive case must be reported to the State Veterinarian immediately.

Against sheep scab, all small stock on the farm must be treated with a remedy registered under Act 36 of 1947, and infected sheep treated twice, eight to ten days apart.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṉu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Danga: Meat sheep (Dorper, Damara, indigenous fat-tailed and crossbred) (zwi khou bvela phanḓa)

Every sheep owner must register an official identification mark and mark their sheep with it, under the Animal Identification Act.

A sheep may be slaughtered only at an abattoir, except for the farmer's own consumption or for cultural or religious purposes.

Tshiko: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.1.2, p. 4

Tshiko: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.7, p. 5

Tshiko: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.3.4.1, p. 6

Tshiko: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.3.5, p. 6

Tshiko: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.13, p. 5

Tshiko: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Tshiko: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 1

Tshiko: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 3

Tshiko: Animal Identification Act 6 of 2002, s.7(1), p. 4

Tshiko: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Tshiko: DAFF: Sheep General Information Manual, Final Draft, section 3.4.6, p. 12

Tshiko: Factors influencing off-take rates of smallholder sheep farming systems in the Western Cape Province of South Africa (South African Journal of Agricultural Extension, 47(3), 2019)

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Danga: Wool sheep (Merino / Dohne Merino, incl. communal wool growers)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: vhukuse (a si zwiḽiwa). A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Nyeletshedzo ya u renga: yelanyisani lushaka/zwifuwo na tshibveledzwa, furu ya henefho, kilima na vhukoni ha ṱhogomelo; khwaṱhisedzani na mueletshedzi wa henefho wa zwifuwo kana u fuwa ṋotshi.

Tshifhinga tsha tshibveledzwa tsha u thoma: a tshi na tshiko kha bindu iḽi.

Ndaedzi ya vhubveledzi: 4–5 kg ya wulu i re na mapfura/nga nngu/nga ṅwaha. Semi-arid/extensive-veld range (4-5 kg greasy wool/sheep/year) used as the primary value; the same sentence's 8 kg/year figure is for a different system (sheep grazing CULTIVATED pastures) and is deliberately excluded from the range rather than averaged in. A Western Cape Government (Elsenburg) Dohne Merino Extensive enterprise budget (Ceres-Karoo, 2024) separately reports total flock wool sold as 4439.64 kg from a flock of '1 519' Smallstock Units, i.e. 4439.64/1519 = 2.92 kg per Smallstock Unit/year - not used as the primary value because the source does not state that 1 Smallstock Unit = 1 sheep (SSU is a standardised stock-class weighting, not a literal head count), so converting it to kg/sheep would require an unstated conversion factor. A separate NWGA/Mandela Initiative paper on the Eastern Cape communal Wool Sheep Development Program reports a Grootfontein ADI progeny-test 'Greasy fleece weight (kg) 2.8 [commercial rams] 2.4 [communal rams]' for communal Eastern Cape flocks - not merged into the primary value because that table is explicitly for '6-month old lambs' (a different life stage from a mature sheep's full annual clip), consistent with the rule against mixing figures across life stages; kept here only as EC-communal context: commercial-ram-sired lambs at 6 months averaged 2.8 kg, communal-ram-sired lambs 2.4 kg, a +16% difference.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṉeani maḓi o kunaho a fulufhedzeaho.

Nngu a dzo ngo tea u tsikeledzwa zwitangani: tshikhala tsha fhasi tshi si ho fhasi ha mitara dza tshikwea dza 0.56 nga nngu uri tshipuka tshiṅwe na tshiṅwe tshi kone u eḓela.

Zwibaya zwa muḓagasi, ṱhamu kana zwibaya zwa u khada a zwo ngo tea u shumiswa kha nngu.

Nngu dzi khadzwaho nga milenzhe a dzo ngo tea u endedzwa u fhira 20 km nga ḓuvha ḽithihi (25 km i dzhiiwa i nnzhi u fhirisa).

Nngu dzo huvhalaho, dzo holefhalaho kana dzi sa vhoni dzi tea u rangiswa kha u ṱhavhiwa, kana dza ṱhavhiwa nga shishi, u thivhela vhuṱungu kana u tambula ho engedzeaho.

Hu tea u vha na pulane ya u lafha vhulwadze ha lukanda lwa nngu (sheep scab): vhulwadze uhu vhu na tshinyalelo khulwane kha ikonomi na mutakalo wa zwipuka.

Despite foot-and-mouth disease (FMD) in South Africa, wool exports continue under the inactivation clause of the OIE (World Organisation for Animal Health) rules.

Inside a declared FMD zone, sheep and their products cannot be moved into, out of, or within it without a state veterinary permit.

Sheep scab is a controlled disease by law: a suspected or positive case must be reported to the State Veterinarian immediately.

Wool from scab-infected sheep must be destroyed rather than sent to the buyer, where it would be marked as scab wool.

Every sheep owner must register an official identification mark and mark their sheep with it, under the Animal Identification Act.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Danga: Wool sheep (Merino / Dohne Merino, incl. communal wool growers) (zwi khou bvela phanḓa)

A sheep may be slaughtered only at an abattoir, except for the farmer's own consumption or for cultural or religious purposes.

Tshiko: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.1.2, p. 4

Tshiko: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.7, p. 5

Tshiko: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.3.4.1, p. 6

Tshiko: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.13, p. 5

Tshiko: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 3

Tshiko: Cape Wools SA Annual Review 2020/2021, p. 8

Tshiko: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Tshiko: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 1

Tshiko: Animal Identification Act 6 of 2002, s.7(1), p. 4

Tshiko: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Tshiko: Assessing Socio-economic Factors Influencing Wool Production in Kolomana Villages of Eastern Cape, South Africa (South African Journal of Agricultural Extension), citing Bot et al., 2004

Tshaka dza zwiliṅwa dza u sedzulusa henefho

Vhulungani dzina ḽa lushaka lune na nanga zwa vhukuma. Mitevhe mipfufhi ya ṱhoḓisiso i ṱoḓa khwaṱhisedzo ya khalaṅwaha ya henefho, maḓi na mavu.

Tomatoes

Lushaka lwo rekhodwaho: a lu athu u nangwa.

Kilima ya fhethu hafha a i athu u ṱalutshedzea, ngauralo a hu buliwi mutevhe mupfufhi wa henefho. Vulani garaṱa ya tshiliṅwa u vhona zwiko na u rekhoda zwe na nanga.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.