SYNTHETIC GRAPH SOURCE {COUNT} $&

Pele o reka kapa o qala

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Sehlopha sa tlelaemete sa dipatlisiso: Sebaka sa temo ha se eso hlake. Sehlopha sena ha se keletso e netefaditsweng bakeng sa polasi ena.

Seo o se tlalehileng ka polasi ena

Metsi nakong ya komello

Ha ho a rekotwa. Qetella phuputso ya sebaka mme o netefatse metsi pele o kgetha moralo o hlokang disebediswa tse ngata.

Serame polasing ena

Se bonweng ka serame sebakeng ha se a rekotwa. Dikarolelano tsa kgwedi tsa sathelaete di ke ke tsa tiisa matsatsi a pele le a ho qetela a serame.

Letsatsi le phallo ya metsi mobung

Letsatsi: ha ho a rekotwa.

Phallo ya metsi: ha ho a rekotwa. Diphetho tsa teko ya mobu le ditlhoko tsa sejalo ka seng di ntse di hloka ho hlahlojwa.

Direkoto tsa selemo sa tlaleho - eseng ponelopele

Dikakaretso le dikgwedi tsa selemo sa tlaleho se fetileng di hlalosa se tlalehilweng. Ha di tshepise dijo moralong o tlang.

Original eggs {year} $&

Kakaretso ya selemo e tlalehilweng ke molemi bakeng sa 2025: 240 eggs.

Tshebediso ya lelapa: 0 eggs. Ho rekisitsweng: ha ho a rekotwa.

Dikgwedi tsa kotulo tse tlalehilweng: Php, Phu. Tsena ke tse bonweng phuputsong, eseng ponelopele e ntjha ya tlhahiso.

Hlahloba yuniti le dikakaretso tse rekotilweng pele o sebedisa mola ona.

Fish

Kakaretso ya selemo e tlalehilweng ke molemi bakeng sa 2025: ha ho a rekotwa.

Tshebediso ya lelapa: ha ho a rekotwa. Ho rekisitsweng: ha ho a rekotwa.

Dikgwedi tsa kotulo tse tlalehilweng: ha ho a rekotwa. Tsena ke tse bonweng phuputsong, eseng ponelopele e ntjha ya tlhahiso.

Hlahloba yuniti le dikakaretso tse rekotilweng pele o sebedisa mola ona.

Meroho e meng

Kakaretso ya selemo e tlalehilweng ke molemi bakeng sa 2025: 12 kg.

Tshebediso ya lelapa: 7 kg. Ho rekisitsweng: 3 kg.

Dikgwedi tsa kotulo tse tlalehilweng: Phe, Tsh. Tsena ke tse bonweng phuputsong, eseng ponelopele e ntjha ya tlhahiso.

Hlahloba yuniti le dikakaretso tse rekotilweng pele o sebedisa mola ona.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae

Kriedoring

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: sehlahiswa sa dijo ha se eso netefatswe.

Tlhahlobo ya tshebediso e le dijo: netefatsa hore ke semela sefe, karolo e jewang le tokiso e nepahetseng le moeletsi wa sebaka ya nang le tsebo pele o se kenya dijong tsa lelapa. Se tlohetswe dikakaretsong tsa dijo tse tlwaelehileng le mesebetsing ya kotulo.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Exact identity; no confirmed household food part: The checked primary assessment establishes exact identity and South African distribution only. It does not establish edible parts, food-use preparation, picking dates or yield; claims for a different Lycium species are not transferred.

Record the exact identity and obtain local expert food-use advice before counting it as household food.

Keletso ya ho reka: Confirm exact species with a qualified indigenous nursery. Do not substitute genus-level berry claims for identification.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: SANBI Red List: Lycium cinereum

Kriedoring

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: monokotshwai — tshebediso e le dijo e hloka tlhahlobo ya setsebi.

Tlhahlobo ya tshebediso e le dijo: netefatsa hore ke semela sefe, karolo e jewang le tokiso e nepahetseng le moeletsi wa sebaka ya nang le tsebo pele o se kenya dijong tsa lelapa. Se tlohetswe dikakaretsong tsa dijo tse tlwaelehileng le mesebetsing ya kotulo.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Documented berry-use caution: This explicit caution prevents routine household-food forecasting. Sporadic all-year fruiting is not promoted to an edible-food availability calendar.

Keep this as an identified hedge/inventory plant. Seek expert local food-use review before treating berries as household food.

Keletso ya ho reka: Confirm the exact species and intended hedge use with a local indigenous nursery.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: SANBI PlantZAfrica: Lycium ferocissimum

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae (e tswela pele)

Ice plant

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: makgasi le ditholwana.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Annual edible leaf and fruit crop: This is an annual, not a fruit tree. The account describes boiled leaves as a spinach substitute and pickling. It supplies no food harvest duration, kg/plant or exact leaf calendar.

Record planting batches and harvested leaves/fruit separately.

Match this frost-sensitive plant to dry saline/coastal conditions. Its accumulated salts can return to the soil as plants die.

Keletso ya ho reka: Obtain exact-species seed or plants and assess the bed soil; no regional food cultivar or annual food yield is verified.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: SANBI PlantZAfrica: Mesembryanthemum crystallinum

Nkaka

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: makgasi/ditholwana tse lokisitsweng ka mokgwa wa setso — tlhahlobo ya setsebi e a hlokahala.

Tlhahlobo ya tshebediso e le dijo: netefatsa hore ke semela sefe, karolo e jewang le tokiso e nepahetseng le moeletsi wa sebaka ya nang le tsebo pele o se kenya dijong tsa lelapa. Se tlohetswe dikakaretsong tsa dijo tse tlwaelehileng le mesebetsing ya kotulo.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Tlhahlobo ya karolo e jewang le polokeho: SANBI reports culinary uses but also toxic constituents and poisoning concerns. A preparation report is not a complete safe household recipe.

Retain this climber in mapped inventory, but do not count it as normal household food until a qualified local specialist confirms identity, edible part and safe preparation.

SANBI records it across South Africa except Western Cape, in varied habitats.

Keletso ya ho reka: Resolve food-use and preparation with an experienced local food-plant specialist before buying it as a household crop.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: SANBI PlantZAfrica, momordica-balsamica

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae (e tswela pele)

Waxberry

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: mafura a monokotshwai — sehlahiswa se sebetswang ka mokgwa wa setso.

Tlhahlobo ya tshebediso e le dijo: netefatsa hore ke semela sefe, karolo e jewang le tokiso e nepahetseng le moeletsi wa sebaka ya nang le tsebo pele o se kenya dijong tsa lelapa. Se tlohetswe dikakaretsong tsa dijo tse tlwaelehileng le mesebetsing ya kotulo.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Historical processed fat, not a fresh-fruit forecast: Historical food use concerns the fatty berry coating, not a generic fresh sweet berry. No validated household extraction method, recovered food yield or storage life is established. Source coating/oil percentages are not assigned as processing conversion factors.

Treat edible-fat preparation as a specialist process requiring local validation.

Use well-drained coastal sand with sun or semi-shade; fruit production needs correctly sexed planting material.

Keletso ya ho reka: Confirm the exact species and male/female stock with an indigenous nursery. Keep landscape use separate from an unverified household food process.

Ho tsamaiswa ha peo ya dipalesa: dimela tse arohaneng tse tona le tse tshehadi. Hlahloba ditlhoko tsa mofuta o kgethilweng le sebaka sa kgodiso ya dimela.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: SANBI PlantZAfrica: Morella cordifolia

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae (e tswela pele)

Banana

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: ditholwana (lesihla la dipanana).

Tshupiso ya kotulo ya pele: dikgwedi tse 13–20. KZN DARD e bolela ka ho hlaka nako ho tloha ho jaleng ho ya kotulong le ho tloha kotulong ho ya kotulong. Dikgwedi di fetotswe ho ba dilemo (13/12 ho ya ho 20/12). Sena ha se ponelopele e nang le letsatsi kapa nako ya kotulo ya selemo dikgweding tsohle. Nako ya nnete e itshetlehile ka mofuta le tlhokomelo ya sebaka.

Annual plantation output: KZN plantation reference per year: conservative 20–25 t/ha, average 25–30 t/ha, good 40+ t/ha. This is annual area production; it is not the weight of one bunch or a measured age-yield curve for three plants in a banana circle.

Cultivar, planting and crop cycle: The KZN guide gives 13–20 months for both the first planting-to-harvest cycle and subsequent harvest-to-harvest cycles. It lists different commercial densities for Williams, Grand Nain and Chinese Cavendish. A banana circle counts as three planted bananas here; replacement followers are stages of those mats, not extra mapped trees or guaranteed year-round supply.

Ho hlokahala mofuthu, sebaka se se nang serame se qetellang ka leqhwa le metsi a tshepahalang. Boloka lehlomela le tla nka sebaka ka mora ho tlosa kutu e behileng ditholwana.

Mofuta o nahannweng wa ho jala: Grand Nain bakeng sa sebaka se futhumetseng; sebedisa mefuta e meng bakeng sa moya/serame e keletsong ya ho reka haeba maemo ao a le teng. Dikgwedi tsa kotulo tsa sebaka ha di eso netefatswe.

Keletso ya ho reka: KZN e phodileng: Williams; dikgohlong tse futhumetseng: Grand Nain; lebopong le nang le moya: Chinese Cavendish. Reka thepa ya ho jala e hlwekileng. Tsena ke dikgetho tsa maemo a lehodimo, ha se dinako tsa pele/bohareng/morao.

Dibanana tse jewang di beha ditholwana ntle le ho tsamaiswa ha peo ya dipalesa.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: KZN DARD, Bananas in KwaZulu-Natal, pp. 1–4

Mohlodi: ProMusa (Bioversity International-affiliated global banana knowledge platform), 'Domestication of the banana'

Mohlodi: KZN DARD, Fruit and Nut Production in KZN, Bearing age, p. 8

Mohlodi: KZN DARD, Fruit and Nut Production in KZN (2006), Bananas: Yields, p. 9

Mohlodi: KZN DARD, Fruit and Nut Production in KZN (2006), Bananas: Bearing age and Spacing, p. 8

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae (e tswela pele)

Wild olive

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: ditholwana tse butswitseng tsa wild-olive.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Karolo e jewang le tshebediso ya sebaka: Wild olive is distinct from a named commercial olive cultivar. March–July describes fruit following flowers; no exact ripe-picking start/end is established.

SANBI records this slow-growing tree in summer and winter rainfall areas, with frost, drought and wind resistance.

Keep its roots away from walls, patios and pools; SANBI notes that they can be aggressive.

Keletso ya ho reka: Ask for the wild-olive taxon in the catalogue, rather than substituting a commercial olive cultivar. Record actual local picking.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: SANBI PlantZAfrica, olea-europaea-subsp-africana

Pistachio

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: ditholwana tse nang le dikgapetla tse thata.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Producer's own cultivars: The same questionnaire confirms the nuts are grown on the producer's farm. Cultivar names are reproduced as written; spelling is not a taxonomy or catalogue change.

Prince Albert establishment and maturity expectation: An expectation for the newly established Platberg project, not a measured universal age curve. Its planted cultivars are Shufra, Ariyeh and Sirora; irrigated Karoo context retained.

Female trees bear nuts and need pollen from suitable male trees. The Prieska reference comes from a dry, irrigated Karoo farm.

Confirm male and female planting material, irrigation and local winter/summer conditions; a February producer reference does not validate a humid coast.

Keletso ya ho reka: Discuss Shufrah and Ariyeh from the Prieska producer evidence, or Shufra, Ariyeh and Sirora from the Prince Albert project, with a specialist nursery. Select a compatible male and confirm local fit.

Ho tsamaiswa ha peo ya dipalesa: dimela tse arohaneng tse tona le tse tshehadi. Hlahloba ditlhoko tsa mofuta o kgethilweng le sebaka sa kgodiso ya dimela.

Nako ya kotulo e lebeletsweng: ha ho nako e le nngwe e tiisitsweng ya mofuta wa sebaka. Dinako tsa ditshupiso tse ka tlase ha se ponelopele.

Tshupiso feela — polasi ya Orange River haufi le Prieska, Northern Cape — se bonweng ke mohlahisi wa Karoo Pistachios: Hlk.

Mohlodi: Karoo Pistachios, first-person producer questionnaire on FoodHub

Mohlodi: Prince Albert Municipality, Pistachio Pioneers, 20 October 2025

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae (e tswela pele)

Spekboom

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: makgasi a jewang.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Karolo e jewang le tshebediso ya sebaka: The food is the tart leaf; flowers do not define leaf picking months.

Primary food-processing research: The study analyses processed spekboom leaves. Its laboratory method and composition are not a farm harvest rate, storage life or household food-safety recipe.

Protect young plants from heavy browsing. SANBI reports warm rocky and semi-arid habitats; ground-level goat browsing can prevent vegetative spread and reduce regeneration.

Keletso ya ho reka: Ask for correctly identified spekboom and record whether it is planted for food, browse or restoration. No measured household leaf yield is supplied.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: SANBI PlantZAfrica, portulacaria-afra

Mohlodi: Mahlanza et al., University of Johannesburg research record, International Journal of Food Science and Technology (2026)

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae (e tswela pele)

Sweet cherry

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: Dicheri tse monate tse butswitseng.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Production at age six: The guide reports 4–6 kg/tree in year 6 and warns that yields are difficult to predict because of pollination and fruit set. The separate good result at year 8–9 is 9 t/ha. Do not connect them into a made-up growth curve or convert the later hectare result to arbitrary tree spacing.

Chilling and pollen partners: Conventional commercial cherry reference: more than 1,000 Positive Utah Chill Units, not 1,000 chill hours. Low-chill candidates need their own verified requirements. Most cultivars need compatible cross-pollination; the named self-fertile choices differ. The September flowering reference is not a picking-month array.

Observed Ceres season start: Ceres growers reported the start of the 2025 cherry harvest in late October, seven to ten days earlier than the prior year. This is an observed season in a named region, not a fixed future duration, KZN calendar or all-variety season.

Check measured winter chilling, spring frost, drainage and rain near picking. The older KZN guide regarded commercial suitability there as still under trial; a broad climate-zone label does not replace current local advice.

Pollination depends on the selected cultivar. Compatible flowering and pollen sources are separate from early or late fruit ripening.

Keletso ya ho reka: Regional guide candidates include Bing, Van, Rainier, Burlat and Vista, which generally need compatible pollen partners. It explicitly lists Lapins, Stella and Sweetheart as self-fertile. Minnie Royal, Royal Lee, Royal Dawn and Early Sweet are lower-chill candidates. Confirm current stock, exact rootstock, compatibility and measured local chilling before purchase; this is not a warm-coast recommendation.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: KZN DARD, Fruit and Nut Production in KZN (2006), Sweet Cherry: Yield, p. 31

Mohlodi: KZN DARD, Fruit and Nut Production in KZN (2006), Sweet Cherry: Climate and Cultivars, p. 30

Mohlodi: Hortgro / Tru-Cape growers, Cherry season begins: Ideal conditions, 29 October 2025

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae (e tswela pele)

Almond

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: ditholwana tse nang le dikgapetla tse thata.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Texas Mission pollen, chill and weight context: Texas Mission is classified high chill and names Nonpareil as pollinator. Its 5 kg/tree production entry does not state tree age, management, trial region or whether weight is kernel or in-shell; it is not a mature annual food forecast.

Texas Mission named production entry: The Texas Mission table's Production (kg/tree) row gives 5 kg/tree. It does not state tree age, reporting period, trial region or whether this means kernels or nuts in shell. Retained as a cultivar source claim to investigate; numeric mature annual kg remains null.

Check the named cultivar's winter needs and compatible pollen before planting. Texas Mission is self-incompatible.

Record whether nut weights mean kernels or nuts in shell; these are different quantities.

Keletso ya ho reka: Texas Mission is a documented SAPO cultivar; its sheet names Nonpareil as pollen partner and describes a high chilling requirement. Confirm local suitability with the nursery.

Nako ya kotulo e lebeletsweng: ha ho nako e le nngwe e tiisitsweng ya mofuta wa sebaka. Dinako tsa ditshupiso tse ka tlase ha se ponelopele.

Tshupiso feela — leqephe la mofuta la SAPO la South Africa; sebaka sa teko ha se a bolelwa — kotulo ya pele ya Texas Mission: Hlk.

Mohlodi: SAPO Trust, Texas Mission almond cultivar information

Mefuta ya dijalo e lokelang ho hlahlojwa sebakeng seo

Boloka lebitso la mofuta oo o o kgethang ka nnete. Manane a makgutshwane a dipatlisiso a hloka netefatso bakeng sa nako ya sebaka, metsi le mobu.

Tomatoes

Mofuta o rekotilweng: ha ho eso kgethwe.

Maemo a lehodimo a sebaka sena ha a eso hlake, kahoo ha ho bolelwe lenane le lekgutshwane la sebaka. Bula karete ya sejalo ho bona mehlodi le ho rekota kgetho ya hao.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.