SYNTHETIC GRAPH SOURCE {COUNT} $&

U nga si xava kumbe ku sungula

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Ntlawa wa maxelo wa ndzavisiso: Ndhawu yo byala a yi si tiveka. Ntlawa lowu a hi xitsundzuxo lexi tiyisisiweke xa purasi leri.

Leswi u swi vikeleke hi purasi leri

Mati hi nguva yo oma

A swi rhekhodiwanga. Hetisa vulavisisi bya ndhawu u tiyisisa mati u nga si hlawula kungu leri lavaka switirhisiwa swo tala.

Rharhama epurasini leri

Leswi voniweke hi rharhama endhawini a swi rhekhodiwanga. Miringaniso ya n’hweti ya sathelayiti a yi koti ku tiyisisa masiku yo sungula ni yo hetelela ya rharhama.

Dyambu ni ku huma ka mati emisaveni

Dyambu: a swi rhekhodiwanga.

Ku huma ka mati: a swi rhekhodiwanga. Mbuyelo wa ku kambela misava ni swilaveko swa xibyariwa xin’wana ni xin’wana swa ha fanele ku kamberiwa.

Tirhekhodo ta lembe ro vika - ku nga ri mvhumbo

Tinhlayo ni tin’hweti ta lembe leri hundzeke ro vika swi hlamusela leswi vikiweke. A swi tshembisi swakudya eka kungu leri taka.

Original eggs {year} $&

Nhlayo ya lembe leyi vikiweke hi murimi ya 2025: 240 eggs.

Ku tirhisiwa ekaya: 0 eggs. Swo xavisiwa: a swi rhekhodiwanga.

Tin’hweti ta ntshovelo leti vikiweke: Khot, Maw. Leswi i leswi voniweke eka vulavisisi, ku nga ri mvhumbo wuntshwa wa vuhumelerisi.

Kambela yuniti ni tinhlayo leti rhekhodiweke u nga si tirhisa layini leyi.

Fish

Nhlayo ya lembe leyi vikiweke hi murimi ya 2025: a swi rhekhodiwanga.

Ku tirhisiwa ekaya: a swi rhekhodiwanga. Swo xavisiwa: a swi rhekhodiwanga.

Tin’hweti ta ntshovelo leti vikiweke: a swi rhekhodiwanga. Leswi i leswi voniweke eka vulavisisi, ku nga ri mvhumbo wuntshwa wa vuhumelerisi.

Kambela yuniti ni tinhlayo leti rhekhodiweke u nga si tirhisa layini leyi.

Miroho yin’wana

Nhlayo ya lembe leyi vikiweke hi murimi ya 2025: 12 kg.

Ku tirhisiwa ekaya: 7 kg. Swo xavisiwa: 3 kg.

Tin’hweti ta ntshovelo leti vikiweke: Sung, N'we. Leswi i leswi voniweke eka vulavisisi, ku nga ri mvhumbo wuntshwa wa vuhumelerisi.

Kambela yuniti ni tinhlayo leti rhekhodiweke u nga si tirhisa layini leyi.

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Mihandzu, timanga ni swakudya swa ndzhavuko

Kriedoring

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: xikumiwa xa swakudya a xi si tiyisisiwa.

Nkambisiso wa ku tirhisiwa ku ri swakudya: tiyisisa leswaku i ximilana xihi, xiphemu lexi dyiwaka ni malunghiselelo lama faneleke ni mutsundzuxi wa ndhawu loyi a nga ni vutivi u nga si xi katsa eka swakudya swa le kaya. A xi katsiwanga eka tinhlayo ta swakudya swa ntolovelo ni mintirho yo tshovela.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Exact identity; no confirmed household food part: The checked primary assessment establishes exact identity and South African distribution only. It does not establish edible parts, food-use preparation, picking dates or yield; claims for a different Lycium species are not transferred.

Record the exact identity and obtain local expert food-use advice before counting it as household food.

Switsundzuxo swo xava: Confirm exact species with a qualified indigenous nursery. Do not substitute genus-level berry claims for identification.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin’hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: SANBI Red List: Lycium cinereum

Kriedoring

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: mihandzu leyitsongo — ku tirhisiwa tani hi swakudya swi lava ku kambisisiwa hi mutivi.

Nkambisiso wa ku tirhisiwa ku ri swakudya: tiyisisa leswaku i ximilana xihi, xiphemu lexi dyiwaka ni malunghiselelo lama faneleke ni mutsundzuxi wa ndhawu loyi a nga ni vutivi u nga si xi katsa eka swakudya swa le kaya. A xi katsiwanga eka tinhlayo ta swakudya swa ntolovelo ni mintirho yo tshovela.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Documented berry-use caution: This explicit caution prevents routine household-food forecasting. Sporadic all-year fruiting is not promoted to an edible-food availability calendar.

Keep this as an identified hedge/inventory plant. Seek expert local food-use review before treating berries as household food.

Switsundzuxo swo xava: Confirm the exact species and intended hedge use with a local indigenous nursery.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin’hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: SANBI PlantZAfrica: Lycium ferocissimum

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Mihandzu, timanga ni swakudya swa ndzhavuko (swi ya mahlweni)

Ice plant

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: matluka ni mihandzu.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Annual edible leaf and fruit crop: This is an annual, not a fruit tree. The account describes boiled leaves as a spinach substitute and pickling. It supplies no food harvest duration, kg/plant or exact leaf calendar.

Record planting batches and harvested leaves/fruit separately.

Match this frost-sensitive plant to dry saline/coastal conditions. Its accumulated salts can return to the soil as plants die.

Switsundzuxo swo xava: Obtain exact-species seed or plants and assess the bed soil; no regional food cultivar or annual food yield is verified.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin’hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: SANBI PlantZAfrica: Mesembryanthemum crystallinum

Nkaka

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: matluka/mihandzu leyi lunghisiweke hi ndlela ya ndhavuko — ku kambisisiwa hi mutivi swa laveka.

Nkambisiso wa ku tirhisiwa ku ri swakudya: tiyisisa leswaku i ximilana xihi, xiphemu lexi dyiwaka ni malunghiselelo lama faneleke ni mutsundzuxi wa ndhawu loyi a nga ni vutivi u nga si xi katsa eka swakudya swa le kaya. A xi katsiwanga eka tinhlayo ta swakudya swa ntolovelo ni mintirho yo tshovela.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Nkambisiso wa xiphemu lexi dyiwaka ni vuhlayiseki: SANBI reports culinary uses but also toxic constituents and poisoning concerns. A preparation report is not a complete safe household recipe.

Retain this climber in mapped inventory, but do not count it as normal household food until a qualified local specialist confirms identity, edible part and safe preparation.

SANBI records it across South Africa except Western Cape, in varied habitats.

Switsundzuxo swo xava: Resolve food-use and preparation with an experienced local food-plant specialist before buying it as a household crop.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin’hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: SANBI PlantZAfrica, momordica-balsamica

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Mihandzu, timanga ni swakudya swa ndzhavuko (swi ya mahlweni)

Waxberry

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: mafurha ya mihandzu leyitsongo — xikumiwa lexi lulamisiweke hi ndlela ya ndhavuko.

Nkambisiso wa ku tirhisiwa ku ri swakudya: tiyisisa leswaku i ximilana xihi, xiphemu lexi dyiwaka ni malunghiselelo lama faneleke ni mutsundzuxi wa ndhawu loyi a nga ni vutivi u nga si xi katsa eka swakudya swa le kaya. A xi katsiwanga eka tinhlayo ta swakudya swa ntolovelo ni mintirho yo tshovela.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Historical processed fat, not a fresh-fruit forecast: Historical food use concerns the fatty berry coating, not a generic fresh sweet berry. No validated household extraction method, recovered food yield or storage life is established. Source coating/oil percentages are not assigned as processing conversion factors.

Treat edible-fat preparation as a specialist process requiring local validation.

Use well-drained coastal sand with sun or semi-shade; fruit production needs correctly sexed planting material.

Switsundzuxo swo xava: Confirm the exact species and male/female stock with an indigenous nursery. Keep landscape use separate from an unverified household food process.

Ku hundziseriwa ka pholeni: swimilana swo hambana swa xinuna ni swa xisati. Kambela swilaveko swa muxaka lowu hlawuriweke ni ndhawu yo kurisa swimilana.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin’hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: SANBI PlantZAfrica: Morella cordifolia

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Mihandzu, timanga ni swakudya swa ndzhavuko (swi ya mahlweni)

Banana

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: mihandzu (xichocho xa mabanana).

Xikombiso xa kotulo yo sungula: tin’hweti ta 13–20. KZN DARD yi vula hi ku kongoma mpimo wa nkarhi wa ku suka eku byaleni ku ya eku kotuleni ni ku suka eka kotulo ku ya eka kotulo. Tin’hweti ti hundzuriwile ti va malembe (13/12 ku ya eka 20/12). Lexi a hi mvhumbo wa masiku kumbe nguva ya kotulo ya lembe eka tin’hweti hinkwato. Nkarhi wa xiviri wu titshege hi muxaka ni nhlayiso wa ndhawu.

Annual plantation output: KZN plantation reference per year: conservative 20–25 t/ha, average 25–30 t/ha, good 40+ t/ha. This is annual area production; it is not the weight of one bunch or a measured age-yield curve for three plants in a banana circle.

Cultivar, planting and crop cycle: The KZN guide gives 13–20 months for both the first planting-to-harvest cycle and subsequent harvest-to-harvest cycles. It lists different commercial densities for Williams, Grand Nain and Chinese Cavendish. A banana circle counts as three planted bananas here; replacement followers are stages of those mats, not extra mapped trees or guaranteed year-round supply.

Ku laveka ndhawu yo kufumela leyi nga riki na gwitsi ni mati lama kumekaka hi ku tiyiseka. Siya xihluke lexi nga ta siva xirhabyana lexi susiwaka endzhaku ko tswala mihandzu.

Muxaka lowu ehleketeleriwaka ku byariwa: Grand Nain eka ndhawu yo kufumela; tirhisa swihlawuriwa swin’wana swa moya/ku titimela leswi nga eka switsundzuxo swo xava loko ku ri ni swiyimo swoleswo. Tin’hweti to tshovela ta ndhawu a ti si tiyisisiwa.

Switsundzuxo swo xava: Eka KZN leyi titimelaka: Williams; eka minkova yo kufumela: Grand Nain; eribuweni leri nga ni moya: Chinese Cavendish. Xava switirhisiwa swo byala leswi baseke. Leyi i nhlawulo wa maxelo, a hi tinguva ta le ku sunguleni/xikarhini/ndzhaku.

Mabanana lama dyiwaka ma veka mihandzu handle ko hundziseriwa ka pholeni.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin’hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: KZN DARD, Bananas in KwaZulu-Natal, pp. 1–4

Xihlovo: ProMusa (Bioversity International-affiliated global banana knowledge platform), 'Domestication of the banana'

Xihlovo: KZN DARD, Fruit and Nut Production in KZN, Bearing age, p. 8

Xihlovo: KZN DARD, Fruit and Nut Production in KZN (2006), Bananas: Yields, p. 9

Xihlovo: KZN DARD, Fruit and Nut Production in KZN (2006), Bananas: Bearing age and Spacing, p. 8

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Mihandzu, timanga ni swakudya swa ndzhavuko (swi ya mahlweni)

Wild olive

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: mihandzu leyi vupfeke ya wild-olive.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Xiphemu lexi dyiwaka ni ku tirhisiwa endhawini: Wild olive is distinct from a named commercial olive cultivar. March–July describes fruit following flowers; no exact ripe-picking start/end is established.

SANBI records this slow-growing tree in summer and winter rainfall areas, with frost, drought and wind resistance.

Keep its roots away from walls, patios and pools; SANBI notes that they can be aggressive.

Switsundzuxo swo xava: Ask for the wild-olive taxon in the catalogue, rather than substituting a commercial olive cultivar. Record actual local picking.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin’hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: SANBI PlantZAfrica, olea-europaea-subsp-africana

Pistachio

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: mihandzu ya swikamba swo tiya.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Producer's own cultivars: The same questionnaire confirms the nuts are grown on the producer's farm. Cultivar names are reproduced as written; spelling is not a taxonomy or catalogue change.

Prince Albert establishment and maturity expectation: An expectation for the newly established Platberg project, not a measured universal age curve. Its planted cultivars are Shufra, Ariyeh and Sirora; irrigated Karoo context retained.

Female trees bear nuts and need pollen from suitable male trees. The Prieska reference comes from a dry, irrigated Karoo farm.

Confirm male and female planting material, irrigation and local winter/summer conditions; a February producer reference does not validate a humid coast.

Switsundzuxo swo xava: Discuss Shufrah and Ariyeh from the Prieska producer evidence, or Shufra, Ariyeh and Sirora from the Prince Albert project, with a specialist nursery. Select a compatible male and confirm local fit.

Ku hundziseriwa ka pholeni: swimilana swo hambana swa xinuna ni swa xisati. Kambela swilaveko swa muxaka lowu hlawuriweke ni ndhawu yo kurisa swimilana.

Nguva yo tshovela leyi languteriweke: a ku si tiyisisiwa nkarhi wun’we wa muxaka wa ndhawu. Tinguva ta swikombo leswi nga laha hansi a hi mvhumbo.

Xikombo ntsena — purasi ra Orange River ekusuhi na Prieska, Northern Cape — leswi voniweke hi muhumelerisi wa Karoo Pistachios: Nyny.

Xihlovo: Karoo Pistachios, first-person producer questionnaire on FoodHub

Xihlovo: Prince Albert Municipality, Pistachio Pioneers, 20 October 2025

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Mihandzu, timanga ni swakudya swa ndzhavuko (swi ya mahlweni)

Spekboom

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: matluka lama dyiwaka.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Xiphemu lexi dyiwaka ni ku tirhisiwa endhawini: The food is the tart leaf; flowers do not define leaf picking months.

Primary food-processing research: The study analyses processed spekboom leaves. Its laboratory method and composition are not a farm harvest rate, storage life or household food-safety recipe.

Protect young plants from heavy browsing. SANBI reports warm rocky and semi-arid habitats; ground-level goat browsing can prevent vegetative spread and reduce regeneration.

Switsundzuxo swo xava: Ask for correctly identified spekboom and record whether it is planted for food, browse or restoration. No measured household leaf yield is supplied.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin’hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: SANBI PlantZAfrica, portulacaria-afra

Xihlovo: Mahlanza et al., University of Johannesburg research record, International Journal of Food Science and Technology (2026)

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Mihandzu, timanga ni swakudya swa ndzhavuko (swi ya mahlweni)

Sweet cherry

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: Macherisi yo tsokombela lama vupfeke.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Production at age six: The guide reports 4–6 kg/tree in year 6 and warns that yields are difficult to predict because of pollination and fruit set. The separate good result at year 8–9 is 9 t/ha. Do not connect them into a made-up growth curve or convert the later hectare result to arbitrary tree spacing.

Chilling and pollen partners: Conventional commercial cherry reference: more than 1,000 Positive Utah Chill Units, not 1,000 chill hours. Low-chill candidates need their own verified requirements. Most cultivars need compatible cross-pollination; the named self-fertile choices differ. The September flowering reference is not a picking-month array.

Observed Ceres season start: Ceres growers reported the start of the 2025 cherry harvest in late October, seven to ten days earlier than the prior year. This is an observed season in a named region, not a fixed future duration, KZN calendar or all-variety season.

Check measured winter chilling, spring frost, drainage and rain near picking. The older KZN guide regarded commercial suitability there as still under trial; a broad climate-zone label does not replace current local advice.

Pollination depends on the selected cultivar. Compatible flowering and pollen sources are separate from early or late fruit ripening.

Switsundzuxo swo xava: Regional guide candidates include Bing, Van, Rainier, Burlat and Vista, which generally need compatible pollen partners. It explicitly lists Lapins, Stella and Sweetheart as self-fertile. Minnie Royal, Royal Lee, Royal Dawn and Early Sweet are lower-chill candidates. Confirm current stock, exact rootstock, compatibility and measured local chilling before purchase; this is not a warm-coast recommendation.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin’hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Xihlovo: KZN DARD, Fruit and Nut Production in KZN (2006), Sweet Cherry: Yield, p. 31

Xihlovo: KZN DARD, Fruit and Nut Production in KZN (2006), Sweet Cherry: Climate and Cultivars, p. 30

Xihlovo: Hortgro / Tru-Cape growers, Cherry season begins: Ideal conditions, 29 October 2025

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Mihandzu, timanga ni swakudya swa ndzhavuko (swi ya mahlweni)

Almond

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: mihandzu ya swikamba swo tiya.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Texas Mission pollen, chill and weight context: Texas Mission is classified high chill and names Nonpareil as pollinator. Its 5 kg/tree production entry does not state tree age, management, trial region or whether weight is kernel or in-shell; it is not a mature annual food forecast.

Texas Mission named production entry: The Texas Mission table's Production (kg/tree) row gives 5 kg/tree. It does not state tree age, reporting period, trial region or whether this means kernels or nuts in shell. Retained as a cultivar source claim to investigate; numeric mature annual kg remains null.

Check the named cultivar's winter needs and compatible pollen before planting. Texas Mission is self-incompatible.

Record whether nut weights mean kernels or nuts in shell; these are different quantities.

Switsundzuxo swo xava: Texas Mission is a documented SAPO cultivar; its sheet names Nonpareil as pollen partner and describes a high chilling requirement. Confirm local suitability with the nursery.

Nguva yo tshovela leyi languteriweke: a ku si tiyisisiwa nkarhi wun’we wa muxaka wa ndhawu. Tinguva ta swikombo leswi nga laha hansi a hi mvhumbo.

Xikombo ntsena — phepha ra muxaka ra SAPO ra South Africa; ndhawu ya ndzingo a yi boxiwanga — ku tshovela ko sungula ka Texas Mission: Nyny.

Xihlovo: SAPO Trust, Texas Mission almond cultivar information

Tinxaka ta swibyariwa to kambela endhawini

Hlayisa vito ra muxaka lowu u wu hlawulaka hakunene. Minxaxamelo yo koma ya ndzavisiso yi lava ku tiyisisiwa eka nguva ya ndhawu, mati ni misava.

Tomatoes

Muxaka lowu rhekhodiweke: a wu si hlawuriwa.

Maxelo ya ndhawu leyi a ma si tiveka, kutani a ku vuriwi leswaku ku ni nxaxamelo wo koma wa ndhawu. Pfula khadi ra xibyariwa u vona swihlovo ni ku rhekhoda xihlawuriwa xa wena.

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.