SYNTHETIC GRAPH SOURCE {COUNT} $&

Ngaphambi kokuthenga noma ukuqala

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Iqembu lesimo sezulu locwaningo: Indawo yokulima ayikacaci. Leli qembu alisona isincomo esiqinisekisiwe saleli pulazi.

Lokho okubikile ngaleli pulazi

Amanzi ngesikhathi esomile

Akurekhodiwe. Qedela inhlolovo yendawo bese uqinisekisa amanzi ngaphambi kokukhetha uhlelo oludinga izinsiza eziningi.

Isithwathwa kuleli pulazi

Okubonwe ngesithwathwa endaweni akurekhodiwe. Izilinganiso zanyanga zonke zesathelayithi azikwazi ukuthola izinsuku zokuqala nezokugcina zesithwathwa.

Ilanga nokuphuma kwamanzi

Ilanga: akurekhodiwe.

Ukuphuma kwamanzi: akurekhodiwe. Kusadingeka ukuhlola imiphumela yokuhlolwa komhlabathi nezidingo zesitshalo ngasinye.

Amarekhodi onyaka wokubika - hhayi isibikezelo

Izamba nezinyanga zonyaka wokubika odlule zichaza lokho okwabikwa. Azithembisi ukudla ohlelweni oluzayo.

Original eggs {year} $&

Isamba sonyaka esibikwe umlimi sango-2025: 240 eggs.

Okusetshenziswa ekhaya: 0 eggs. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: Jun, Jul. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Fish

Isamba sonyaka esibikwe umlimi sango-2025: akurekhodiwe.

Okusetshenziswa ekhaya: akurekhodiwe. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: akurekhodiwe. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Eminye imifino

Isamba sonyaka esibikwe umlimi sango-2025: 12 kg.

Okusetshenziswa ekhaya: 7 kg. Okuthengisiwe: 3 kg.

Izinyanga zokuvuna ezibikiwe: Jan, Dis. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu

Lablab

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izinhlamvu zokudla, ama-pod (izikhwama zembewu) ezingakavuthwa noma amaqabunga aphekiwe; ubuningi bezitshalo zokudla kwemfuyo buhlukile.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ucwaningo lwaseNingizimu Afrika lokuvuthwa kwezinhlobo (accessions) nezinhlamvu: Dalmada eduze kwasePolokwane, 2002/03; kwahlwanyelwa ngo-10 Disemba enhlabathini eyingxube yobumba nesihlabathi esincane (clay loam) nemvula engu-297 mm kanye nokunisela okungu-178 mm. Amabhangqa ezinsuku zokufinyelela ekuvuthweni kwesitshalo (physiological maturity) ngemuva kokutshala / izinhlamvu kg/ha: CPI 52552 99.3 / 576.2; CPI 60795 99.0 / 570.5; CQ 3620 99.0 / 574.2; Rongai black (omnyama) 197.0 / 2.6, brown (onsundu) 197.0 / 3.3, white (omhlophe) 197.0 / 7.4. Amathebula ahlolwe ngokubukwa. Ukuvuthwa kusho ama-pod (izikhwama zembewu) ezinsundu ezingu-90%; ubuningi bezitshalo kuThebula 4 buhlukile. Ababhali badinga ukuhlolwa kwekhwalithi yokudliwa ngabalimi, ngakho izinhlobo zocwaningo azizona izincomo zokuthenga ukudla eziqinisekisiwe.

Khetha ingxenye yokudla ehlosiwe nendlela efanele yokuyilungisa; qinisekisa uhlobo lokudla lwangempela nomeluleki wendawo. Ukuvuna ukudla kwabantu nokudla kwemfuyo kuyimisebenzi ehlukene.

Inani locwaningo elikhona elingu-2–6 t/ha liyinto eyomile yokudla kwemfuyo/yomanyolo oluhlaza, hhayi ubhontshisi wabantu. I-Rongai yokudla kwemfuyo ephuza ukuvuthwa ayinakuthatha isikhathi noma isivuno sohlobo lwezinhlamvu locwaningo oluvuthwa kusenesikhathi (accession).

Iseluleko sokuthenga: Thola izitshalo ezihlonziwe zenhloso yokudla kwabantu noma kwemfuyo ehlosiwe. Ukutholakala nekhwalithi yokudliwa kwezinhlobo zocwaningo ezivuthwa kusenesikhathi (accessions) akuqinisekisiwe; rekhoda uhlobo oluthengiwe nezinsuku zangempela zokuhlwanyela nokukha.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: Ayisi, Bopape and Pengelly: ACIAR Proceedings 115 (2004), Tables 3 and 5, pp46 and49, p. 49

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Litchi

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhombo sesivuno sokuqala: iminyaka engu-4–5. Cishe iminyaka engu-4–5 encwadini yezolimo lwengadi yase-KZN. Isimo esichaziwe yizindawo ezingenasithwathwa, ezifudumele, ezinomswakama zesimo esiseduze nesasezindaweni ezishisayo; uhlobo, ubudala ngesikhathi sokwandiswa nokuqala ensimini akucacisiwe. Lesi isikhombo sesivuno sokuqala, akulona inani lasendaweni eliqinisekisiwe noma ubudala bokuthela ngokugcwele. Isikhathi sangempela sincike ohlotsheni nasekunakekelweni kwendawo.

Isivuno se-litchi sineminyaka engu-14 — ucwaningo lwe-cultivar lwesizini eyodwa: Ingqikithi ye-kg/tree ngo-1994/95 eminyakeni engu-14: HLH Mauritius 87.87, Red McLean 30.58, Fay Zee Siu 27.92. Izisindo ezifanele ukudayiswa ngokulandelana zingu-77.87, 28.42 no-23.38 kg/tree. Isizini eyodwa nokuhluka kokuphatha, umqhele wesihlahla ne-cultivar kuvimbela ijika lonyaka elilodwa elisebenza kubo bonke noma ukukopisha ingqikithi ibe yi-kg edayisekayo. Ababhali baxwayisa ngokusobala ngokuqhathanisa izivuno. Umhlahlandlela ohlukile we-KZN unikeza okulinganiselwe 2,000, okumaphakathi 3,000–5,000 nokuhle 6,000+ kg/ha, hhayi i-kg/tree ngokweminyaka yobudala.

Hlanganisa ihlobo elifudumele nobusika obupholile obungenasithwathwa ukuze kuqhakaze; vikela emoyeni futhi unisele izitshalo ezisencane.

Iseluleko sokuthenga: Izinhlobo ezingacatshangelwa e-KZN: i-Fay Zee Siu yokuqala (maphakathi no-Novemba–maphakathi no-Disemba), i-Mauritius yaphakathi (maphakathi no-Novemba–ekuqaleni kuka-Januwari), i-Wai Chee yakamuva (ekupheleni kuka-Januwari–ekupheleni kuka-Februwari), ngokwezinkomba zezinhlobo ze-SALGA/ARC. Qinisekisa izinsuku zendawo, izitshalo ezitholakala enkulisa nezimo zokuqhakaza.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — South Africa (ngokujwayelekile — indawo ephansi yase-Mpumalanga, Limpopo, ugu lwe-KZN): Nov–Feb.

Inkomba kuphela — South Africa - uhlobo lwe-Fay Zee Siu (inkomba ye-SALGA / ARC): Nov–Dis.

Inkomba kuphela — South Africa - uhlobo lwe-Mauritius (inkomba ye-SALGA / ARC): Nov–Jan.

Inkomba kuphela — South Africa - uhlobo lwe-Wai Chee (inkomba ye-SALGA / ARC): Jan–Feb.

Umthombo: KZN DARD, Fruit and Nut Production, PDF pp. 16–17 (regional reference; confirm current nursery stock)

Umthombo: SALGA / ARC-ITSC: Litchi Cultivars

Umthombo: Menzel, C., 'Lychee Growing and Marketing in South Africa', The Archives of the Rare Fruit Council Australia, July 1995 (production regions cited: Eastern Transvaal Lowveld, Northern/North-Eastern Transvaal, North and South Coast of Natal)

Umthombo: SALGA: Litchi Cultivars, Fay Zee Siu; information supplied by ARC-ITSC, Nelspruit

Umthombo: SALGA: Litchi Cultivars, Mauritius; information supplied by ARC-ITSC, Nelspruit

Umthombo: SALGA: Litchi Cultivars, Wai Chee; information supplied by ARC-ITSC, Nelspruit

Umthombo: KZN DARD, Fruit and Nut Production in KZN, Litchi bearing age; printed p.12, p. 16

Umthombo: SA Litchi Growers’ Association Yearbook 1995, Evaluation of imported cultivars and Phase I material, Table 2; printed p.17, p. 3

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Narrow-leaf

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: imbewu/izinhlamvu; ukudla kwasekhaya kudinga izinto zohlobo olumnandi (sweet) oluqinisekisiwe njengolufanele ukudliwa nokulungiswa okufanele.

Ukubuyekezwa kokusetshenziswa njengokudla: qinisekisa ubunikazi, ingxenye edliwayo nokulungiswa okufanele nomeluleki wendawo oqeqeshiwe ngaphambi kokufaka lesi sitshalo ekudleni kwasekhaya. Asibalwa ezambeni zokudla okuvamile nasemisebenzini yokuvuna.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Izinhlamvu nokuvuna kwasensimini kwaseNingizimu Afrika kohlobo olumnandi (sweet) olunamaqabunga amancane: Ucwaningo lokushintshanisa izitshalo lwaseSouthern Cape luka-2003, uhlobo olunoshukela olunamaqabunga amancane i-Tanjil. Ukuhlwanyela kwangempela / izinhlamvu ezivuniwe kg/ha emasimini ahlukene: Riversdale 15 Ephreli / 2401–2529; Swellendam 12 Meyi / 1003–1289; Tygerhoek 24 Ephreli / 2584–3058. Amanani aseSwellendam akubakaki angu-1407–1704 alinganisela okulahlekile ekuvuneni, hhayi isivuno esikaliwe. Ukuvuna kwaseRiversdale ngo-29 Okthoba kuwusuku oluqashelwe, hhayi isikhathi esijwayelekile sokuvuthwa noma izinyanga zokukha ze-cultivar yamanje. Ukuhlaziywa kwezinhlamvu elabhorethri yokudla kwemfuyo akuqinisekisi ukukhiqizwa kokudla okudliwayo kwasekhaya.

Ingxoxo yamanje yama-cultivar yomphakeli: Umphakeli ubala i-Mandellup ne-Lila-Baer, ukutshala ngo-Ephreli–Meyi, nokusetshenziswa njengokudla kwemfuyo nomanyolo oluhlaza. Isimangalo sakhe sokufaneleka kulo lonke elaseNingizimu Afrika asiwona ucwaningo lokudla oluqinisekiswe ngokuzimela esimweni sezulu ngasinye. Amanani nezinsuku zangaphambili zasensimini ze-Tanjil azidluliselwa kulawa ma-cultivar.

Izinhlobo ezinamaqabunga amancane ezimnandi (sweet) nezibabayo ziyahluka: Lolu hlobo olunamaqabunga amancane luhlanganisa izinhlobo ezimnandi (sweet) ezine-alkaloid ephansi nezibabayo ezine-alkaloid ephezulu. Ukuhlonzwa kwalo ngokwesayensi yezitshalo kuphela akuqinisekisi ukuthi imbewu ifanele ukudla kwasekhaya. Izeluleko ze-white lupin zingezohlobo oluhlukile; amazwi amadala ngokutholakala awathathwa njengamaqiniso amanje.

Ukufaneleka njengokudla nokulungiswa: Ukuhlolwa komthombo oyinhloko kwengozi yokudla akunikezi indlela eqinisekiswe ngokujwayelekile yokukhipha ukubaba ekhaya. Sebenzisa imbewu/umkhiqizo ofanele ukudliwa nokulungiswa okufanele okuqinisekiswe nomeluleki oqeqeshiwe; lokhu kuyisikhombo sokunakekelwa komkhiqizo, hhayi umthetho waseNingizimu Afrika noma indlela yokucubungula ekhaya.

Qinisekisa uhlobo olumnandi (sweet) noma olubabayo nenhloso yokudla kwabantu noma kwemfuyo ngaphambi kokufaka lokhu kutshala ekudleni kwasekhaya.

Gcina izincomo zohlobo olunamaqabunga amancane zihlukile kwezohlobo lwe-white lupin. Ucwaningo olujwayelekile lwezinhlamvu nomanyolo oluhlaza alunikezi i-kg edliwayo noma ijika lobudala besitshalo.

Iseluleko sokuthenga: Buza umhlinzeki ngezinto zohlobo olumnandi (sweet) olunamaqabunga amancane oluhlonziwe nokuthi lufanelekile yini ukusetshenziswa njengokudla okuhlosiwe. Izinhlobo zamanje ze-Mandellup/Lila-Baer zingumongo womphakeli, hhayi izibikezelo ezilinganiselwe zesivuno sokudla sendawo.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Narrow-leaf (kuyaqhubeka)

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: Hardy et al.: Lupino 19 (September 2004), Crop Management, Harvesting, Tables 1–2

Umthombo: Agricol: Sweet Lupins — narrow leaf, Information section

Umthombo: DAFF: Legume poster, lupin column, Description and Uses rows

Umthombo: BfR: Alkaloids and allergies — current data on health risks from lupin seeds in food, 17 September 2025, section 3.2.1.1.4, p. 11

Izinhlobo zezitshalo okufanele zihlolwe endaweni

Gcina igama lohlobo olukhethayo ngempela. Uhlu olufushane locwaningo ludinga ukuqinisekiswa kwesikhathi sendawo, amanzi nomhlabathi.

Tomatoes

Uhlobo olurekhodiwe: akukakhethwa.

Isimo sezulu sale ndawo asikacaci, ngakho akukho hlu olufushane lwendawo olushiwo. Vula ikhadi lesitshalo ukuze ubone imithombo bese urekhoda okukhethile.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.