SYNTHETIC GRAPH SOURCE {COUNT} $&

Ngaphambi kokuthenga noma ukuqala

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Iqembu lesimo sezulu locwaningo: Indawo yokulima ayikacaci. Leli qembu alisona isincomo esiqinisekisiwe saleli pulazi.

Lokho okubikile ngaleli pulazi

Amanzi ngesikhathi esomile

Akurekhodiwe. Qedela inhlolovo yendawo bese uqinisekisa amanzi ngaphambi kokukhetha uhlelo oludinga izinsiza eziningi.

Isithwathwa kuleli pulazi

Okubonwe ngesithwathwa endaweni akurekhodiwe. Izilinganiso zanyanga zonke zesathelayithi azikwazi ukuthola izinsuku zokuqala nezokugcina zesithwathwa.

Ilanga nokuphuma kwamanzi

Ilanga: akurekhodiwe.

Ukuphuma kwamanzi: akurekhodiwe. Kusadingeka ukuhlola imiphumela yokuhlolwa komhlabathi nezidingo zesitshalo ngasinye.

Amarekhodi onyaka wokubika - hhayi isibikezelo

Izamba nezinyanga zonyaka wokubika odlule zichaza lokho okwabikwa. Azithembisi ukudla ohlelweni oluzayo.

Original eggs {year} $&

Isamba sonyaka esibikwe umlimi sango-2025: 240 eggs.

Okusetshenziswa ekhaya: 0 eggs. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: Jun, Jul. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Fish

Isamba sonyaka esibikwe umlimi sango-2025: akurekhodiwe.

Okusetshenziswa ekhaya: akurekhodiwe. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: akurekhodiwe. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Eminye imifino

Isamba sonyaka esibikwe umlimi sango-2025: 12 kg.

Okusetshenziswa ekhaya: 7 kg. Okuthengisiwe: 3 kg.

Izinyanga zokuvuna ezibikiwe: Jan, Dis. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu

Globe artichoke

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amakhanda ezimbali angakavuleki.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ikhanda elidliwayo elingakavuleki nesigaba sokuvuna: Vuna amakhanda asefinyelele ubukhulu bawo ephelele lapho ama-bracts esavaliwe; izisekelo ezinenyama zama-bracts nesizinda esiphethe imbali (receptacle) ziyingxenye edliwayo. Izitshalo zomjikelezo wonyaka ezithuthelwe endaweni entsha nezisekelo zezitshalo eziphila iminyaka eminingi (perennial crowns) ziyizinhlelo zokukhiqiza ezihlukene. Amagama ezinyanga anomongo wengxenye esenyakatho yoMhlaba/wesifundazwe somthombo (state) futhi awabelwanga isifunda saseNingizimu Afrika.

Isikhathi sezitshalo zonyaka ezithuthelwe endaweni entsha: Umthombo uthi isikhathi sokusuka ekuthuthelweni kwezitshalo zomjikelezo wonyaka endaweni entsha kuze zifinyelele ekuvuthweni (maturity) siyahlukahluka ngezinyanga eziyi-4–6. Lesi yisibonelo somjikelezo wokutshala, hhayi ubudala obujwayelekile besivuno sokuqala sezisekelo zezitshalo eziphila iminyaka eminingi (perennial crowns).

Khetha isikhathi sokukhula esipholile nenhlabathi evundile edonsa amanzi kahle. Ukushisa kwehlisa ikhwalithi yamahlumela ezimbali, kanti ukubanda okuqandisa kungawalimaza.

Rekhoda amakhanda adliwayo angakavuleki ngeqembu ngalinye lokutshala; ungasebenzisi izinyanga zezimbali esezivulekile njengezinyanga zokukha.

Iseluleko sokuthenga: Buza umlimi wendawo noma inkulisa ukuthi iyiphi i-cultivar nohlelo lwesitshalo somjikelezo wonyaka noma esiphila iminyaka eminingi olufanele indawo. Akunikezwanga i-cultivar yesifunda noma ibhentshimakhi ye-kg yokudla eqinisekisiwe.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: DAFF: Globe artichoke production guideline, printed p.8, p. 12

Umthombo: DAFF: Globe artichoke production guideline, printed p.3, p. 7

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Fig

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Isivuno samakhiwane nge-cultivar nobudala beminyaka yokukhula (leaf age) — ucwaningo oluqhathanisayo lwaseCitrusdal: ARC Infruitec Citrusdal, 1990. Unyaka we-10 wokukhula (leaf): Kadota 23.5, White Genoa 22.6, Calimyrna 16.5 kg/tree/year. Unyaka we-7 wokukhula (leaf): Tena 12.1, Black Mission 6.8, Conadria 3.5, Ephesus 20.6, Excell 15.2, Deanna 59.0, Kadota 24.3 kg/tree/year. Umthombo uthi lokhu kuyizibalo zokuqhathanisa, hhayi amanani aphelele asebenza njalo. Izinhlobo zama-cultivar namaqembu ezinsimu zezihlahla ezahlukene akusunguli ijika elilodwa elisebenza kuzo zonke izihlahla lobudala nesivuno.

Iseluleko sokuthenga: alukho uhlobo olunegama lwale ndawo olunomthombo. Qinisekisa uhlobo, impova nokufaneleka endaweni ngaphambi kokuthenga.

Impova: iyakwazi ukwakha izithelo ngempova yayo. Hlola izidingo zohlobo olukhethiwe nenkulisa yezitshalo.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — Western Cape (esigodini sase-Breede River, eduze ne-Worcester): Jan–Mey.

Inkomba kuphela — Prince Albert / Weltevrede, Western Cape Karoo — uhlobo lwe-Adams, kuhlanganise namakhiwane okuqala: Dis–Mey.

Umthombo: Gerber, H.J. (2010) 'Tree training and managing complexity and yield in fig (Ficus carica L.)', MSc(Agric) thesis, University of Stellenbosch, p. 38

Umthombo: J. de V. Lötter, The Fig in South Africa (2014), Western Cape Department of Agriculture, p. 97

Umthombo: Gerber, H.J. (2010) 'Tree training and managing complexity and yield in fig (Ficus carica L.)', MSc(Agric) thesis, University of Stellenbosch

Umthombo: J. de V. Lötter (2014), The Fig in South Africa, Table 3, printed p.97, p. 105

Izinhlobo zezitshalo okufanele zihlolwe endaweni

Gcina igama lohlobo olukhethayo ngempela. Uhlu olufushane locwaningo ludinga ukuqinisekiswa kwesikhathi sendawo, amanzi nomhlabathi.

Tomatoes

Uhlobo olurekhodiwe: akukakhethwa.

Isimo sezulu sale ndawo asikacaci, ngakho akukho hlu olufushane lwendawo olushiwo. Vula ikhadi lesitshalo ukuze ubone imithombo bese urekhoda okukhethile.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.