SYNTHETIC GRAPH SOURCE {COUNT} $&

Before you buy or start

Use your farm observations and the research shortlists. Confirm choices locally before buying.

Research climate group: Subtropical coast. This grouping is not a validated recommendation for this farm.

What you reported about this farm

Water through the dry season

Not recorded. Complete the site survey and confirm water before choosing an intensive plan.

Frost on this farm

Local frost observations are not recorded. Satellite monthly averages cannot establish first and last frost dates.

Sun and drainage

Sun: not recorded.

Drainage: not recorded. Soil-test results and crop-specific needs still need checking.

Reporting-year records - not a forecast

Past reporting-year totals and months describe what was reported. They do not promise food in the coming plan.

Original eggs {year} $&

Farmer-reported annual total for 2025: 240 eggs.

Household use: 0 eggs. Sold: not recorded.

Reported harvest months: Jun, Jul. These are survey observations, not a new production forecast.

Check the recorded unit and totals before using this row.

Fish

Farmer-reported annual total for 2025: not recorded.

Household use: not recorded. Sold: not recorded.

Reported harvest months: not recorded. These are survey observations, not a new production forecast.

Check the recorded unit and totals before using this row.

Other vegetables

Farmer-reported annual total for 2025: 12 kg.

Household use: 7 kg. Sold: 3 kg.

Reported harvest months: Jan, Dec. These are survey observations, not a new production forecast.

Check the recorded unit and totals before using this row.

Crop varieties to check locally

Keep the named variety you actually choose. Research shortlists need confirmation for your local season, water and ground.

Tomatoes

Recorded variety: not chosen yet.

Research shortlist for similar climates: Rodade.

Source: Rodade, Sakata product page

Chickens - choices to confirm

Care needs attention before expansion. Purpose: Eggs and meat.

Selected plan enterprise: Laying hens (commercial).

SYNTHETIC GRAPH SOURCE {COUNT} $&

Farm choices - continued

Use your farm observations and the research shortlists. Confirm choices locally before buying.

Chickens - choices to confirm (continued)

Your recorded breed: Fish {age} $&.

Laying hens you recorded: 7. This count does not promise an egg yield.

Care check: Secure reliable clean drinking water before buying more birds.

Care check: Check feed suitability; scavenging and scraps may not meet laying hens' needs.

Care check: Improve night protection and weatherproof housing.

Every breed needs clean drinking water, suitable feed and protected housing.

Source: ARC: Climate-Smart Agriculture, Poultry Production, p. 468-471, 478-480

Foraging alone may not supply enough nutrients for eggs.

Source: South African village-chicken feeding study

Growing water is limited. Check drinking water separately; garden water does not confirm a safe poultry supply.

You reported wet ground. Check that chicken housing drains and bedding stays dry.

You reported frost. Check winter shelter and chick warmth with a local adviser.

In hot weather, provide shade, airflow and reliable water. This is general care advice; heat at this site has not been confirmed.

Local chicken adaptation varies within provinces. Location alone does not identify the best breed for this farm.

Source: ARC researchers: Local chicken environmental suitability

These are options to discuss, not a final breed recommendation. Confirm healthy stock, supplier availability, ventilation, chick warmth and a health plan locally. Record actual production months separately; this guide promises no output or dates.

Potchefstroom Koekoek

An egg-and-meat option. It outperformed the other indigenous breeds for eggs in a managed ARC trial; those results do not predict this farm.

Source: ARC: Indigenous chicken egg-production study, p. 27-32

Venda

An ARC-conserved indigenous option for eggs and meat; check local stock and care needs.

Source: ARC: Indigenous chicken egg-production study, p. 27-32

Ovambo

An ARC-conserved indigenous option for eggs and meat; check local stock and care needs.

Source: ARC: Indigenous chicken egg-production study, p. 27-32

Naked Neck

An indigenous option described across diverse South African climates; confirm suitability with local advice.

Source: ARC: Indigenous chicken egg-production study, p. 27-32

Commercial layers - egg system

Consider only after checking reliable feed, drinking water, housing, health care and managed lighting. Breed and supplier still need local confirmation.

Source: SAPA: Commercial Layers, p. 12-15

SYNTHETIC GRAPH SOURCE {COUNT} $&

Farm choices - continued

Use your farm observations and the research shortlists. Confirm choices locally before buying.

Chickens - choices to confirm (continued)

Commercial broilers - meat system

Needs dependable balanced feed, water, suitable housing and management. Confirm chick supply and a meat outlet before choosing.

Source: ARC: Climate-Smart Agriculture, Poultry Production, p. 468-471, 478-480