SYNTHETIC GRAPH SOURCE {COUNT} $&

Pele o reka kapa o qala

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Sehlopha sa tlelaemete sa dipatlisiso: Sebaka sa temo ha se eso hlake. Sehlopha sena ha se keletso e netefaditsweng bakeng sa polasi ena.

Seo o se tlalehileng ka polasi ena

Metsi nakong ya komello

Ha ho a rekotwa. Qetella phuputso ya sebaka mme o netefatse metsi pele o kgetha moralo o hlokang disebediswa tse ngata.

Serame polasing ena

Se bonweng ka serame sebakeng ha se a rekotwa. Dikarolelano tsa kgwedi tsa sathelaete di ke ke tsa tiisa matsatsi a pele le a ho qetela a serame.

Letsatsi le phallo ya metsi mobung

Letsatsi: ha ho a rekotwa.

Phallo ya metsi: ha ho a rekotwa. Diphetho tsa teko ya mobu le ditlhoko tsa sejalo ka seng di ntse di hloka ho hlahlojwa.

Direkoto tsa selemo sa tlaleho - eseng ponelopele

Dikakaretso le dikgwedi tsa selemo sa tlaleho se fetileng di hlalosa se tlalehilweng. Ha di tshepise dijo moralong o tlang.

Original eggs {year} $&

Kakaretso ya selemo e tlalehilweng ke molemi bakeng sa 2025: 240 eggs.

Tshebediso ya lelapa: 0 eggs. Ho rekisitsweng: ha ho a rekotwa.

Dikgwedi tsa kotulo tse tlalehilweng: Php, Phu. Tsena ke tse bonweng phuputsong, eseng ponelopele e ntjha ya tlhahiso.

Hlahloba yuniti le dikakaretso tse rekotilweng pele o sebedisa mola ona.

Fish

Kakaretso ya selemo e tlalehilweng ke molemi bakeng sa 2025: ha ho a rekotwa.

Tshebediso ya lelapa: ha ho a rekotwa. Ho rekisitsweng: ha ho a rekotwa.

Dikgwedi tsa kotulo tse tlalehilweng: ha ho a rekotwa. Tsena ke tse bonweng phuputsong, eseng ponelopele e ntjha ya tlhahiso.

Hlahloba yuniti le dikakaretso tse rekotilweng pele o sebedisa mola ona.

Meroho e meng

Kakaretso ya selemo e tlalehilweng ke molemi bakeng sa 2025: 12 kg.

Tshebediso ya lelapa: 7 kg. Ho rekisitsweng: 3 kg.

Dikgwedi tsa kotulo tse tlalehilweng: Phe, Tsh. Tsena ke tse bonweng phuputsong, eseng ponelopele e ntjha ya tlhahiso.

Hlahloba yuniti le dikakaretso tse rekotilweng pele o sebedisa mola ona.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae

Lablab

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: dithollo tsa dijo, diphotlwa tse eso butswe kapa makgasi a phehilweng; bongata ba dimela tsa furu bo arohane.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Teko ya Afrika Borwa ya ho butswa ha mefuta (accessions) le dithollo: Dalmada haufi le Polokwane, 2002/03; ho jetswe ka 10 Tshitwe mobung wa clay loam ka pula ya 297 mm le nosetso ya 178 mm. Dipara tsa matsatsi a ho fihlela kgolo e felletseng ya semela (physiological maturity) ka mora ho lema / dithollo kg/ha: CPI 52552 99.3 / 576.2; CPI 60795 99.0 / 570.5; CQ 3620 99.0 / 574.2; Rongai black (e ntsho) 197.0 / 2.6, brown (e sootho) 197.0 / 3.3, white (e tshweu) 197.0 / 7.4. Ditafola di hlahlobilwe ka mahlo. Ho butswa ho bolela diphotlwa tse sootho tse 90%; bongata ba dimela ho Tafola 4 bo arohane. Bangodi ba hloka hore balemi ba lekole boleng ba ho jewa, kahoo mefuta ya teko ha se dikgothaletso tse netefaditsweng tsa ho reka dijo.

Kgetha karolo ya dijo e rerilweng le boitokiso bo loketseng; netefatsa mofuta wa nnete wa dijo le moeletsi wa lehae. Kotulo ya dijo tsa batho le furu ke mesebetsi e fapaneng.

Palo ya dipatlisiso e teng ya 2–6 t/ha ke ntho e ommeng ya furu/manyolo o motala, eseng dinawa tsa batho. Rongai ya furu e butswang morao e ke ke ya nka nako kapa kotulo ya mofuta wa dithollo wa teko o butswang kapele (accession).

Keletso ya ho reka: Fumana dimela tse hlwauweng bakeng sa morero o rerilweng wa dijo kapa furu. Ho fumaneha le boleng ba ho jewa ha mefuta ya teko e butswang kapele (accessions) ha di netefatswe; ngola mofuta o rekilweng le matsatsi a nnete a ho jala le ho kga.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: Ayisi, Bopape and Pengelly: ACIAR Proceedings 115 (2004), Tables 3 and 5, pp46 and49, p. 49

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae (e tswela pele)

Litchi

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: ditholwana.

Tshupiso ya kotulo ya pele: dilemo tse 4–5. Hoo e ka bang dilemo tse 4–5 tataisong ya temo ya dirapa ya KZN. Maemo ke dibaka tse futhumetseng, tse mongobo tsa subtropical tse se nang serame se bakang leqhwa; mofuta, dilemo tsa ho atisa le ho tsitsisa tshimong ha di a bolelwa. Sena ke tshupiso ya kotulo ya pele, ha se bongata ba sebakeng seo bo tiisitsweng kapa dilemo tsa ho beha ka botlalo. Nako ya nnete e itshetlehile ka mofuta le tlhokomelo ya sebaka.

Tlhahiso ya litchi e le dilemo tse 14 — teko ya cultivar ya sehla se le seng: Kg/tree kaofela ka 1994/95 dilemong tse 14: HLH Mauritius 87.87, Red McLean 30.58, Fay Zee Siu 27.92. Boima bo ka rekiswang ka tatellano ke 77.87, 28.42 le 23.38 kg/tree. Sehla se le seng le phapang ya taolo, makala le makgasi a sefate (canopy) le cultivar di thibela mothinya wa selemo o sebetsang ho tsohle kapa ho kopitsa kakaretso ho kg e ka rekiswang. Bangodi ba lemosa ka ho toba ka dipapiso tsa kotulo. Tataiso e arohaneng ya KZN e fana ka tekanyo e hlokolosi ya 2,000, e mahareng ya 3,000–5,000 le e ntle ya 6,000+ kg/ha, eseng kg/tree ka dilemo.

Nyalanya lehlabula le futhumetseng le mariha a phodileng a se nang leqhwa bakeng sa ho thunya; sireletsa moyeng mme o nosetse dimela tse nyane.

Keletso ya ho reka: Mefuta e ka nahanelwang KZN: Fay Zee Siu ya pele (bohareng ba Pundungwane–bohareng ba Tshitwe), Mauritius ya bohareng (bohareng ba Pundungwane–qalong ya Pherekgong), Wai Chee ya morao (mafelong a Pherekgong–mafelong a Hlakola), ho sebediswa ditshupiso tsa mefuta tsa SALGA/ARC. Netefatsa matsatsi a lehae, dimela tse fumanehang keretjheng le maemo a ho thunya.

Nako ya kotulo e lebeletsweng: ha ho nako e le nngwe e tiisitsweng ya mofuta wa sebaka. Dinako tsa ditshupiso tse ka tlase ha se ponelopele.

Tshupiso feela — South Africa (ka kakaretso — dibaka tse tlase tsa Mpumalanga, Limpopo, lebopo la KZN): Pun–Hlk.

Tshupiso feela — South Africa - mofuta wa Fay Zee Siu (tshupiso ya SALGA / ARC): Pun–Tsh.

Tshupiso feela — South Africa - mofuta wa Mauritius (tshupiso ya SALGA / ARC): Pun–Phe.

Tshupiso feela — South Africa - mofuta wa Wai Chee (tshupiso ya SALGA / ARC): Phe–Hlk.

Mohlodi: KZN DARD, Fruit and Nut Production, PDF pp. 16–17 (regional reference; confirm current nursery stock)

Mohlodi: SALGA / ARC-ITSC: Litchi Cultivars

Mohlodi: Menzel, C., 'Lychee Growing and Marketing in South Africa', The Archives of the Rare Fruit Council Australia, July 1995 (production regions cited: Eastern Transvaal Lowveld, Northern/North-Eastern Transvaal, North and South Coast of Natal)

Mohlodi: SALGA: Litchi Cultivars, Fay Zee Siu; information supplied by ARC-ITSC, Nelspruit

Mohlodi: SALGA: Litchi Cultivars, Mauritius; information supplied by ARC-ITSC, Nelspruit

Mohlodi: SALGA: Litchi Cultivars, Wai Chee; information supplied by ARC-ITSC, Nelspruit

Mohlodi: KZN DARD, Fruit and Nut Production in KZN, Litchi bearing age; printed p.12, p. 16

Mohlodi: SA Litchi Growers' Association Yearbook 1995, Evaluation of imported cultivars and Phase I material, Table 2; printed p.17, p. 3

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae (e tswela pele)

Narrow-leaf

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: peo/dithollo; dijo tsa lelapa di hloka mofuta o monate o netefaditsweng hore o loketse dijo le boitokiso.

Tlhahlobo ya tshebediso e le dijo: netefatsa hore ke semela sefe, karolo e jewang le tokiso e nepahetseng le moeletsi wa sebaka ya nang le tsebo pele o se kenya dijong tsa lelapa. Se tlohetswe dikakaretsong tsa dijo tse tlwaelehileng le mesebetsing ya kotulo.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Dithollo tsa tshimo le kotulo ya Afrika Borwa ya mofuta o monate o nang le makgasi a masesane: Teko ya ho tjhentjhana ha dijalo ya Southern Cape ya 2003, Tanjil e monate ya makgasi a masesane. Ho jala ha nnete / dithollo tse kotutsweng kg/ha masimong a fapaneng: Riversdale 15 Mmesa / 2401–2529; Swellendam 12 Motsheanong / 1003–1289; Tygerhoek 24 Mmesa / 2584–3058. Dipalo tsa Swellendam tse ka masakaneng tsa 1407–1704 di hakanya tahlehelo ya kotulo, eseng kotulo e lekantsweng ka boima. Kotulo ya Riversdale ka 29 Mphalane ke letsatsi le hlokometsoeng, eseng nako e akaretsang ya ho butswa kapa nako ya ho kga ya cultivar ya jwale. Tlhahlobo ya dithollo laboratoring ya dijo tsa diphoofolo ha e netefatse tlhahiso ya dijo tse jewang tsa lelapa.

Puisano ya jwale ya mofani ka di-cultivar: Mofani o thathamisa Mandellup le Lila-Baer, ho lema ka Mmesa–Motsheanong le tshebediso ya dijo tsa diphoofolo le manyolo o motala. Polelo ya hae ya sebaka sa Afrika Borwa kaofela ha se teko ya dijo e netefaditsweng ka boikemelo bakeng sa boemo bo bong le bo bong ba lehodimo. Dipalo le matsatsi a pele a tshimo tsa Tanjil ha di fetisetswe ho di-cultivar tsena.

Mefuta ya makgasi a masesane e monate le e babang e fapane: Mofuta wa makgasi a masesane o kenyelletsa mefuta e monate e nang le alkaloid e tlase le e babang e nang le alkaloid e hodimo. Ho tsejwa ha wona ka botaniki feela ha ho netefatse hore peo e loketse dijo tsa lelapa. Keletso ya white lupin ke ya mofuta o mong; dipolelo tsa kgale tsa ho fumaneha ha di nkuwe e le dintlha tsa jwale.

Ho tshwaneleha e le dijo le boitokiso: Tekolo ya mantlha ya kotsi ya dijo e ke ke ya fana ka mokgwa o netefaditsweng ka kakaretso wa ho tlosa ho baba lapeng. Sebedisa peo/sehlahiswa se tshwanelehang e le dijo le boitokiso bo loketseng bo netefaditsweng le moeletsi ya tshwanelehang; ena ke tshupiso ya tlhokomelo ya sehlahiswa, eseng molao wa Afrika Borwa kapa risepe ya ho lokisa lapeng.

Netefatsa mofuta o monate kapa o babang le morero wa dijo tsa batho kapa tsa diphoofolo pele o kenyelletsa sejalo sena dijong tsa lelapa.

Boloka dikgothaletso tsa mofuta o nang le makgasi a masesane di arohane le tsa white lupin. Dipatlisiso tse akaretsang tsa dithollo le manyolo o motala ha di fane ka kg e jewang kapa mothinya wa dilemo tsa semela.

Keletso ya ho reka: Botsa mofani ka mofuta o hlwauweng o monate o nang le makgasi a masesane le hore na o loketse tshebediso e rerilweng ya dijo. Dikgetho tsa jwale tsa Mandellup/Lila-Baer ke maemo a mofani, eseng diponelopele tse lekantsweng tsa kotulo ya dijo tsa lehae.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Mohlodi: Hardy et al.: Lupino 19 (September 2004), Crop Management, Harvesting, Tables 1–2

Mohlodi: Agricol: Sweet Lupins — narrow leaf, Information section

Mohlodi: DAFF: Legume poster, lupin column, Description and Uses rows

Mohlodi: BfR: Alkaloids and allergies — current data on health risks from lupin seeds in food, 17 September 2025, section 3.2.1.1.4, p. 11

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Mefuta ya dijalo e lokelang ho hlahlojwa sebakeng seo

Boloka lebitso la mofuta oo o o kgethang ka nnete. Manane a makgutshwane a dipatlisiso a hloka netefatso bakeng sa nako ya sebaka, metsi le mobu.

Tomatoes

Mofuta o rekotilweng: ha ho eso kgethwe.

Maemo a lehodimo a sebaka sena ha a eso hlake, kahoo ha ho bolelwe lenane le lekgutshwane la sebaka. Bula karete ya sejalo ho bona mehlodi le ho rekota kgetho ya hao.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.