SYNTHETIC GRAPH SOURCE {COUNT} $&

Musi ni sa athu u renga kana u thoma

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Tshigwada tsha kilima tsha ṱhoḓisiso: Fhethu ha u lima a hu athu u ṱalutshedzea. Tshigwada itshi a si nyeletshedzo yo khwaṱhisedzwaho ya bulasi iḽi.

Zwe na vhiga nga bulasi iḽi

Maḓi nga khalaṅwaha yo oma

A zwo ngo rekhodwa. Fhedzisani ṱhoḓisiso ya fhethu ni khwaṱhisedze maḓi ni sa athu u nanga pulane ine ya ṱoḓa zwishumiswa zwinzhi.

Murotholo kha bulasi iḽi

Zwe zwa vhonwa nga murotholo wa henefho a zwo ngo rekhodwa. Zwikati zwa ṅwedzi zwa sathelaithi a zwi koni u khwaṱhisedza maḓuvha a murotholo wa u thoma na wa u fhedza.

Ḓuvha na u bva ha maḓi mavuni

Ḓuvha: a zwo ngo rekhodwa.

U bva ha maḓi: a zwo ngo rekhodwa. Mvelelo dza u ṱola mavu na ṱhoḓea dza tshiliṅwa tshiṅwe na tshiṅwe zwi kha ḓi ṱoḓa u ṱolwa.

Rekhodo dza ṅwaha wa u vhiga - hu si mbonelaphanḓa

Zwivhalo na miṅwedzi zwa ṅwaha wo fhiraho wa u vhiga zwi ṱalutshedza zwo vhigwaho. A zwi fulufhedzisi zwiḽiwa kha pulane i ḓaho.

Original eggs {year} $&

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: 240 eggs.

Zwo shumiswaho muṱani: 0 eggs. Zwo rengiswaho: a zwo ngo rekhodwa.

Miṅwedzi ya khaṇo yo vhigwaho: Fulw, Fwan. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

Fish

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: a zwo ngo rekhodwa.

Zwo shumiswaho muṱani: a zwo ngo rekhodwa. Zwo rengiswaho: a zwo ngo rekhodwa.

Miṅwedzi ya khaṇo yo vhigwaho: a zwo ngo rekhodwa. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

Miṅwe miroho

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: 12 kg.

Zwo shumiswaho muṱani: 7 kg. Zwo rengiswaho: 3 kg.

Miṅwedzi ya khaṇo yo vhigwaho: Phan, Nyen. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṇu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani

Lablab

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: thoro dza zwiḽiwa, maganda a mbeu a sa athu u vhibva kana maṱari o bikwaho; vhuleme ha zwimela zwa furu ho fhambana.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Ndingo ya Afrika Tshipembe ya u vhibva ha tshaka (accessions) na thoro: Dalmada tsini na Polokwane, 2002/03; ho zwalwa nga 10 Nyendavhusiku kha mavu a clay loam hu na mvula ya 297 mm na tsheledzo ya 178 mm. Phere dza maḓuvha a u vhibva ha tshimela (physiological maturity) nga murahu ha u ṱavha / thoro kg/ha: CPI 52552 99.3 / 576.2; CPI 60795 99.0 / 570.5; CQ 3620 99.0 / 574.2; Rongai black (ntswu) 197.0 / 2.6, brown (ya buraweni) 197.0 / 3.3, white (tshena) 197.0 / 7.4. Thebuḽu dzo sedzwa nga maṱo. U vhibva zwi amba maganda a mbeu a buraweni a 90%; vhuleme ha zwimela kha Thebuḽu 4 ho fhambana. Vhaṅwali vha ṱoḓa uri vhalimi vha sedze ndeme ya u ḽiwa, ngauralo tshaka dza ndingo a si themendelo dzo khwaṱhisedzwaho dza u renga zwiḽiwa.

Nangani tshipiḓa tsha zwiḽiwa tsho dzudzanywaho na u lugiselela ho teaho; khwaṱhisedzani lushaka lwa vhukuma lwa zwiḽiwa na mueletshedzi wa henefho. U kaṋa zwiḽiwa zwa vhathu na furu ndi mishumo yo fhambanaho.

Mbalo ya ṱhoḓisiso i re hone ya 2–6 t/ha ndi zwimela zwo omaho zwa furu/manyoro madala, hu si ṋawa dza vhathu. Rongai ya furu i vhibvaho nga murahu a i koni u dzhia tshifhinga kana khaṋo ya lushaka lwa thoro lwa ndingo lu vhibvaho nga u ṱavhanya (accession).

Nyeletshedzo ya u renga: Wanani zwimela zwo ṱalulwaho zwa tshipikwa tsho dzudzanywaho tsha zwiḽiwa kana furu. U wanala na ndeme ya u ḽiwa zwa tshaka dza ndingo dzi vhibvaho nga u ṱavhanya (accessions) a zwo ngo khwaṱhisedzwa; rekhodani lushaka lwo rengwaho na datumu dza vhukuma dza u zwala na u kaṋa.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṋa henefho.

Tshiko: Ayisi, Bopape and Pengelly: ACIAR Proceedings 115 (2004), Tables 3 and 5, pp46 and49, p. 49

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Litchi

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: mitshelo.

Tshiko tsha khaṋo ya u thoma: miṅwaha ya 4–5. Hu ṱoḓaho u vha miṅwaha ya 4–5 kha nyendedzi ya u lima zwiraba ya KZN. Nyimele ndi madzingu a u bveledza a subtropical a dudelaho a re na ṅukelo a si na ṅwando; lushaka, miṅwaha musi hu tshi andiswa na u khwaṱhisa tsimu a zwo ngo bulwa. Itshi ndi tshiko tsha khaṋo ya u thoma, a si tshivhalo tsha henefho tsho khwaṱhisedzwaho kana miṅwaha ya u aṋwa nga vhuḓalo. Tshifhinga tsha vhukuma tshi ya nga lushaka na ṱhogomelo ya fhethu.

Vhubveledzi ha litchi i na miṅwaha ya 14 — ndingo ya cultivar ya khalaṅwaha nthihi: Kg/tree yoṯhe ya 1994/95 hu na miṅwaha ya 14: HLH Mauritius 87.87, Red McLean 30.58, Fay Zee Siu 27.92. Zwileme zwi rengiseaho nga mutevhe ndi 77.87, 28.42 na 23.38 kg/tree. Khalaṅwaha nthihi na u fhambana ha ndangulo, maṱavhi na maṱari a muri (canopy) na cultivar zwi thivhela girafu ya ṅwaha i shumaho kha zwoṯhe kana u kopa mbalo yoṯhe kha kg i rengiseaho. Vhaṅwali vha sevha nga ho livhaho nga mbambedzo dza khaṋo. Nyendedzi yo fhambanaho ya KZN i ṉea mpimo wa vhuronwane wa 2,000, wa vhukati wa 3,000–5,000 na wavhuḓi wa 6,000+ kg/ha, hu si kg/tree nga miṅwaha.

Fananyisani tshilimo tshi dudelaho na vhuriha vhu rotholelaho vhu si na ṅwando uri hu vhe na maluvha; tsireledzani kha muya ni sheledze zwimela zwiṱuku.

Nyeletshedzo ya u renga: Tshaka dzi nga sedzuluswaho kha KZN: Fay Zee Siu ya u thoma (vhukati ha Ḽara–vhukati ha Nyendavhusiku), Mauritius ya vhukati (vhukati ha Ḽara–mathomoni a Phando), Wai Chee ya murahu (mafheloni a Phando–mafheloni a Luhuhi), hu tshi shumiswa zwiko zwa tshaka zwa SALGA/ARC. Khwaṱhisedzani maḓuvha a henefho, zwimela zwi re hone hune zwa alusiwa na nyimele dza maluvha.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu athu u khwaṱhisedzwa tshifhinga tshithihi tsha lushaka lwa henefho. Khalaṅwaha dza ndaedzi dzi re afho fhasi a si mbonelaphanḓa.

Ndaedzi fhedzi — South Africa (nga u angaredza — vhupo ha fhasi ha Mpumalanga, Limpopo, khunzikhunzini ya KZN): Ḽara–Luhu.

Ndaedzi fhedzi — South Africa - lushaka lwa Fay Zee Siu (ndaedzi ya SALGA / ARC): Ḽara–Nyen.

Ndaedzi fhedzi — South Africa - lushaka lwa Mauritius (ndaedzi ya SALGA / ARC): Ḽara–Phan.

Ndaedzi fhedzi — South Africa - lushaka lwa Wai Chee (ndaedzi ya SALGA / ARC): Phan–Luhu.

Tshiko: KZN DARD, Fruit and Nut Production, PDF pp. 16–17 (regional reference; confirm current nursery stock)

Tshiko: SALGA / ARC-ITSC: Litchi Cultivars

Tshiko: Menzel, C., 'Lychee Growing and Marketing in South Africa', The Archives of the Rare Fruit Council Australia, July 1995 (production regions cited: Eastern Transvaal Lowveld, Northern/North-Eastern Transvaal, North and South Coast of Natal)

Tshiko: SALGA: Litchi Cultivars, Fay Zee Siu; information supplied by ARC-ITSC, Nelspruit

Tshiko: SALGA: Litchi Cultivars, Mauritius; information supplied by ARC-ITSC, Nelspruit

Tshiko: SALGA: Litchi Cultivars, Wai Chee; information supplied by ARC-ITSC, Nelspruit

Tshiko: KZN DARD, Fruit and Nut Production in KZN, Litchi bearing age; printed p.12, p. 16

Tshiko: SA Litchi Growers’ Association Yearbook 1995, Evaluation of imported cultivars and Phase I material, Table 2; printed p.17, p. 3

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Narrow-leaf

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: mbeu/thoro; zwiḽiwa zwa muḓi zwi ṱoḓa lushaka lu ḓifhaho lwo khwaṱhisedzwaho uri lwo tea zwiḽiwa na u lugiselela.

U sedzulusa tshumiso ya zwiḽiwa: khwaṱhisedzani vhuvha, tshipiḓa tshi ḽiwaho na u lugisela ho teaho na mueletshedzi wa henefho a re na ndalukanyo ni sa athu u katela tshimela itshi kha zwiḽiwa zwa muṱa. A tshi katelwi kha zwivhalo zwa zwiḽiwa zwo ḓoweleaho na mishumo ya u kaṋa.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Thoro na khaṋo ya tsimuni ya Afrika Tshipembe ya lushaka lu ḓifhaho lwa maṱari masekene: Ndingo ya u tshintshana zwiliṅwa ya Southern Cape ya 2003, Tanjil i ḓifhaho ya maṱari masekene. U zwala ha vhukuma / thoro dzo kaṋiwaho kg/ha kha masimu o fhambanaho: Riversdale 15 Lambamai / 2401–2529; Swellendam 12 Shundunthule / 1003–1289; Tygerhoek 24 Lambamai / 2584–3058. Mbalo dza Swellendam dzi re kha zwitanganyi dza 1407–1704 dzi anganyela ndozwo dza khaṋo, hu si khaṋo yo kalwaho nga tshileme. Khaṋo ya Riversdale nga 29 Tshimedzi ndi datumu yo vhonwaho, hu si tshifhinga tsho angaredzwaho tsha u vhibva kana tshifhinga tsha u kaṋa tsha cultivar ya zwino. U sedza thoro kha ḽaborathori ya zwiḽiwa zwa zwifuwo a zwi khwaṱhisedzi vhubveledzi ha zwiḽiwa zwi ḽeaho zwa muḓi.

Nyambedzano ya zwino ya muṋetshedzi nga dzi-cultivar: Muṋetshedzi u bula Mandellup na Lila-Baer, u ṱavha nga Lambamai–Shundunthule na u shumiswa sa zwiḽiwa zwa zwifuwo na manyoro madala. Zwine a amba nga dzingu ḽa Afrika Tshipembe ḽoṱhe a si ndingo ya zwiḽiwa yo khwaṱhisedzwaho nga yoṱhe kha nyimele iṅwe na iṅwe ya kilima. Mbalo na datumu dza kale dza tsimuni dza Tanjil a dzi fhiriselwi kha dzi-cultivar idzi.

Tshaka dza maṱari masekene dzi ḓifhaho na dzi vhavhaho dzo fhambana: Lushaka lwa maṱari masekene lu katela tshaka dzi ḓifhaho dza alkaloid ya fhasi na dzi vhavhaho dza alkaloid ya nṱha. U ṱalulwa halwo nga zwa zwimela fhedzi a zwi khwaṱhisedzi uri mbeu yo tea zwiḽiwa zwa muḓi. Ngeletshedzo ya white lupin ndi ya luṅwe lushaka; mafhungo a kale a u wanala ha dzhiiwi sa ngoho ya zwino.

U tea zwiḽiwa na u lugiselela: Tsenguluso ya u thoma ya khombo ya zwiḽiwa a i koni u ṋea nḓila yo khwaṱhisedzwaho nga u angaredza ya u bvisa u vhavha muḓini. Shumisani mbeu/tshibveledzwa tsho teaho zwiḽiwa na u lugiselela ho teaho ho khwaṱhisedzwaho na mueletshedzi o teaho; hetshi ndi tshikombo tsha ndondolo ya tshibveledzwa, hu si mulayo wa Afrika Tshipembe kana risipi ya u lugisa muḓini.

Khwaṱhisedzani lushaka lu ḓifhaho kana lu vhavhaho na tshipikwa tsha zwiḽiwa zwa vhathu kana zwa zwifuwo musi ni sa athu u katela u ṱavha uku kha zwiḽiwa zwa muḓi.

Vhulungani themendelo dza lushaka lwa maṱari masekene dzo fhambana na dza white lupin. Ṱhoḓisiso dzo angaredzwaho dza thoro na manyoro madala a dzi ṋei kg i ḽeaho kana girafu ya miṅwaha ya tshimela.

Nyeletshedzo ya u renga: Vhudzisani muṋetshedzi nga lushaka lu ḓifhaho lwa maṱari masekene lwo ṱalulwaho na uri lwo tea u shumiswa sa zwiḽiwa zwo dzudzanywaho. Tshaka dza zwino dza Mandellup/Lila-Baer ndi mafhungo a muṋetshedzi, hu si mbonelaphanḓa dzo kalwaho dza khaṋo ya zwiḽiwa zwa henefho.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Narrow-leaf (zwi khou bvela phanḓa)

Khalaṅwaha ya u kaṉa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṉa henefho.

Tshiko: Hardy et al.: Lupino 19 (September 2004), Crop Management, Harvesting, Tables 1–2

Tshiko: Agricol: Sweet Lupins — narrow leaf, Information section

Tshiko: DAFF: Legume poster, lupin column, Description and Uses rows

Tshiko: BfR: Alkaloids and allergies — current data on health risks from lupin seeds in food, 17 September 2025, section 3.2.1.1.4, p. 11

Tshaka dza zwiliṅwa dza u sedzulusa henefho

Vhulungani dzina ḽa lushaka lune na nanga zwa vhukuma. Mitevhe mipfufhi ya ṱhoḓisiso i ṱoḓa khwaṱhisedzo ya khalaṅwaha ya henefho, maḓi na mavu.

Tomatoes

Lushaka lwo rekhodwaho: a lu athu u nangwa.

Kilima ya fhethu hafha a i athu u ṱalutshedzea, ngauralo a hu buliwi mutevhe mupfufhi wa henefho. Vulani garaṱa ya tshiliṅwa u vhona zwiko na u rekhoda zwe na nanga.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṉu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.