SYNTHETIC GRAPH SOURCE {COUNT} $&

Pele o reka kapa o qala

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Sehlopha sa tlelaemete sa dipatlisiso: Sebaka sa temo ha se eso hlake. Sehlopha sena ha se keletso e netefaditsweng bakeng sa polasi ena.

Seo o se tlalehileng ka polasi ena

Metsi nakong ya komello

Ha ho a rekotwa. Qetella phuputso ya sebaka mme o netefatse metsi pele o kgetha moralo o hlokang disebediswa tse ngata.

Serame polasing ena

Se bonweng ka serame sebakeng ha se a rekotwa. Dikarolelano tsa kgwedi tsa sathelaete di ke ke tsa tiisa matsatsi a pele le a ho qetela a serame.

Letsatsi le phallo ya metsi mobung

Letsatsi: ha ho a rekotwa.

Phallo ya metsi: ha ho a rekotwa. Diphetho tsa teko ya mobu le ditlhoko tsa sejalo ka seng di ntse di hloka ho hlahlojwa.

Direkoto tsa selemo sa tlaleho - eseng ponelopele

Dikakaretso le dikgwedi tsa selemo sa tlaleho se fetileng di hlalosa se tlalehilweng. Ha di tshepise dijo moralong o tlang.

Original eggs {year} $&

Kakaretso ya selemo e tlalehilweng ke molemi bakeng sa 2025: 240 eggs.

Tshebediso ya lelapa: 0 eggs. Ho rekisitsweng: ha ho a rekotwa.

Dikgwedi tsa kotulo tse tlalehilweng: Php, Phu. Tsena ke tse bonweng phuputsong, eseng ponelopele e ntjha ya tlhahiso.

Hlahloba yuniti le dikakaretso tse rekotilweng pele o sebedisa mola ona.

Fish

Kakaretso ya selemo e tlalehilweng ke molemi bakeng sa 2025: ha ho a rekotwa.

Tshebediso ya lelapa: ha ho a rekotwa. Ho rekisitsweng: ha ho a rekotwa.

Dikgwedi tsa kotulo tse tlalehilweng: ha ho a rekotwa. Tsena ke tse bonweng phuputsong, eseng ponelopele e ntjha ya tlhahiso.

Hlahloba yuniti le dikakaretso tse rekotilweng pele o sebedisa mola ona.

Meroho e meng

Kakaretso ya selemo e tlalehilweng ke molemi bakeng sa 2025: 12 kg.

Tshebediso ya lelapa: 7 kg. Ho rekisitsweng: 3 kg.

Dikgwedi tsa kotulo tse tlalehilweng: Phe, Tsh. Tsena ke tse bonweng phuputsong, eseng ponelopele e ntjha ya tlhahiso.

Hlahloba yuniti le dikakaretso tse rekotilweng pele o sebedisa mola ona.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo

Dinotshi: Honeybee (managed hives)

Meaho e 1 e teng; e 2 e sisintsweng. Kgwebo e kgethilweng: mahe a dinotshi. Ha ho nahannwe palo ya diphoofolo kapa tlhahiso.

Keletso ya ho reka: bapisa mofuta/diphoofolo le sehlahiswa, dijo tsa sebaka, maemo a lehodimo le bokgoni ba tlhokomelo; netefatsa le moeletsi wa sebaka wa mehlape kapa dinotshi.

Kotulo e itshetlehile ka sehlopha sa dinotshi, dipalesa le pula ya sebaka. Hlahloba ho butswa mme o siele dinotshi dijo; ha ho nako e tsitsitseng ya naha ya mahe a dinotshi.

Nako ya sehlahiswa sa pele: ha ho mohlodi bakeng sa kgwebo ena.

Tshupiso ya tlhahiso: 25 kg ya mahe a dinotshi/ka ntlo ya dinotshi (hive)/ka selemo. Ho tswa phuputsong ya naha ya poso ya 2008 ya barui ba dinotshi ba 112 bao e leng ditho tsa SABIO (ba arabileng e le 22.4%) ba laolang matlo a dinotshi a hakanyetswang ho 19,520 dibakeng tsa dinotshi tse 2,094; palo e tlalehilwe ke bona mme ha e a lekanngwa ka boima ba disampole. Tafole 7 (tokomane e tshwanang, maq.13-14) e bontsha phapang e kgolo ka sebaka/sepheo sa kgwebo/boholo selemong seo: mohl. sebaka sa 'All', dikgwebo tse shebaneng le mahe a dinotshi tsa boholo bohle = 25.1-26.9 kg/hive/yr dibakeng tse 3 tsa phuputso; tse shebaneng le mahe a dinotshi Western Cape = 23.6-27.9 kg/hive/yr; dikgwebo tse nyane tse shebaneng le ho tsamaisa peo ya dipalesa Western Cape = 7.0-7.5 kg/hive/yr feela. Tokomane e tshwanang e boetse e qotsa phuputso ya pejana e netefaditsweng ka thata ho feta: 'Karolelano ya chai eo ba e tlalehileng e tlase haholo, e le dikilogeramo tse 13.4 feela ka ntlo ya dinotshi' bakeng sa matlo a dinotshi a Western Cape (Allsopp & Cherry 2004, e qotsitswe leq.2 la pampiri ena), le dintlha tsa kgale tsa palo ya dinotshi ya naha tsa 8.3 kg/hive/annum (karolelano ya 1911-1988) tse nyolohelang ho 24 kg/hive palong ya 1974/5 (tokomane e tshwanang, leq.1). Ha ho palo e le nngwe e ka bitswang qeto e tiileng; 25 kg/hive/yr e sebediswa e le kakanyo ya sehlooho ya naha ya tokomane ka boyona.

Hlahloba ditshupiso tse qaqileng tsa kgwebo bakeng sa dijo le bodulo. Bapisa dijo le sebaka le boemo ba phoofolo le mokgwa wa bodulo; fana ka metsi a hlwekileng a tshepahalang.

Beha matlo a dinotshi hole le mabala a ho bapala, fana ka metsi a hlwekileng mme o sebedise sebaka se ommeng. Kopa morui wa dinotshi ya ngodisitsweng ho hlahloba ho bewa ho bolokehileng sebakeng sa heno pele o eketsa ntlo ya dinotshi.

Hlahloba sehlopha ka seng sa dinotshi kgafetsa bakeng sa matshwao a lefu la dinotshi le tlamehang ho tlalehwa le tshwaetso ya Cape-bee (Capensis).

Beha le ho sireletsa matlo a dinotshi kgahlanong le boshodu le tshenyo ya ka boomo, e leng e nngwe ya diphephetso tse kgolo ka ho fetisisa ho barui ba dinotshi ba Afrika Borwa.

Register with the Department before beekeeping. Registration lasts 24 months from registration or renewal and must be renewed when it expires.

A beekeeper who fails to renew registration at expiry will be deregistered and face penalties under the Act.

Beekeeping activities and hired beekeeping services require a valid registration certificate. Check the certificate before using a beekeeper.

Every beehive must be clearly and legibly marked with the beekeeper's registration number.

Keep written records of colonies, apiary locations, diseases, disease-control measures and colony losses with their reasons.

Do not move honeybees across the Cape bee line, or keep Cape bees north of it, without written approval.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Dinotshi: Honeybee (managed hives) (e tswela pele)

Report any suspected notifiable disease (American foulbrood is listed); officials can order an infected colony destroyed.

Mohlodi: FAO: Beekeeping in Africa, Site selection (general African apiary guidance)

Mohlodi: Department of Agriculture: Control Measures relating to honey-bees R.858 of 2013, consolidated with R.1511 of 22 November 2019, p. 6

Mohlodi: Gums & Bees: A roadmap for landowners in South Africa (South African National Biodiversity Institute, SANBI), p. 21

Mohlodi: Department of Agriculture: Control Measures relating to honey-bees R.858 of 2013, consolidated with R.1511 of 22 November 2019, control measures 2(1) and 2(4), p. 4

Mohlodi: Department of Agriculture: Control Measures relating to honey-bees R.858 of 2013, consolidated with R.1511 of 22 November 2019, control measure 2(5), p. 4

Mohlodi: Department of Agriculture: Control Measures relating to honey-bees R.858 of 2013, consolidated with R.1511 of 22 November 2019, control measures 2(8) and 2(9), p. 5

Mohlodi: Department of Agriculture: Control Measures relating to honey-bees R.858 of 2013, consolidated with R.1511 of 22 November 2019, p. 5

Mohlodi: Survey of Beekeeping in South Africa, CSSR Working Paper No. 221 (Conradie & Nortje, 2008, UCT Centre for Social Science Research), p. 14

Mohlodi: FAO, Beekeeping in Africa, honey harvesting

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Lesaka: Nguni / crossbred beef cattle (communal and extensive veld)

Meaho e 1 e teng; e 2 e sisintsweng. Kgwebo e kgethilweng: nama. Ha ho nahannwe palo ya diphoofolo kapa tlhahiso.

Keletso ya ho reka: bapisa mofuta/diphoofolo le sehlahiswa, dijo tsa sebaka, maemo a lehodimo le bokgoni ba tlhokomelo; netefatsa le moeletsi wa sebaka wa mehlape kapa dinotshi.

Nako ya sehlahiswa sa pele: ha ho mohlodi bakeng sa kgwebo ena.

Tshupiso ya tlhahiso: 114.5–121.2 kg ya boima nakong ya ho kgweswa/ka namane. Tafole 5 e fana ka boima nakong ya ho kgweswa (WW) dibakeng tse nne tsa temo le tikoloho bakeng sa mehlape e tshwanang e robong ya dikgomo tsa Nguni tsa kopanelo: sebaka se omeletseng 114.51 kg (se tlase ka ho fetisisa), se batlang se omme 119.98 kg, se ommeng se nang le mongobo o mahareng 117.91 kg, se mongobo 121.21 kg (se phahameng ka ho fetisisa). Moedi o ngotsweng mona o akaretsa dikarolelano tsa dibaka tse ommeng ho isa ho tse mongobo tsa phuputso ena feela; ha o kopantswe le dipalo tsa boima ba ho kgweswa tsa pampiri efe kapa efe e nngwe (diphuputso tse ding tsa Afrika Borwa di tlaleha meedi e fapaneng bakeng sa mekgwa e fapaneng - mohl. mehlape ya diteishene tsa dipatlisiso kapa ya ho tswadisa - mme e tlohetswe ka boomo ho qoba ho kopanya mekgwa). Manamane a Nguni a 826 a mehlape e robong eo pampiri ka boyona e reng e ne e 'ruilwe ka mokgwa wa makgulo a maholo' Profinseng ya Limpopo - mokgwa wa nnete wa kopanelo/wa makgulo a maholo o tsamaellanang le kgwebo ena.

Tshupiso ya nako ya tlhahiso: dilemo tse 6.4. Matsatsi a 2354 / 365.25 = dilemo tse 6.44. 'Failure time' ke bolelele ba bophelo ba tlhahiso mohlapeng bakeng sa direkoto tse 580 tse sa kgaotswang (tse shebilweng ho fihlela qetellong) dintlheng tse kopantsweng; sengolwa sa dipatlisiso ka bosona se hlalosa bophelo ba tlhahiso mohlapeng e le 'nako e pakeng tsa letsatsi la ho tswala namane la pele le letsatsi la ho ntshwa mohlapeng'. Dintlha tse kopantsweng di tswa mehlapeng e meraro ya Nguni ya ho tswadisa e fulang makgulong a maholo, diphoofolo tse tswetsweng ka 1968-2015.

Hlahloba ditshupiso tse qaqileng tsa kgwebo bakeng sa dijo le bodulo. Bapisa dijo le sebaka le boemo ba phoofolo le mokgwa wa bodulo; fana ka metsi a hlwekileng a tshepahalang.

Masaka a dikgomo ha a tshwanela ho tlala haholo: ho tshwanetse ho ba le sebaka se lekaneng sa fatshe hore phoofolo e nngwe le e nngwe e robale ka nako e le nngwe.

Nakong ya dipalangwang, kgomo ka nngwe e tshwanetse ho ba le bonyane 1.4 m² ya sebaka sa fatshe hore ho laiswa ho se ke ha petetsana haholo kapa ha ba le sebaka se seholo haholo.

Dikgomo ha di a tshwanela ho tsamaiswa dihora tse fetang 18 di sa theolwe mme tsa fuwa dijo, metsi le bodulo bo di sireletsang.

Ke tlolo ya molao ho bolaisa dikgomo tlala, ho di fepa hanyane haholo, kapa ho di hanela metsi kapa dijo.

Foot-and-mouth disease (FMD) is a controlled animal disease under the Animal Diseases Act: state Veterinary Services enforce isolation and movement restrictions.

Every cattle owner must register an official identification mark and brand or mark their cattle with it, under the Animal Identification Act.

Any suspected or confirmed brucellosis-related abortion in cattle must be reported to the State Veterinary office, as part of the national bovine brucellosis control scheme under the Animal Diseases Act.

No animal may be slaughtered anywhere but a registered abattoir, with the exception below.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Lesaka: Nguni / crossbred beef cattle (communal and extensive veld) (e tswela pele)

Slaughter for the farmer's own household consumption, or for cultural or religious purposes, is exempt from the abattoir rule.

Mohlodi: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.1.2, p. 4

Mohlodi: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.4.6.1, p. 7

Mohlodi: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.7.1, p. 9

Mohlodi: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Mohlodi: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Mohlodi: Animal Identification Act 6 of 2002, s.7(1), p. 4

Mohlodi: Marumo, Hlokwe & Kayoka-Kabongo, Seroprevalence of brucellosis in communal and smallholder cattle farming in North West Province, South Africa, Onderstepoort Journal of Veterinary Research (PMC10784229)

Mohlodi: Meat Safety Act 40 of 2000, s.7(1)(a), p. 6

Mohlodi: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Mohlodi: Mpofu, Ginindza, Siwendu, Nephawe & Mtileni (2016). Effect of agro-ecological zone, season of birth and sex on pre-weaning performance of Nguni calves in Limpopo Province, South Africa. Tropical Animal Health and Production 49:187-194 (PMC5203849), Table 5

Mohlodi: Ngayo, M. (2017). Factors Affecting Productive Life and Fertility in Nguni Cows (MSc dissertation, University of the Free State), Table 5.1, p. 58

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Lesaka: Small-scale dairy cow (Jersey, Holstein or crossbred)

Meaho e 1 e teng; e 2 e sisintsweng. Kgwebo e kgethilweng: lebese. Ha ho nahannwe palo ya diphoofolo kapa tlhahiso.

Keletso ya ho reka: bapisa mofuta/diphoofolo le sehlahiswa, dijo tsa sebaka, maemo a lehodimo le bokgoni ba tlhokomelo; netefatsa le moeletsi wa sebaka wa mehlape kapa dinotshi.

Rera ho ya ka ho tswala ha nnete ha manamane/madinyane le nako ya lebese. Diphoofolo tse sa hlahiseng lebese ha di fane ka lona.

Tshupiso ya sehlahiswa sa pele: dibeke tse 121.8–130.5. Tafole 1, kholomo ya AFC, mela ka tatellano ya tafole Holstein-Friesland Reg./Grade, Jersey Reg./Grade, Ayrshire Reg./Grade: dikgwedi tse 28, 30, 25, 28, 29, 32. Mela ya Grade e sebediswang mona ke Holstein-Friesland 30 le Jersey 28 (Grade Ayrshire 32 ha e sebediswe: kgwebo ke ya mofuta wa Jersey kapa Holstein). 28 x 4.35 = dibeke tse 121.8; 30 x 4.35 = dibeke tse 130.5. Lebese le qala ha namane ya pele e tswalwa, kahoo dilemo tsa ho tswala namane ya pele ke nako ya sehlahiswa sa pele.

Tshupiso ya tlhahiso: 3840–5422 kg ya lebese/ka kgomo e tshehadi/ka nako ya ho hlahisa lebese. Tafole 1 ('Papiso ya palo ya dikgomo tse tshehadi, tlhahiso le kemolo mefuteng e meholo ya lebese Afrika Borwa'), kholomo ya Milk, mela ya Grade: Jersey 3840 kg le Holstein-Friesland 5422 kg ka nako ka nngwe ya tlhahiso ya lebese (mela ya Registered: 4468 le 6426 kg). Tokomane e re ena ke mehlape ya National Milk Recording Scheme, 'eo ho bontshitsweng hore e laolwa hantle ho feta e ka ntle ho lenaneo, tlhahiso ya yona ka nako ka nngwe ya lebese e feta ya mohlape wa naha ka 50 %', kahoo mohlape wa morui e monyane o lokela ho lebella se ka tlase.

Tshupiso ya nako ya tlhahiso: dilemo tse 1.9–2. Holstein matsatsi a 739.33 le Jersey a 696.81 a bophelo ba tlhahiso (ho tloha ho tswaleng namane ya pele ho isa ho ntshwa mohlapeng) mehlapeng ya Afrika Borwa e rekotelwang lebese, 2000-2019: 696.81/365.25 = 1.91 le 739.33/365.25 = dilemo tse 2.02.

Tshupiso ya dilemo/mokgwa: Dibakeng tse tjhesang, tse mongobo tsa KZN, KZN DARD e hlalosa diteko tsa dikgomo tsa lebese tsa Nguni × Jersey Makhathini ho kopanya bokgoni ba lebese le ho ikamahanya le sebaka. Ho hama ka letsoho namane e le teng ho bontsha tlhodisano pakeng tsa lebese la lelapa le kgolo ya namane. Buisanang sebakeng sa heno ka diphoofolo tse ikamahantseng le sebaka le phepo; dipalo tsohle tsa direkoto tsa lebese tsa kgwebo ha di bolele sephetho sa mokgwa ona esale pele. Rekota ho tswalwa ha namane, mohato wa tlhahiso ya lebese le lebese le fumanehang ka mora ditlhoko tsa namane.

Hlahloba ditshupiso tse qaqileng tsa kgwebo bakeng sa dijo le bodulo. Bapisa dijo le sebaka le boemo ba phoofolo le mokgwa wa bodulo; fana ka metsi a hlwekileng a tshepahalang.

Masaka a dikgomo ha a tshwanela ho tlala haholo: ho tshwanetse ho ba le sebaka se lekaneng sa fatshe hore phoofolo e nngwe le e nngwe e robale ka nako e le nngwe.

Dikgomo tse tshehadi ha di a tshwanela ho laiswa bakeng sa dipalangwang haeba matswele a tsona a ruruhile ka lebese.

Dikgomo ha di a tshwanela ho tsamaiswa dihora tse fetang 18 di sa theolwe mme tsa fuwa dijo, metsi le bodulo bo di sireletsang.

Ke tlolo ya molao ho bolaisa kgomo ya lebese tlala, ho e fepa hanyane haholo, kapa ho e hanela metsi kapa dijo.

Dikgomo tse tshehadi makgulong kapa dikampong tse bulehileng di hloka moriti: meaho ya moriti e tshwanetse ho fana ka bonyane 4 ho isa ho 5 m^2 ya moriti ka kgomo.

Foot-and-mouth disease (FMD) is a controlled animal disease under the Animal Diseases Act: state Veterinary Services enforce isolation and movement restrictions.

Every cattle owner must register an official identification mark and brand or mark their cattle with it, under the Animal Identification Act.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Lesaka: Small-scale dairy cow (Jersey, Holstein or crossbred) (e tswela pele)

Dairy farmers are legally required to test their herds for bovine TB, mainly because of export requirements, so most dairy cattle in South Africa are tested.

Any suspected or confirmed brucellosis-related abortion in cattle must be reported to the State Veterinary office, under the national bovine brucellosis control scheme.

A cull cow may be slaughtered only at an abattoir, except for the farmer's own consumption or for cultural or religious purposes.

Mohlodi: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.1.2, p. 4

Mohlodi: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.6.13, p. 9

Mohlodi: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.7.1, p. 9

Mohlodi: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Mohlodi: Muller, C.J.C., The Dairy Farming Handbook (2017), Western Cape Department of Agriculture (Elsenburg), p. 129

Mohlodi: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Mohlodi: Animal Identification Act 6 of 2002, s.7(1), p. 4

Mohlodi: Bovine tuberculosis / dairy herd testing study, PMC10369683

Mohlodi: Marumo, Hlokwe & Kayoka-Kabongo, Seroprevalence of brucellosis in communal and smallholder cattle farming in North West Province, South Africa, Onderstepoort Journal of Veterinary Research (PMC10784229)

Mohlodi: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Mohlodi: KZN DARD: Subsistence Dairying in KZN, Makhathini Research Station trials

Mohlodi: Muller, C.J.C., The Dairy Farming Handbook (2017), Western Cape Department of Agriculture (Elsenburg), p. 10

Mohlodi: Muller, C.J.C., The Dairy Farming Handbook (2017), Western Cape Department of Agriculture (Elsenburg), Table 21.1, p. 122

Mohlodi: Gertenbach, W.D., Dairying in KwaZulu-Natal: Breeds of Dairy Cattle, Cedara Agricultural Development Institute, KZN Department of Agriculture and Rural Development, Table 1, p. 1

Mohlodi: Cow Longevity and Reasons and Risk Factors for Culling in South African Holstein and Jersey Dairy Herds, Animals 2025 (PMC12560872)

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Dikgoho: Broilers (commercial)

Meaho e 1 e teng; e 2 e sisintsweng. Kgwebo e kgethilweng: nama. Ha ho nahannwe palo ya diphoofolo kapa tlhahiso.

Keletso ya ho reka: kgetha mofuta wa nama le moralo wa dihlopha wa mofani; netefatsa kgodiso ya ditsuonyana ka mofuthu, dijo, metsi le ditokisetso tsa ho hlaba.

Rera dijo tse leka-lekaneng, metsi a hlwekileng, moriti, moya le tshireletso ho dibatana. Phepelo ya mahe e itshetlehile ka dinonyana tse behelang, dilemo tsa tsona, bophelo le tlhokomelo; hoko feela ha e fane ka mahe.

Tshupiso ya sehlahiswa sa pele: dibeke tse 4.6–4.7. Matsatsi a 32 / 7 = dibeke tse 4.57; matsatsi a 33 / 7 = dibeke tse 4.71. Kgwebo ena e na le potoloho e le nngwe ya kgodiso e qetellang ka ho hlajwa, kahoo 'nako ya sehlahiswa sa pele' = dilemo ha phoofolo e hlajwa. Afrika Borwa, karolelano ya indasteri ya kgwebo.

Tshupiso ya tlhahiso: 1.8–1.9 kg/ka nonyana nakong ya ho hlajwa (matsatsi a 32–33). Karolelano ya naha ya indasteri ya dikgogo tsa nama tsa kgwebo, Afrika Borwa, 2022. Tafole e fapaneng ya teko ya mefuta (Tafole 4b, tokomane e tshwanang, leq.39) e fana ka 'Cumulative FI (kg)' le 'Body weight (kg)' bakeng sa mefuta e bitsitsweng ka mabitso matsatsing a 35 hantle: Arbor Acres Plus 2.29kg, Cobb 500 2.52kg, Indian River 2.30kg, Ross 308 2.30kg (dijo tsohle tse jelweng 3.21-3.64kg) - dilemo tse fetang hanyane (35 ha ho bapiswa le matsatsi a 32-33) le boima bo phahameng ho feta karolelano ya indasteri yohle e qotsitsweng ka hodimo; ha e kopantswe le palo e ka sehloohong hobane ke sehlopha sa dintlha se fapaneng (sa teko ya maemo a mefuta), empa e sebediswa ka tlase bakeng sa palo ya dijo tse jelweng.

Tshupiso ya dilemo/mokgwa: Tshupiso e ntjha ya kgwebo ya Afrika Borwa: SAPA 2024 e tlaleha karolelano ya ho hlajwa ka matsatsi a 30–31 ka boima ba kgogo ba 1.8–1.85 kg. Moedi o ka sehloohong ka hodimo o sala e le tshupiso ya pejana ya 2022 matsatsing a 32–33. Tsena ke boima ba dikgogo tsa kgwebo, eseng kg ya nama e lokisitsweng kapa sepheo sa mohlape wa motseng. Rekota dilemo ho tloha ho qhotswa kapa ha ho rekwa, mokgwa wa phepo, letsatsi la nnete la kotulo le motheo wa sehlahiswa se lekantsweng.

Hlahloba ditshupiso tse qaqileng tsa kgwebo bakeng sa dijo le bodulo. Bapisa dijo le sebaka le boemo ba phoofolo le mokgwa wa bodulo; fana ka metsi a hlwekileng a tshepahalang.

Dikgoho tsa nama tse dulang fatshe ka tlung: boima ba dikgoho bo se ke ba feta 40 kg ka mithara ya sekwere.

Madinyane a dikgoho a sa tswa qhotswa a tshwanetse ho fuwa dijo nakong ya dihora tse 24 ka mora ho qhotswa.

Madinyane a dikgoho a sa tswa qhotswa a tshwanetse ho fumana metsi nakong ya dihora tse 24 ka mora ho qhotswa, kapele ho feta moo ha ho tjhesa.

Metsi a hlwekileng le dijo tse nepahetseng di dule di fumaneha, hore dikgoho di se ke tsa lapa kapa tsa nyorwa.

Matlo a dikgoho tsa nama a hloka tekanyo ya moya o kenang le o phallang ya bonyane dimithara tse 5 tsa khubiki ka hora bakeng sa khilograma ka nngwe ya boima ba dikgoho tse ka tlung.

Tlhahisong ya dikgoho tsa nama tse itsamaelang kantle, palo e bolokwang ka tlung ha e a tshwanela ho feta dikgoho tse 15 ka mithara ya sekwere ya fatshe.

An owner or manager whose animals are, or may be, infected with a controlled animal disease must report it to the state veterinary director immediately.

Newcastle disease and notifiable avian influenza are on the state list of controlled and notifiable animal diseases.

No animal may be slaughtered anywhere but an abattoir, with the exceptions below.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Dikgoho: Broilers (commercial) (e tswela pele)

Slaughter for your own household, or for cultural or religious purposes, is exempt from the abattoir rule.

Mohlodi: SAPA Code of Practice for Broiler Production (May 2012), 2.2 Housing of broilers in Floor Systems, p. 6

Mohlodi: SAPA Code of Practice for Broiler Production (May 2012), p. 11

Mohlodi: SAPA Code of Practice for Broiler Production (May 2012), p. 12

Mohlodi: SAPA Code of Practice for Broiler Production (May 2012), p. 7

Mohlodi: SAPA Code of Practice for Broiler Production (May 2012), p. 8

Mohlodi: SAPA Code of Practice for Broiler Production (May 2012), 2.4 Free Range Broiler Production, p. 8

Mohlodi: Animal Diseases Act 35 of 1984, s.11(1)(b)(ii), p. 9

Mohlodi: Department of Agriculture, Forestry and Fisheries, Controlled and Notifiable Animal Diseases (factsheet), p. 1

Mohlodi: Meat Safety Act 40 of 2000, s.7(1)(a), p. 6

Mohlodi: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Mohlodi: SAPA Industry Profile 2024, section 7.9 Performance efficiency, p. 82

Mohlodi: SAPA Industry Profile 2022, section 6.9 Performance efficiency, p. 79

Mohlodi: ARC Climate-Smart Agriculture, module 11, printed pp. 468–480

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Dikgoho: Village chickens (indigenous, free-range)

Meaho e 1 e teng; e 2 e sisintsweng. Kgwebo e kgethilweng: mahe. Ha ho nahannwe palo ya diphoofolo kapa tlhahiso.

Buying advice: Potchefstroom Koekoek is a dual-purpose option; Venda, Ovambo and Naked Neck are other ARC-conserved options. No province-specific winning breed is claimed.

Rera dijo tse leka-lekaneng, metsi a hlwekileng, moriti, moya le tshireletso ho dibatana. Phepelo ya mahe e itshetlehile ka dinonyana tse behelang, dilemo tsa tsona, bophelo le tlhokomelo; hoko feela ha e fane ka mahe.

Bokella mahe kgafetsa, boloka moo dihlaha di alwang ho hlwekile ho omme, mme o tshware/boloke mahe ka hloko bakeng sa tshebediso ya lelapa kapa thekiso.

Tshupiso ya sehlahiswa sa pele: dibeke tse 15.7–27.8. Dikgogo tsa metseng tse tsamayang ka bolokolohi, KwaZulu-Natal; tsa tikoloho e ommeng di qadile ho behela kapele (dibeke tse 15.74) ho feta tsa tikoloho e metsi (dibeke tse 27.78), phapang e tshwailwe e le ya bohlokwa ka dipalopalo ('*') tafoleng ya mohlodi. Moedi o pharaletseng o bontsha phapang ya nnete ya tikoloho ya sehla se ommeng/se metsi e tlalehilweng ke mohlodi, eseng ho se tiisehe ha tekanyo.

Tshupiso ya tlhahiso: 40.4–49.9 mahe/ka kgoho e tshehadi/ka selemo. Dikgogo tsa metseng tse tsamayang ka bolokolohi/tse ipatlelang dijo, KwaZulu-Natal: tikoloho e ommeng (40.43) ha e bapiswa le e metsi (49.91), phapang ha e ya bohlokwa ka dipalopalo ('NS'). Teko ya ARC Irene tlasa mokgwa o laolwang ya mefuta ya setso e bitsitsweng ka mabitso (Grobbelaar, Sutherland & Molalakgotla 2010, Animal Genetic Resources 46: 25-32) e tlaleha dipalo tse phahameng haholo, jwale di netefaditswe ka thoko mme di bolokilwe ho productionReferences; maemo a laolwang a ke ke a nkela moedi ona wa motseng sebaka.

Tshupiso ya dilemo/mokgwa: Teko ya ARC Irene e bapisitse Potchefstroom Koekoek, Venda, Ovambo le Naked Neck tlasa dijo tsa kgwebo, metsi le mabone a laolwang. Karolelano ya mahe/kgogo e tshehadi potolohong ya dibeke tse 52 e ne e le 195.9, 153.7, 125.5 le 138.9 ka tatellano; dilemo tsa lehe la pele e ne e le matsatsi a 138.5, 139.0, 134.5 le 129.0 ho tloha ho qhotswa, ho se na phapang ya bohlokwa ka dipalopalo ya dilemo tsa lehe la pele pakeng tsa mefuta. Ena ke moelelo wa mefuta e laolwang, eseng chai ya dikgogo tse itsomelang dijo KZN. Nyalanya phepo le bodulo pele o sebedisa tekanyetso ya papiso.

Hlahloba ditshupiso tse qaqileng tsa kgwebo bakeng sa dijo le bodulo. Bapisa dijo le sebaka le boemo ba phoofolo le mokgwa wa bodulo; fana ka metsi a hlwekileng a tshepahalang.

Mekgweng ya metseng ya ho rua sebakeng se seholo se bulehileng, dikgoho di tshwanetse ho ipatlela metsi le dijo.

Dikgoho tsa metseng tse ipatlelang dijo di hola butle ho feta tse ruwang kgwebong mme di kotsing e kgolo ya mafu, dikokwana-hloko tse phelang ho tsona le dibatana.

Phuputsong ya Limpopo le KwaZulu-Natal, 94.9% ya balemi ba ne ba kenya dikgoho tsa bona ka matlung bosiu.

Dijo tseo dikgoho tse tshehadi tse itsamaelang di neng di ipatlela tsona di ne di lekana ho hlokomela mmele le kgolo empa di sa lekane bakeng sa ho behela mahe: protheine dihleng tsohle, calcium le phosphorus mariha.

An owner or manager whose animals are, or may be, infected with a controlled animal disease must report it to the state veterinary director immediately.

Newcastle disease and notifiable avian influenza are on the state list of controlled and notifiable animal diseases.

No animal may be slaughtered anywhere but an abattoir, with the exceptions below.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Dikgoho: Village chickens (indigenous, free-range) (e tswela pele)

Slaughter for your own household, or for cultural or religious purposes, is exempt from the abattoir rule.

Mohlodi: ARC, Climate-Smart Agriculture Training Manual, Module 11: Poultry Production, p. 471

Mohlodi: ARC, Climate-Smart Agriculture Training Manual, Module 11: Poultry Production, p. 468

Mohlodi: Malatji, Tsotetsi, van Marle-Koster & Muchadeyi (2016), 'A description of village chicken production systems and prevalence of gastrointestinal parasites: Case studies in Limpopo and KwaZulu-Natal provinces of South Africa', Onderstepoort Journal of Veterinary Research 83(1)

Mohlodi: Raphulu, Jansen van Rensburg & van Ryssen (2015), 'Nutrient content of crop contents of free ranging indigenous chickens raised under village conditions', South African Journal of Animal Science 45(2), p. 1

Mohlodi: Animal Diseases Act 35 of 1984, s.11(1)(b)(ii), p. 9

Mohlodi: Department of Agriculture, Forestry and Fisheries, Controlled and Notifiable Animal Diseases (factsheet), p. 1

Mohlodi: Meat Safety Act 40 of 2000, s.7(1)(a), p. 6

Mohlodi: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Mohlodi: Grobbelaar, Sutherland & Molalakgotla (2010), Egg production potentials of certain indigenous chicken breeds from South Africa: methods pp27–28, first-egg p29, Table 4 p31, p. 31

Mohlodi: Tenza, Mhlongo & Chimonyo (2023), 'Village chicken production and egg quality in dry and wet, resource-limited environments in KwaZulu-Natal, South Africa', South African Journal of Animal Science 53(6), p. 5

Mohlodi: ARC Climate-Smart Agriculture, module 11, printed pp. 468–480

Mohlodi: FAO: Small-scale poultry production, egg marketing

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Dikgoho: Laying hens (commercial)

Meaho e 1 e teng; e 2 e sisintsweng. Kgwebo e kgethilweng: mahe. Ha ho nahannwe palo ya diphoofolo kapa tlhahiso.

Keletso ya ho reka: bakeng sa tlhahiso ya mahe, kopa dikgoho tse nyane tse entilweng tse haufi le ho behela ho mofani wa dikgoho tse behelang, ka direkoto tsa dilemo, phepo le ente.

Rera dijo tse leka-lekaneng, metsi a hlwekileng, moriti, moya le tshireletso ho dibatana. Phepelo ya mahe e itshetlehile ka dinonyana tse behelang, dilemo tsa tsona, bophelo le tlhokomelo; hoko feela ha e fane ka mahe.

Bokella mahe kgafetsa, boloka moo dihlaha di alwang ho hlwekile ho omme, mme o tshware/boloke mahe ka hloko bakeng sa tshebediso ya lelapa kapa thekiso.

Tshupiso ya nako: Ka letsatsi la kganya le sa fetoheng la dihora tse 14–16, dikgoho tsa mahe tsa kgwebo di tswela pele ho behela ka tekanyo e phahameng selemo sohle. Tshupiso ena ya taolo ya kgwebo ha e bolele phepelo ya mahe ya lelapa e lekanang ka tlhaho.

Tshupiso ya sehlahiswa sa pele: dibeke tse 21. Dilemo tsa nonyana ho tloha ho qhotswa; netefatsa mofuta le kgodiso le mofani. Dinonyana tse haufi le ho behela di qala hamorao potolohong ena.

Tshupiso ya tlhahiso: 407.1–428.6 mahe/ka kgoho e tshehadi e kentsweng ntlong (hen housed), potoloho ya ho behela ho fihlela dibeke tse 90. Tafole 4a e fana ka kakaretso e bokellaneng ya 'Eggs/hen housed' bakeng sa mefuta e mehlano ya kgwebo; tafole e tshwanang e fana ka 'Age at depop. weeks 90.0' bakeng sa mofuta ka mong. Ke karolelano ya matlo/masaka a dikgogo tsa kgwebo, eseng teko ya morui e monyane ya dikgogo tse tsamayang kantle. E bolokilwe jwalokaha mohlodi o e fana: palo ya selemo e ka hloka dilemo tsa ho ba haufi le ho behela tse tswang tokomaneng e nngwe.

Tshupiso ya dilemo/mokgwa: Maemo a mefuta ya kgwebo ya SAPA 2024 a bokellaneng ho fihlela dibeke tse 90: Dekalb Amberlink 429 eggs/hen housed, Dekalb Brown 428, Hy-Line Silver Brown 435, Hy-Line Brown 434 le Lohmann Brown Lite 413. Tsena ke dipheo tsa potoloho e felletseng, eseng mahe ka selemo sa khalendara kapa ponelopele ya morui e monyane. Dilemo ha ho rekwa, nako ya nnete ya ho qala ho behela, dikgogo tse tshehadi tse behelang tse ntseng di phela, dijo, metsi le mabone di hloka direkoto tse arohaneng.

Hlahloba ditshupiso tse qaqileng tsa kgwebo bakeng sa dijo le bodulo. Bapisa dijo le sebaka le boemo ba phoofolo le mokgwa wa bodulo; fana ka metsi a hlwekileng a tshepahalang.

Mekgweng ya ho rua e dumellang ho itsamaela kantle, dikgoho tse tshehadi di tshwanetse ho fumana sebaka sa kantle bonyane dihora tse 8 ka letsatsi ha ho kganya.

Moo ho sebediswang mabokose a dihlaha ka bonngwe, ho be le bonyane sehlaha se le seng bakeng sa dikgoho tse tshehadi tse 8.

Dikgoho tse tshehadi di hloka bonyane dihora tse 8 tsa lefifi le sa kgaotsweng potolohong e nngwe le e nngwe ya dihora tse 24 hore di phomole hantle.

Ho rua fatshe ka tlung ho hloka dintho tsa ho ala bonyane karolong e le nngwe ho tse tharo (33%) ya fatshe.

Sebaka sa kantle sa ho itsamaela ha se a tshwanela ho tlala haholo: ho se be le dikgoho tse fetang 5 ka mithara ya sekwere ya sebaka seo.

An owner or manager whose animals are, or may be, infected with a controlled animal disease must report it to the state veterinary director immediately.

Newcastle disease and notifiable avian influenza are on the state list of controlled and notifiable animal diseases.

No animal may be slaughtered anywhere but an abattoir, with the exceptions below.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Dikgoho: Laying hens (commercial) (e tswela pele)

Slaughter for your own household, or for cultural or religious purposes, is exempt from the abattoir rule.

Mohlodi: SAPA Abridged Code of Practice: Commercial Layers, p. 1

Mohlodi: Animal Diseases Act 35 of 1984, s.11(1)(b)(ii), p. 9

Mohlodi: Department of Agriculture, Forestry and Fisheries, Controlled and Notifiable Animal Diseases (factsheet), p. 1

Mohlodi: Meat Safety Act 40 of 2000, s.7(1)(a), p. 6

Mohlodi: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Mohlodi: SAPA Industry Profile 2024, Table 4: commercial standards cumulative to 90 weeks, p. 39

Mohlodi: SAPA Layer Notes, Commercial Layers (training module, November 2013), p. 13

Mohlodi: SAPA Industry Profile 2022, Table 4a (Breed standards in laying hens), p. 39

Mohlodi: ARC Climate-Smart Agriculture Training Manual, Poultry production, p. 8

Mohlodi: ARC Climate-Smart Agriculture, module 11, printed pp. 468–480

Mohlodi: FAO: Small-scale poultry production, egg marketing

Mohlodi: SAPA Layer Notes, Commercial Layers (training module, November 2013)

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Matata: Meat duck (Pekin / Muscovy, backyard)

Meaho e 1 e teng; e 2 e sisintsweng. Kgwebo e kgethilweng: nama. Ha ho nahannwe palo ya diphoofolo kapa tlhahiso.

Keletso ya ho reka: bapisa mofuta/diphoofolo le sehlahiswa, dijo tsa sebaka, maemo a lehodimo le bokgoni ba tlhokomelo; netefatsa le moeletsi wa sebaka wa mehlape kapa dinotshi.

Tshupiso ya sehlahiswa sa pele: dibeke tse 7–12. P44 = Pekin (dibeke tse 7 ho fihlela ho hlajwa); MR71 = Muscovy (dibeke tse 10 bakeng sa matata a tshehadi, tse 12 bakeng sa a tona). E nkuwa e le 'nako ya sehlahiswa sa pele' = dilemo tsa ho hlajwa, hobane ena ke kgwebo ya nama ya potoloho e le nngwe (ha ho sehlahiswa se phetwang jwaloka mahe). Ke teko e seng ya Afrika Borwa ya bafuputsi ba Warsaw, e phatlaladitsweng ho SAJAS; sebaka sa jenale ha se tiise hore e loketse sebaka sa heno.

Tshupiso ya tlhahiso: 2.3–2.9 kg ya boima bo phelang/ka nonyana nakong ya ho hlajwa. Ha se ya Afrika Borwa (phuputso ya Guyana e tlalehang qotso ya Steklenev 1990); ha ho palo e tobileng ya boima bo phelang ba ho hlajwa ya Afrika Borwa e fumanweng (sheba dikgeo). 2.93 kg = Pekin dibekeng tse 8-10, 2.29 kg = Muscovy dibekeng tse 8-10 - e tsamaellana le mefuta e mmedi ya kgwebo ena. Teko ya pampiri e tshwanang ya LRRD ka boyona (Tafole 2, mokgwa o matla wa tlhokomelo, Guyana) e lekantse boima bo phelang ha ho hlajwa (dibeke tse 8) e le: Pekin tse tona 2.53 kg, Pekin tse tshehadi 2.29 kg, Muscovy tse tona 2.47 kg, Muscovy tse tshehadi 1.51 kg - e tsamaellanang ka kakaretso le moedi o qotsitsweng ka hodimo, empa e sa kopanngwe le wona hobane ke dintlha/tafole e fapaneng mohloding o tshwanang. Ha ho palo e nang le mohlodi ya mahe/letata/selemo e fumanweng bakeng sa mofuta ofe kapa ofe (sheba dikgeo); mehlodi ya LRRD le SAJAS e sebediswang mona e ithutile matata a ruilweng bakeng sa nama feela.

Hlahloba ditshupiso tse qaqileng tsa kgwebo bakeng sa dijo le bodulo. Bapisa dijo le sebaka le boemo ba phoofolo le mokgwa wa bodulo; fana ka metsi a hlwekileng a tshepahalang.

Ke tlolo ya molao ho hanela letata dijo kapa metsi, kapa ho le boloka moo ho se nang sebaka se lekaneng, moya o lekaneng, kganya kapa tshireletso mochesong le serameng.

Sheba mehlapeng ho shwa ha tshohanyetso, masiba a hlakorileng, ho ruruha ha dinama tse leketlang tlasa molomo kapa dikama tsa hloohong, kapa ho theoha ha tshohanyetso ha tlhahiso ya mahe - ana ke matshwao a mokakallane wa dinonyana mme a tshwanetse ho tlalehwa hang-hang.

Boloka matata hole le dinonyana tse hlaha le metsi kapa dijo tse pepeneneng tse di hohelang, mme o laole ho kena ha baeti matlong a matata, ho fokotsa kotsi ya mokakallane wa dinonyana.

Ducks are one of the domesticated animal species listed in the Meat Safety Act, so its rules on registered abattoirs and hygiene apply to them.

Ducks slaughtered to be sold must be slaughtered at a registered abattoir; slaughter for the farmer's own consumption is exempt but that meat may not be sold.

At the abattoir, ducks must be handled humanely during loading, transport, offloading, housing, immobilising and killing, under the Animals Protection Act.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Matata: Meat duck (Pekin / Muscovy, backyard) (e tswela pele)

Ducks are birds/poultry, so an outbreak of avian influenza in a duck flock is a controlled animal disease under the Animal Diseases Act and must be reported to the state vet immediately.

Mohlodi: Animals Protection Act 71 of 1962 (consolidated text, s.2(1)(b)-(c)), p. 2

Mohlodi: Western Cape Department of Agriculture, Avian Influenza (Bird Flu) factsheet, p. 2

Mohlodi: Meat Safety Act 40 of 2000, Schedule 1 (Animals to which this Act applies), p. 16

Mohlodi: Meat Safety Act 40 of 2000, s.7, p. 6

Mohlodi: Meat Safety Act 40 of 2000, s.9, p. 7

Mohlodi: Damaziak et al. (2014), Influence of housing system on the growth and histological structure of duck muscles, S. Afr. J. Anim. Sci. 44(2): Poland trial

Mohlodi: Livestock Research for Rural Development 18(11) 2006 - Solomon et al. (Guyana; not an SA figure), citing Steklenev 1990

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Letangwana: Tilapia (Mozambique tilapia, small pond or tank)

Meaho e 1 e teng; e 2 e sisintsweng. Kgwebo e kgethilweng: tlhapi. Ha ho nahannwe palo ya diphoofolo kapa tlhahiso.

Keletso ya ho reka: bapisa mofuta/diphoofolo le sehlahiswa, dijo tsa sebaka, maemo a lehodimo le bokgoni ba tlhokomelo; netefatsa le moeletsi wa sebaka wa mehlape kapa dinotshi.

Tshupiso ya sehlahiswa sa pele: dibeke tse 43.5–52.2. Dikgwedi tse 10 x 4.35 = dibeke tse 43.5; dikgwedi tse 12 x 4.35 = dibeke tse 52.2. Ena ke nako ya kgodiso ya Mozambique Tilapia (O. mossambicus) ho fihlela boholo bo ka kotulwang; mohlodi o bolela ka thoko hore Nile Tilapia (O. niloticus) e fihla ho butsweng ho ka kotulwang kapele, ka dikgwedi tse 6-10 (= dibeke tse 26.1-43.5) — ha e sebediswe mona hobane ke mofuta o fapaneng o nang le boemo bo fapaneng ba molao (sheba 'molao').

Tshupiso ya tlhahiso: 800 g ya boima nakong ya kotulo/ka tlhapi. Tafole 8-3 e fana ka boholo bo ka kotulwang ba Mozambique Tilapia e le palo e le nngwe e hakanyeditsweng ('+- 800g'), eseng moedi, kahoo [800, 800] e sebediswa ho ena le ho iqapela pharallo. Sele e tshwanang ya tafole e arola '10-12' ka kgefutso ya mola ho PDF ('10-\n12'), e bolokilwe e le jwalo. Mola wa Nile Tilapia tafoleng o fana ka boima bo tshwanang bo hakanyeditsweng (+-800g) bo fihlelwang kapele, ka dikgwedi tse 6-10 — ha o sebediswe mona hobane dosiye ena e thehilwe ho Mozambique Tilapia ya tlhaho e sa thibelwang ka molao ho ya ka taelo ya mosebetsi; sheba 'molao' bakeng sa lebaka leo Nile Tilapia e tshwarwang ka thoko. Ha ho mohlodi wa Afrika Borwa o fumanweng o fanang ka palo ya phetoho ya dijo kapa chai ka hektare e tobileng O. mossambicus e ka fetolelwang yuniti ena ka tlhapi ntle le ho kopanya dipalo tsa ditokomane tse fapaneng, kahoo outputUnit e latela yuniti ya mohlodi ka boyona (digeramo tsa boima ha ho kotulwa ka tlhapi) ho ena le ho fetolwa.

Tshupiso ya dilemo/mokgwa: ARC e etsa hore ho tshwaneleha ha tilapia ho itshetlehe ka mocheso wa metsi: kgodiso ya lehlabula e ka lokela kae kapa kae Afrika Borwa ha metsi a feta 20°C; kgolo e fokola ka tlase ho 18°C mme metsi a mariha a ka tlase ho 13°C a ka bolaya tilapia e ruilweng. Tshupiso ya Highveld ke sejalo sa lehlabula; dithanele di ka atolosa sebaka sa ho kgona ho e rua. Lekanya metsi a letamo mme o netefatse mofuta o kenngwang le matsatsi. Boemo ba lehodimo ba moya kapa letamo le mmapeng ha di pake dikgwedi tsa kotulo, dipalo tsa ditlhapi kapa kg ya dijo.

Hlahloba ditshupiso tse qaqileng tsa kgwebo bakeng sa dijo le bodulo. Bapisa dijo le sebaka le boemo ba phoofolo le mokgwa wa bodulo; fana ka metsi a hlwekileng a tshepahalang.

The indigenous Mozambique Tilapia (O. mossambicus) is not a listed invasive species and may be farmed without an alien-species permit; the faster-growing Nile Tilapia (O. niloticus) is.

Nile Tilapia (Oreochromis niloticus) is a nationally listed invasive fish species: Category 1b inside National Parks, Provincial Reserves, Mountain Catchment Areas and Forestry Reserves, and Category 3 in all other areas.

Outside protected areas Nile tilapia is Category 3: it may remain in prescribed areas or provinces, but further propagation or trade is prohibited.

Nile Tilapia has been listed under the NEMBA Alien and Invasive Species Regulations as requiring a permit to produce.

Producing an alien or invasive species (such as Nile Tilapia) is prohibited in areas designated under the Protected Areas Act and the Fish Sanctuary Act; a permit is required to produce it elsewhere.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Letangwana: Tilapia (Mozambique tilapia, small pond or tank) (e tswela pele)

Producing tilapia in South Africa requires a water use licence under the National Water Act.

Mohlodi: IDC, Research into the Potential for the Production, Processing and Export of Tilapia for the Southern African Market (2015), Table 8-3 (Mozambique vs. Nile Tilapia), p. 69

Mohlodi: Dept. of Environmental Affairs / invasives.org.za, National Listed Invasive Species (NEMBA AIS Regulations booklet), List 7 (National List of Invasive Fresh-water Fish Species), p. 32

Mohlodi: Dept. of Environmental Affairs / invasives.org.za, National Listed Invasive Species (NEMBA AIS Regulations booklet), p. 3

Mohlodi: IDC, Research into the Potential for the Production, Processing and Export of Tilapia for the Southern African Market (2015), p. 69

Mohlodi: IDC, Research into the Potential for the Production, Processing and Export of Tilapia for the Southern African Market (2015), p. 74

Mohlodi: IDC, Research into the Potential for the Production, Processing and Export of Tilapia for the Southern African Market (2015), p. 75

Mohlodi: ARC Aquaculture Production App: General FAQ, Can I grow tilapia on the Highveld?

Mefuta ya dijalo e lokelang ho hlahlojwa sebakeng seo

Boloka lebitso la mofuta oo o o kgethang ka nnete. Manane a makgutshwane a dipatlisiso a hloka netefatso bakeng sa nako ya sebaka, metsi le mobu.

Tomatoes

Mofuta o rekotilweng: ha ho eso kgethwe.

Maemo a lehodimo a sebaka sena ha a eso hlake, kahoo ha ho bolelwe lenane le lekgutshwane la sebaka. Bula karete ya sejalo ho bona mehlodi le ho rekota kgetho ya hao.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.