SYNTHETIC GRAPH SOURCE {COUNT} $&

Pele o reka kapa o qala

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Sehlopha sa tlelaemete sa dipatlisiso: Sebaka sa temo ha se eso hlake. Sehlopha sena ha se keletso e netefaditsweng bakeng sa polasi ena.

Seo o se tlalehileng ka polasi ena

Metsi nakong ya komello

Ha ho a rekotwa. Qetella phuputso ya sebaka mme o netefatse metsi pele o kgetha moralo o hlokang disebediswa tse ngata.

Serame polasing ena

Se bonweng ka serame sebakeng ha se a rekotwa. Dikarolelano tsa kgwedi tsa sathelaete di ke ke tsa tiisa matsatsi a pele le a ho qetela a serame.

Letsatsi le phallo ya metsi mobung

Letsatsi: ha ho a rekotwa.

Phallo ya metsi: ha ho a rekotwa. Diphetho tsa teko ya mobu le ditlhoko tsa sejalo ka seng di ntse di hloka ho hlahlojwa.

Direkoto tsa selemo sa tlaleho - eseng ponelopele

Dikakaretso le dikgwedi tsa selemo sa tlaleho se fetileng di hlalosa se tlalehilweng. Ha di tshepise dijo moralong o tlang.

Original eggs {year} $&

Kakaretso ya selemo e tlalehilweng ke molemi bakeng sa 2025: 240 eggs.

Tshebediso ya lelapa: 0 eggs. Ho rekisitsweng: ha ho a rekotwa.

Dikgwedi tsa kotulo tse tlalehilweng: Php, Phu. Tsena ke tse bonweng phuputsong, eseng ponelopele e ntjha ya tlhahiso.

Hlahloba yuniti le dikakaretso tse rekotilweng pele o sebedisa mola ona.

Fish

Kakaretso ya selemo e tlalehilweng ke molemi bakeng sa 2025: ha ho a rekotwa.

Tshebediso ya lelapa: ha ho a rekotwa. Ho rekisitsweng: ha ho a rekotwa.

Dikgwedi tsa kotulo tse tlalehilweng: ha ho a rekotwa. Tsena ke tse bonweng phuputsong, eseng ponelopele e ntjha ya tlhahiso.

Hlahloba yuniti le dikakaretso tse rekotilweng pele o sebedisa mola ona.

Meroho e meng

Kakaretso ya selemo e tlalehilweng ke molemi bakeng sa 2025: 12 kg.

Tshebediso ya lelapa: 7 kg. Ho rekisitsweng: 3 kg.

Dikgwedi tsa kotulo tse tlalehilweng: Phe, Tsh. Tsena ke tse bonweng phuputsong, eseng ponelopele e ntjha ya tlhahiso.

Hlahloba yuniti le dikakaretso tse rekotilweng pele o sebedisa mola ona.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo

Dipodi: Dairy goat (Saanen / Toggenburg / British Alpine)

Meaho e 1 e teng; e 2 e sisintsweng. Kgwebo e kgethilweng: lebese. Ha ho nahannwe palo ya diphoofolo kapa tlhahiso.

Keletso ya ho reka: bapisa mofuta/diphoofolo le sehlahiswa, dijo tsa sebaka, maemo a lehodimo le bokgoni ba tlhokomelo; netefatsa le moeletsi wa sebaka wa mehlape kapa dinotshi.

Rera ho ya ka ho tswala ha nnete ha manamane/madinyane le nako ya lebese. Diphoofolo tse sa hlahiseng lebese ha di fane ka lona.

Nako ya sehlahiswa sa pele: ha ho mohlodi bakeng sa kgwebo ena.

Tshupiso ya tlhahiso: 775.4–1073.4 kg ya lebese/ka podi e tshehadi/ka nako ya ho hlahisa lebese ya matsatsi a 305. Dikarolelano tse tlase ka ho fetisisa (tshwalo ya >=7) le tse phahameng ka ho fetisisa (tshwalo ya 3) tsa dihlopha tsa chai ya lebese ka nako e lekantsweng ya matsatsi a 305 direkotong tsa lebese tsa ARC Saanen tsa Afrika Borwa tse 16,407 tse hlahlobilweng, 1955–2018, boholo e le mehlape ya ho tswadisa e hlokomelwang ka matla/ka matla a mahareng. Tafole 3 ya PDF ya pele e bitsa sehlopha sa ho qetela >=7th; HTML e hlahisa >7th. E bolokilwe ka kg, ntle le ho fetolela ho dilitara, ho e bala ka selemo kapa ho hakanya chai ka dilemo tse pakeng tsa dintlha tse teng.

Tshupiso ya dilemo/mokgwa: Tshupiso ya Saanen ya Afrika Borwa ka nomoro ya nako ya tlhahiso ya lebese, eseng dilemo tsa phoofolo: boima ba lebese bo karolelano ka nako e lekantsweng ya matsatsi a 305 e ne e le 947.3 kg tshwalong ya pele, 1043.2 ya bobedi, 1073.4 ya boraro, 1020.3 ya bone, 972.8 ya bohlano, 901.6 ya botshelela le 775.4 ho ya >=7. Dihlopha tsena tsa ARC tse rekotetsweng lebese boholo e ne e le mehlape ya ho tswadisa e hlokomelwang ka matla/ka matla a mahareng. Rekota letsatsi la nnete la ho tswala madinyane, nomoro ya nako ya lebese le lebese le bokelletsweng; o se ke wa arola dipalo tsena ka ho lekana dikgweding.

Tshupiso ya dilemo/mokgwa: Putukwane pela Polokwane, dipodi tse tshehadi tse anyesang tse 179 tlasa phepo ya makgulo a maholo tse ekelletswang dijo ka dinako tse sa tsitsang di ile tsa shejwa matsatsi a 210 ka mora ho tswala. Boima ba lebese bo karolelano e ne e le 1.45 kg/day bakeng sa Saanen, 0.75 bakeng sa British Alpine le 0.56 bakeng sa Toggenburg nakong ya tlhahiso ya lebese e shebilweng. Qalo ya tlhahiso ya lebese e ne e feta bohareng le qetellong; ho tswala ka Hlakubele–Mmesa ho hlahisitse hantle ho feta ka Mphalane–Pundungwane sehlopheng sena. Maemo ana a fapana le direkoto tsa mehlape ya ho tswadisa. Buisanang sebakeng sa heno ka diphoofolo tse ikamahantseng le sebaka le dijo; tsena ha se ditshepiso tsa dilitara/letsatsi kapa tsa selemo kaofela.

Hlahloba ditshupiso tse qaqileng tsa kgwebo bakeng sa dijo le bodulo. Bapisa dijo le sebaka le boemo ba phoofolo le mokgwa wa bodulo; fana ka metsi a hlwekileng a tshepahalang.

Ke tlolo ya molao ho boloka podi moo sebaka, moya, kganya kapa tshireletso mochesong, serameng kapa maemong a lehodimo di sa lekaneng, kapa ho e kwalla kapa ho e tlama ka tsela e bakang mahlomola a sa hlokahaleng.

Ke tlolo ya molao ho bolaisa podi tlala, ho e fepa hanyane haholo, kapa ho e hanela metsi kapa dijo.

Mong a se ke a tlohela podi e le ditshila kapa e tletse dikokwana-hloko tse phelang ho yona, mme o tshwanetse ho batlela phoofolo e kulang, e lemetseng kapa e tshwerweng ke lefu kalafo ya ngaka ya diphoofolo kapa kalafo e nngwe ha a kgona.

Foot-and-mouth disease (FMD) is a controlled animal disease under the Animal Diseases Act: veterinary services enforce isolation and movement restrictions, and a suspected case must be reported.

Inside a declared FMD-affected zone, goats and their products (including milk) cannot be moved into, out of, or within the zone without a state veterinary movement permit and compliance with its conditions.

Every goat owner must register an official identification mark and mark their goats with it, under the Animal Identification Act.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Dipodi: Dairy goat (Saanen / Toggenburg / British Alpine) (e tswela pele)

A goat may only be slaughtered for sale at a registered abattoir under the Meat Safety Act (relevant when culled dairy does or male kids are sold for meat); slaughtering for the farmer's own consumption, or for cultural/religious purposes, is exempt but that meat may not then be sold.

Mohlodi: Animals Protection Act 71 of 1962, s.2(1)(b), p. 1

Mohlodi: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Mohlodi: Animals Protection Act 71 of 1962, s.2(1)(e), p. 1

Mohlodi: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Mohlodi: Animal Identification Act 6 of 2002, s.7(1), p. 4

Mohlodi: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Mohlodi: Malemela, Nemutandani & Tada (2024), South African Saanen goats, Table 3, p. 625

Mohlodi: Norris et al. (2011), Milk Production of Three Exotic Dairy Goat Genotypes in Limpopo Province, South Africa: methods, results and Table 2

Mohlodi: Malemela, Nemutandani & Tada (2024), South African Saanen goats: Table 3, 305-day milk yield by parity, p. 625

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Dipodi: Indigenous veld / communal goat (e.g. Nguni, Tankwa, Xhosa lob-ear)

Meaho e 1 e teng; e 2 e sisintsweng. Kgwebo e kgethilweng: nama. Ha ho nahannwe palo ya diphoofolo kapa tlhahiso.

Keletso ya ho reka: bapisa mofuta/diphoofolo le sehlahiswa, dijo tsa sebaka, maemo a lehodimo le bokgoni ba tlhokomelo; netefatsa le moeletsi wa sebaka wa mehlape kapa dinotshi.

Tshupiso ya sehlahiswa sa pele: dibeke tse 69.6–78.3. Tsena ke dilemo tsa ho TSWALA MADINYANE LA PELE (ho tswalwa ha madinyane a pele), eseng madinyane a pele a kgwesitsweng. Dikgwedi tse 16 x 4.35 = dibeke tse 69.6; dikgwedi tse 18 x 4.35 = dibeke tse 78.3, ho tloha ho tswalweng ha podi e tshehadi ho isa ha e tswala la pele. Ho eketsa kakanyo ya mohlodi ka boyona ya ho kgwesa ya matsatsi a ka bang 150 (dikgwedi tse ka bang 5, dibeke tse ka bang 21.75) ho ka beha madinyane a pele A KGWESITSWENG dilemong tsa podi tsa dibeke tse ka bang 91-100, empa palo eo e kopantsweng ha e bontshwe e le palo e ka sehloohong hobane sebaka sena sa dintlha se hlaloswa e le 'dilemo/nako ho tloha qalong (ho qhotswa, ho tswalwa) ho isa sehlahisweng sa pele', mme ho tswala la pele ke mohato o hlakileng o boletsweng ka kotlololoho; nako e ekeditsweng ya ho kgwesa e hlalositswe mona hore ho bonahale tsohle.

Tshupiso ya dilemo/mokgwa: Bukana ya mmuso ya dipodi ya 2016 e arola diphoofolo tsa nama tsa setso, Boer, Savanna le Kalahari Red mefuteng ya lebese/faeba, e na le dipheo tsa ho tswadisa le direkoto tsa phoofolo ka nngwe tsa ho tswalwa, ho kgweswa, boima le ho rekiswa. Ho nyalana ho sa laolweng diphoofolong tsa kopanelo ho ka hlahisa madinyane ka nako efe kapa efe; seo ha se tiise ho fumaneha ha nama kapa madinyane a kgwesitsweng selemo kaofela. Kgetha diphoofolo tse loketseng mokgwa wa sebaka sa heno mme o rekote ho phela le mohato wa sehlahiswa pele o bolela dipalo esale pele.

Tshupiso ya dilemo/mokgwa: Mekgweng ya barui ba banyane ya KZN Highland Sourveld, kgaello ya dijo mariha le qalong ya selemo e ka sitisa dipodi. Dipodi tse tshehadi tse tswalang ka hwetla di fepa madinyane mariha; tse tswalang nakong ya selemo di tobana le kgaello ya dijo qetellong ya boimana, haholoholo ha dipula di fihla morao. Rera dijo tsa mariha tsa sebaka sa heno mme o lekole boima ka tshehetso ya baeletsi ba temo; ena ke moelelo wa tlhokomelo wa sebaka, eseng kg kapa khalendara ya ho tswala e sebetsang hohle.

Hlahloba ditshupiso tse qaqileng tsa kgwebo bakeng sa dijo le bodulo. Bapisa dijo le sebaka le boemo ba phoofolo le mokgwa wa bodulo; fana ka metsi a hlwekileng a tshepahalang.

Ke tlolo ya molao ho boloka podi moo sebaka, moya, kganya kapa tshireletso mochesong, serameng kapa maemong a lehodimo di sa lekaneng, kapa ho e kwalla kapa ho e tlama ka tsela e bakang mahlomola a sa hlokahaleng.

Ke tlolo ya molao ho bolaisa podi tlala, ho e fepa hanyane haholo, kapa ho e hanela metsi kapa dijo.

Mong a se ke a tlohela podi e le ditshila kapa e tletse dikokwana-hloko tse phelang ho yona, mme o tshwanetse ho batlela phoofolo e kulang, e lemetseng kapa e tshwerweng ke lefu kalafo ya ngaka ya diphoofolo kapa kalafo e nngwe ha a kgona.

Kgaello ya dijo mariha makgulong a kopanelo a sourveld ke kotsi e tsejwang ya boiketlo le tlhahiso: dipodi tse tshehadi tse tswalang ka hwetla di tshwanetse ho fepa madinyane mariha, mme tse tswalang ka selemo di haellwa ke phepo qetellong ya bokhachane, kahoo ho tlatsetsa dijo mariha ho bohlokwa.

Foot-and-mouth disease (FMD) is a controlled animal disease under the Animal Diseases Act: veterinary services enforce isolation and movement restrictions, and a suspected case must be reported.

Inside a declared FMD-affected zone, goats and their products cannot be moved into, out of, or within the zone without a state veterinary movement permit and compliance with its conditions.

Every goat owner, including communal/smallholder owners, must register an official identification mark and mark their goats with it, under the Animal Identification Act.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Dipodi: Indigenous veld / communal goat (e.g. Nguni, Tankwa, Xhosa lob-ear) (e tswela pele)

A goat may only be slaughtered for sale at a registered abattoir under the Meat Safety Act; slaughtering it for the farmer's own consumption, or for cultural/religious purposes (including ceremonial slaughter, common with indigenous goats), is exempt from that rule, but that meat may not then be sold.

Mohlodi: Animals Protection Act 71 of 1962, s.2(1)(b), p. 1

Mohlodi: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Mohlodi: Animals Protection Act 71 of 1962, s.2(1)(e), p. 1

Mohlodi: Letty, B. & Madiba, S., KZN DARD. Constraints to Small-Scale Goat Production in the Highland Sourveld Area of KwaZulu-Natal, p. 3

Mohlodi: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Mohlodi: Animal Identification Act 6 of 2002, s.7(1), p. 4

Mohlodi: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Mohlodi: DAFF (2016), Goat Training Manual: breeds p2, records pp4–5, uncontrolled mating section 2.4.6 p7, p. 7

Mohlodi: KZN DARD: Goat Production in KwaZulu-Natal, Highland Sourveld research and winter nutrition

Mohlodi: Webb, E.C. & Mamabolo, M.J. (2004). Production and reproduction characteristics of South African indigenous goats in communal farming systems. S. Afr. J. Anim. Sci. 34(5):236-239

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Dipodi: Boer goat (meat enterprise)

Meaho e 1 e teng; e 2 e sisintsweng. Kgwebo e kgethilweng: nama. Ha ho nahannwe palo ya diphoofolo kapa tlhahiso.

Keletso ya ho reka: bapisa mofuta/diphoofolo le sehlahiswa, dijo tsa sebaka, maemo a lehodimo le bokgoni ba tlhokomelo; netefatsa le moeletsi wa sebaka wa mehlape kapa dinotshi.

Nako ya sehlahiswa sa pele: ha ho mohlodi bakeng sa kgwebo ena.

Tshupiso ya tlhahiso: 1.5 madinyane a dipodi a kgwesitsweng/ka podi e tshehadi e kopantsweng bakeng sa ho tswala (doe mated). Sekgahla sa ho kgwesa se tlalehilweng ke 149%, kapa madinyane a kgwesitsweng a 1.49 ka podi e tshehadi e kopantsweng le e tona. Mohlodi o hlalosa tse bonweng dilemong tse mashome a mabedi bakeng sa dipodi tsa Boer tse tshehadi tsa makgulo a maholo pula e le 295 mm; ha o bolele madinyane a kgwesitsweng ka podi e tshehadi ka selemo sa khalendara. Sena ke sephetho sa ho tswala, eseng kg ya diphoofolo tse phelang kapa nama e lokisitsweng. Karolelano e nngwe ya boholo ba sehlopha sa madinyane a tswetsweng ka tshwalo ya 1.93 e na le motheo wa palo le mohato o fapaneng mme ha e kopantswe le palo ena.

Tshupiso ya dilemo/mokgwa: Bukana ya mmuso ya dipodi ya 2016 e arola diphoofolo tsa nama tsa setso, Boer, Savanna le Kalahari Red mefuteng ya lebese/faeba, e na le dipheo tsa ho tswadisa le direkoto tsa phoofolo ka nngwe tsa ho tswalwa, ho kgweswa, boima le ho rekiswa. Ho nyalana ho sa laolweng diphoofolong tsa kopanelo ho ka hlahisa madinyane ka nako efe kapa efe; seo ha se tiise ho fumaneha ha nama kapa madinyane a kgwesitsweng selemo kaofela. Kgetha diphoofolo tse loketseng mokgwa wa sebaka sa heno mme o rekote ho phela le mohato wa sehlahiswa pele o bolela dipalo esale pele.

Hlahloba ditshupiso tse qaqileng tsa kgwebo bakeng sa dijo le bodulo. Bapisa dijo le sebaka le boemo ba phoofolo le mokgwa wa bodulo; fana ka metsi a hlwekileng a tshepahalang.

Ke tlolo ya molao ho boloka podi moo sebaka, moya, kganya kapa tshireletso mochesong, serameng kapa maemong a lehodimo di sa lekaneng, kapa ho e kwalla kapa ho e tlama ka tsela e bakang mahlomola a sa hlokahaleng.

Ke tlolo ya molao ho bolaisa podi tlala, ho e fepa hanyane haholo, kapa ho e hanela metsi kapa dijo.

Mong a se ke a tlohela podi e le ditshila kapa e tletse dikokwana-hloko tse phelang ho yona, mme o tshwanetse ho batlela phoofolo e kulang, e lemetseng kapa e tshwerweng ke lefu kalafo ya ngaka ya diphoofolo kapa kalafo e nngwe ha a kgona.

Foot-and-mouth disease (FMD) is a controlled animal disease under the Animal Diseases Act: veterinary services enforce isolation and movement restrictions, and a suspected case must be reported.

Inside a declared FMD-affected zone, goats and their products cannot be moved into, out of, or within the zone without a state veterinary movement permit and compliance with its conditions.

Every goat owner must register an official identification mark and mark their goats with it, under the Animal Identification Act.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Dipodi: Boer goat (meat enterprise) (e tswela pele)

A goat may only be slaughtered for sale at a registered abattoir under the Meat Safety Act; slaughtering it for the farmer's own consumption, or for cultural/religious purposes, is exempt from that rule, but that meat may not then be sold.

Mohlodi: Animals Protection Act 71 of 1962, s.2(1)(b), p. 1

Mohlodi: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Mohlodi: Animals Protection Act 71 of 1962, s.2(1)(e), p. 1

Mohlodi: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Mohlodi: Animal Identification Act 6 of 2002, s.7(1), p. 4

Mohlodi: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Mohlodi: DAFF (2016), Goat Training Manual: breeds p2, records pp4–5, uncontrolled mating section 2.4.6 p7, p. 7

Mohlodi: King, F.J.M. (2009). Production Parameters for Boer Goats in South Africa (MSc dissertation, University of the Free State), citing National Dept of Agriculture data via Malan, S.W. (2000)

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Dikolobe: Pig (small-scale / emerging-farmer sow herd)

Meaho e 1 e teng; e 2 e sisintsweng. Kgwebo e kgethilweng: nama. Ha ho nahannwe palo ya diphoofolo kapa tlhahiso.

Keletso ya ho reka: bapisa mofuta/diphoofolo le sehlahiswa, dijo tsa sebaka, maemo a lehodimo le bokgoni ba tlhokomelo; netefatsa le moeletsi wa sebaka wa mehlape kapa dinotshi.

Nako ya sehlahiswa sa pele: ha ho mohlodi bakeng sa kgwebo ena.

Tshupiso ya dilemo/mokgwa: ARC Tafole 1 e thathamisa dikolobe tse tshehadi tse emereng ka 10–18 L drinking water/day le tse anyesang ka 18–23 L/day. Ana ke maemo a dikolobe tse tshehadi tsa ho tswadisa, eseng palo e le nngwe bakeng sa kolobe e nngwe le e nngwe. Tlhokomelo ya ho tswala madinyane e arola ho phodisa kolobe e tshehadi le ho futhumatsa madinyane; mekgwa ya kantle e hloka diphoofolo tse tiileng tse ikamahantseng le sebaka, moriti le bodulo. Netefatsa boemo, metsi a hlwekileng a tshepahalang, dijo le bodulo sebakeng sa heno. Bukana ha e fane ka kg e netefaditsweng e ka jewang ka kolobe e tshehadi ya ho tswadisa bakeng sa moralo ona.

Hlahloba ditshupiso tse qaqileng tsa kgwebo bakeng sa dijo le bodulo. Bapisa dijo le sebaka le boemo ba phoofolo le mokgwa wa bodulo; fana ka metsi a hlwekileng a tshepahalang.

Ha dikolobe di tsamaiswa ka diteraka, khoutu ya Afrika Borwa ya ho tshwara le ho tsamaisa diphoofolo e kgothaletsa 0.3 m² ka porker, 0.4 m² ka baconer le 0.8 m² ka kolobe e kgolo.

Ke tlolo ya molao ho boloka kolobe moo sebaka, moya, kganya kapa tshireletso mochesong, serameng kapa maemong a lehodimo di sa lekaneng, kapa ho e kwalla kapa ho e tlama ka tsela e bakang mahlomola a sa hlokahaleng.

Ke tlolo ya molao ho bolaisa kolobe tlala, ho e fepa hanyane haholo, kapa ho e hanela metsi kapa dijo.

Nakong ya maqhubu a motjheso, matlo a dikolobe a hloka moya o kenang le o phallang hantle ho feta le palo e tlase ya dikolobe sebakeng, mme dikolobe tsa kantle di hloka moriti le bodulo bo di sireletsang.

African swine fever (ASF) is listed as a controlled animal disease pertaining to pigs under the Animal Diseases Act; warthogs and Ornithodorus ticks are carriers/vectors.

Foot-and-mouth disease (FMD) is also listed as a controlled animal disease pertaining to pigs under the Animal Diseases Act.

Swill (food waste) may not be fed to pigs unless it has been boiled for at least 60 minutes or sterilised by another equally effective method.

Pigs may only be moved into a biosecure compartment from another compartment that is officially certified/approved for that purpose.

A pig may not be slaughtered anywhere but a registered abattoir, except for own household consumption or cultural/religious purposes.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Dikolobe: Pig (small-scale / emerging-farmer sow herd) (e tswela pele)

A pig owner must apply to register an official identification mark and mark their pigs with it, under the Animal Identification Act.

Mohlodi: Muchenje, V. & Ndou, S.P., How pig pre-slaughter welfare affects pork quality and the pig industry (Univ. of Fort Hare, hosted by SAPPO), quoting Tomlinson (2000) Code of Practice for the Handling and Transport of Livestock, p. 7

Mohlodi: Animals Protection Act 71 of 1962, s.2(1)(b), p. 1

Mohlodi: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Mohlodi: ARC Climate-Smart Agriculture Training Manual, Module 10: Pig Production, p. 9

Mohlodi: ARC Climate-Smart Agriculture Training Manual, Module 10: Pig Production, Table 2, p. 15

Mohlodi: Munzhelele et al., Investigation of African swine fever outbreaks in pigs outside the controlled areas of South Africa, 2012-2017 (Journal of the South African Veterinary Association, SciELO SA mirror)

Mohlodi: Meat Safety Act 40 of 2000, s.7(1)(a), p. 6

Mohlodi: Animal Identification Act 6 of 2002, s.7(1), p. 4

Mohlodi: ARC Climate-Smart Agriculture: Pig production, farrowing/adaptation pp442–445, Table 1 p446, p. 446

Mohlodi: ARC Climate-Smart Agriculture Training Manual, Module 10: Pig Production, Table 1 (Water requirements of pigs, litres/pig/day), p. 10

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Mebutlanyana: Meat rabbit (New Zealand White / Californian, backyard hutches)

Meaho e 1 e teng; e 2 e sisintsweng. Kgwebo e kgethilweng: nama. Ha ho nahannwe palo ya diphoofolo kapa tlhahiso.

Keletso ya ho reka: bapisa mofuta/diphoofolo le sehlahiswa, dijo tsa sebaka, maemo a lehodimo le bokgoni ba tlhokomelo; netefatsa le moeletsi wa sebaka wa mehlape kapa dinotshi.

Nako ya sehlahiswa sa pele: ha ho mohlodi bakeng sa kgwebo ena.

Tshupiso ya tlhahiso: 30–35 mebutlanyana e fihlang dilemong tsa ho hlajwa/ho tswala/ka mmutla o motshehadi/ka selemo. Sepheo sa kakaretso sa FAO sa ho rua ka jareteng, eseng sekgahla se bonweng Afrika Borwa. Madinyane a 30–35 ka mmutla o tshehadi ka selemo a se a fihletse dilemo tsa ho hlajwa kapa ho tswala ka mora ho dumella tahlehelo ka mora ho kgweswa; ha se feela a kgwesitsweng ebile ha se kg ya nama. Mohlodi o bala dihlopha tse tswetsweng tse tsheletseng le madinyane a phelang a 5.5 ka sehlopha, o hlalosa sepheo sa mebutla e 30; sehlopha se le seng se ekeditsweng se nyolla sepheo sa wona se boletsweng ho 35. O se ke wa kopanya sepheo sena sa ho rua ka jareteng le boima ba setopo sa ntlo ya kgodiso se tswang tekong e fapaneng.

Tshupiso ya nako ya tlhahiso: dilemo tse 0.8. Matsatsi a 279 / 365 = dilemo tse 0.76. Palo ena e tswa dibakeng tsa kgwebo tsa mebutla tsa Fora tsa TLHOKOMELO E MATLA (karolelano ya dintlha tsa 1992 tsa lenaneo la naha la ho rekota), ESENG matlong a ka jareteng/a tlhokomelo ya makgulo a maholo - mohlodi ha o fane ka palo e fapaneng ya bophelo ba tlhahiso bakeng sa mekgwa ya ka jareteng (sheba dikgeo). E nke e le tshupiso ya moedi o tlase/ya mokgwa wa indasteri feela.

Tshupiso ya dilemo/mokgwa: Tshupiso ya Afrika Borwa ya mebutla e hodiswang: mebutla ya New Zealand White le Phendula tekong ya Stellenbosch ya 2017 e ile ya hlajwa ha e le dibeke tse ka bang 11 ho tloha ho tswalwa. Dikarolelano kaofela e ne e le 2.62 kg ya boima bo phelang ha ho hlajwa, 1.55 kg ya setopo se tjhesang, 1.48 kg ya setopo se phodisitsweng le 1.26 kg ya setopo sa tshupiso se tlositsweng hlooho le ditho tse kgubedu tsa ka hare, se sa ntse se e-na le masapo. Dijo tsa diphelete tse leka-lekaneng le metsi di ne di fumaneha ka bolokolohi ntlong ya kgodiso. Boima bona ha se nama e se nang masapo kapa tlhahiso ya selemo ya mmutla o tshehadi; o se ke wa bo atisa ka sepheo sa FAO sa ho rua ka jareteng se sa amaneng le bona.

Hlahloba ditshupiso tse qaqileng tsa kgwebo bakeng sa dijo le bodulo. Bapisa dijo le sebaka le boemo ba phoofolo le mokgwa wa bodulo; fana ka metsi a hlwekileng a tshepahalang.

Ke tlolo ya molao ho hanela mmutla dijo kapa metsi, kapa ho o boloka moo ho se nang sebaka se lekaneng, moya o lekaneng, kganya kapa tshireletso mochesong le serameng.

Fa mebutla ya ho ikatisa sebaka sa fatshe sa ntlo se ka bang 0.48-0.70 m2 ka nngwe, se be bolelele ba 50-60 cm, eseng lesaka le petetsaneng.

Rabbits are one of the domesticated animal species listed in the Meat Safety Act, so the Act's rules on abattoirs and hygiene apply to them, as they do to ducks and other listed species.

Rabbits slaughtered to be sold must be slaughtered at a registered abattoir; slaughter for the farmer's own consumption is exempt from this rule but the meat from it may not be sold.

At the abattoir, rabbits (like other listed animals) must be handled humanely during loading, transport, offloading, housing, immobilising and killing, under the Animals Protection Act.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Mebutlanyana: Meat rabbit (New Zealand White / Californian, backyard hutches) (e tswela pele)

The wild European rabbit (the same species as farmed New Zealand White/Californian rabbits) is only listed as an invasive species under NEMBA on South Africa's off-shore islands - it is not a listed/restricted species on the mainland.

Mohlodi: Animals Protection Act 71 of 1962 (consolidated text, s.2(1)(b)-(c)), p. 2

Mohlodi: FAO Animal Production and Health Series No.21 - The Rabbit: Husbandry, Health and Production (Lebas et al.), p. 172

Mohlodi: Meat Safety Act 40 of 2000, Schedule 1 (Animals to which this Act applies), p. 16

Mohlodi: Meat Safety Act 40 of 2000, s.7, p. 6

Mohlodi: Meat Safety Act 40 of 2000, s.9, p. 7

Mohlodi: South Africa's National Listed Invasive Species booklet (NEMBA Alien and Invasive Species Lists), p. 27

Mohlodi: North et al. (2019), Growth, carcass and meat quality traits of two South African meat rabbit breeds: methods p816, Table 2 p819, p. 819

Mohlodi: FAO Animal Production and Health Series No.21 - The Rabbit: Husbandry, Health and Production (Lebas et al.), p. 107

Mohlodi: FAO Animal Production and Health Series No.21 - The Rabbit: Husbandry, Health and Production (Lebas et al.), p. 201

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Lesaka: Meat sheep (Dorper, Damara, indigenous fat-tailed and crossbred)

Meaho e 1 e teng; e 2 e sisintsweng. Kgwebo e kgethilweng: nama. Ha ho nahannwe palo ya diphoofolo kapa tlhahiso.

Keletso ya ho reka: bapisa mofuta/diphoofolo le sehlahiswa, dijo tsa sebaka, maemo a lehodimo le bokgoni ba tlhokomelo; netefatsa le moeletsi wa sebaka wa mehlape kapa dinotshi.

Nako ya sehlahiswa sa pele: ha ho mohlodi bakeng sa kgwebo ena.

Tshupiso ya tlhahiso: 0.6–1.4 dikonyana tse tswetsweng ka nku e tshehadi. outputUnit ke 'lambs born/ewe/year' ho ena le se sisintsweng sa 'kg live weight/lamb at weaning or slaughter' kapa 'lambs weaned/ewe/year': mohlodi o hlalosa hore 'Ho lekanya diphesente tsa nnete tsa ho tswala ha dinku bakeng sa barui ba banyane ho thata hobane barui bana boholo ba rua makgulong a maholo mme ha ba boloke direkoto', mme ho ena le hoo o bala 'Dikonyana tse tswetsweng ka nku e tshehadi (jwalokaha di rekotilwe diphuputsong tse thehilweng dipuisanong le moarabi ka mong)' - palo ya ho tswalwa, eseng ho kgweswa, e tlalehilweng ke barui ba banyane ho ena le ho lekanngwa/ho bekwa. 139%=1.39, 83%=0.83, 61%=0.61 dikonyana tse tswetsweng/nku e tshehadi/selemo; moedi wa [0.61, 1.39] o akaretsa ditereke tse tharo tsa barui ba banyane tsa Western Cape tse hlahlobilweng (Eden, Central Karoo, West Coast), kaofela ho tswa phuputsong/qotsong ena feela - ha o kopantswe le tokomane e nngwe. Pampiri e tshwanang e bolela ka thoko tekanyetso ya KGWEBO ya makgulo a maholo ya ho tswala ya 110-156% le ya ho kgwesa ya 94-132% (Snyman & Herselman, 2005), e bolela ka ho hlaka hore 'e balwa ho ya ka dinku tse tshehadi tse kopantsweng le tse tona' (motheo wa palo/mokgwa o fapaneng) - ha e kopantswe le moedi ona wa barui ba banyane.

Tshupiso ya dilemo/mokgwa: Bukana ya mmuso ya dinku e hlalosa ho tswadisa ho laolwang Mara Research Station, Limpopo: ho nyalana ka Phupjane–Phupu le ho tswala ka Pundungwane–Tshitwe ho tsamaellana le pula le jwang. Ena ke khalendara e le nngwe ya ho tswadisa ya seteishene, eseng dikgwedi tsa kotulo ya nama ya nku. Nyalanya diphoofolo tsa nama tse ikamahantseng le sebaka le dijo tsa sebaka sa heno, ebe o rekota ho tswalwa, ho phela, ho kgweswa le ho hlajwa kapa ho rekiswa ha nnete; dikonyana tse tswetsweng ka nku e tshehadi ha se kg e ka jewang.

Hlahloba ditshupiso tse qaqileng tsa kgwebo bakeng sa dijo le bodulo. Bapisa dijo le sebaka le boemo ba phoofolo le mokgwa wa bodulo; fana ka metsi a hlwekileng a tshepahalang.

Dinku ha di a tshwanela ho petetswa masakeng: bonyane dimithara tse 0.56 tsa sekwere tsa fatshe ka nku hore phoofolo e nngwe le e nngwe e kgone ho robala.

Dithupa tsa motlakase tse hlabang, dithupa kapa dintho tse hlabang tsa ho kganna diphoofolo ha di a tshwanela ho sebediswa dinkung.

Dinku tse kgannwang ka maoto ha di a tshwanela ho tsamaiswa ho feta 20 km ka letsatsi le le leng (25 km e nkuwa e le ho fetelletsa).

Diphoofolo tsa polasi di tshwanetse ho fuwa metsi le dijo hang ha di fihla kampong ya bosiu kapa moo di yang teng qetellong.

Dinku tse lemetseng, tse holofetseng kapa tse foufetseng di tshwanetse ho etellwa pele ha ho hlajwa, kapa ho hlajwa ka tshohanyetso, ho thibela bohloko kapa mahlomola a eketsehileng.

Foot-and-mouth disease (FMD) is a controlled animal disease under the Animal Diseases Act; Veterinary Services enforce isolation and movement restrictions.

Inside a declared FMD zone, sheep and their products cannot be moved into, out of, or within it without a state veterinary permit.

Sheep scab is a controlled disease by law: a suspected or positive case must be reported to the State Veterinarian immediately.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Lesaka: Meat sheep (Dorper, Damara, indigenous fat-tailed and crossbred) (e tswela pele)

Against sheep scab, all small stock on the farm must be treated with a remedy registered under Act 36 of 1947, and infected sheep treated twice, eight to ten days apart.

Every sheep owner must register an official identification mark and mark their sheep with it, under the Animal Identification Act.

A sheep may be slaughtered only at an abattoir, except for the farmer's own consumption or for cultural or religious purposes.

Mohlodi: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.1.2, p. 4

Mohlodi: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.7, p. 5

Mohlodi: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.3.4.1, p. 6

Mohlodi: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.3.5, p. 6

Mohlodi: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.13, p. 5

Mohlodi: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Mohlodi: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 1

Mohlodi: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 3

Mohlodi: Animal Identification Act 6 of 2002, s.7(1), p. 4

Mohlodi: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Mohlodi: DAFF: Sheep General Information Manual, Final Draft, section 3.4.6, p. 12

Mohlodi: Factors influencing off-take rates of smallholder sheep farming systems in the Western Cape Province of South Africa (South African Journal of Agricultural Extension, 47(3), 2019)

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Lesaka: Wool sheep (Merino / Dohne Merino, incl. communal wool growers)

Meaho e 1 e teng; e 2 e sisintsweng. Kgwebo e kgethilweng: boya (ha se dijo). Ha ho nahannwe palo ya diphoofolo kapa tlhahiso.

Keletso ya ho reka: bapisa mofuta/diphoofolo le sehlahiswa, dijo tsa sebaka, maemo a lehodimo le bokgoni ba tlhokomelo; netefatsa le moeletsi wa sebaka wa mehlape kapa dinotshi.

Nako ya sehlahiswa sa pele: ha ho mohlodi bakeng sa kgwebo ena.

Tshupiso ya tlhahiso: 4–5 kg ya boya bo mafura/ka nku/ka selemo. Moedi wa makgulo a batlang a omme/a maholo (4-5 kg greasy wool/sheep/year) o sebediswa e le palo e ka sehloohong; palo ya 8 kg/year polelong e tshwanang ke ya mokgwa o fapaneng (dinku tse fulang makgulong a LENGWENG) mme e tlohetswe ka boomo moeding ho ena le ho kenngwa karolelanong. Tekanyetso e fapaneng ya kgwebo ya Dohne Merino Extensive ya Western Cape Government (Elsenburg) (Ceres-Karoo, 2024) e tlaleha ka thoko boya bohle ba mohlape bo rekisitsweng ba 4439.64 kg ho tswa mohlapeng wa '1 519' Smallstock Units, ke hore 4439.64/1519 = 2.92 kg per Smallstock Unit/year - ha e sebediswe e le palo e ka sehloohong hobane mohlodi ha o bolele hore 1 Smallstock Unit = 1 nku (SSU ke boima bo lekantsweng ba sehlopha sa diphoofolo, eseng palo ya nnete ya dihlooho), kahoo ho fetolela ho kg/sheep ho ka hloka ntlha ya phetoho e sa bolelwang. Pampiri e nngwe ya NWGA/Mandela Initiative ka Eastern Cape communal Wool Sheep Development Program e tlaleha teko ya bana ya Grootfontein ADI ya 'Greasy fleece weight (kg) 2.8 [dipheleu tsa kgwebo] 2.4 [dipheleu tsa kopanelo]' bakeng sa mehlape ya kopanelo ya Eastern Cape - ha e kopantswe le palo e ka sehloohong hobane tafole eo e bolela ka ho hlaka 'dikonyana tsa dikgwedi tse 6' (mohato wa bophelo o fapaneng le boya bohle ba selemo ba nku e hodileng), ho tsamaellana le molao wa ho se kopanye dipalo tsa mekgahlelo e fapaneng ya bophelo; e bolokilwe mona feela e le moelelo wa kopanelo wa EC: dikonyana tsa dipheleu tsa kgwebo tsa dikgwedi tse 6 di ne di na le karolelano ya 2.8 kg, tsa dipheleu tsa kopanelo 2.4 kg, phapang ya +16%.

Hlahloba ditshupiso tse qaqileng tsa kgwebo bakeng sa dijo le bodulo. Bapisa dijo le sebaka le boemo ba phoofolo le mokgwa wa bodulo; fana ka metsi a hlwekileng a tshepahalang.

Dinku ha di a tshwanela ho petetswa masakeng: bonyane dimithara tse 0.56 tsa sekwere tsa fatshe ka nku hore phoofolo e nngwe le e nngwe e kgone ho robala.

Dithupa tsa motlakase tse hlabang, dithupa kapa dintho tse hlabang tsa ho kganna diphoofolo ha di a tshwanela ho sebediswa dinkung.

Dinku tse kgannwang ka maoto ha di a tshwanela ho tsamaiswa ho feta 20 km ka letsatsi le le leng (25 km e nkuwa e le ho fetelletsa).

Dinku tse lemetseng, tse holofetseng kapa tse foufetseng di tshwanetse ho etellwa pele ha ho hlajwa, kapa ho hlajwa ka tshohanyetso, ho thibela bohloko kapa mahlomola a eketsehileng.

Ho tshwanetse ho ba le moralo wa kalafo ya lefu la letlalo la dinku (sheep scab): lefu lena le na le ditjeho tse kgolo moruong le boiketlong ba diphoofolo.

Despite foot-and-mouth disease (FMD) in South Africa, wool exports continue under the inactivation clause of the OIE (World Organisation for Animal Health) rules.

Inside a declared FMD zone, sheep and their products cannot be moved into, out of, or within it without a state veterinary permit.

Sheep scab is a controlled disease by law: a suspected or positive case must be reported to the State Veterinarian immediately.

Wool from scab-infected sheep must be destroyed rather than sent to the buyer, where it would be marked as scab wool.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Lesaka: Wool sheep (Merino / Dohne Merino, incl. communal wool growers) (e tswela pele)

Every sheep owner must register an official identification mark and mark their sheep with it, under the Animal Identification Act.

A sheep may be slaughtered only at an abattoir, except for the farmer's own consumption or for cultural or religious purposes.

Mohlodi: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.1.2, p. 4

Mohlodi: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.7, p. 5

Mohlodi: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.3.4.1, p. 6

Mohlodi: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.13, p. 5

Mohlodi: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 3

Mohlodi: Cape Wools SA Annual Review 2020/2021, p. 8

Mohlodi: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Mohlodi: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 1

Mohlodi: Animal Identification Act 6 of 2002, s.7(1), p. 4

Mohlodi: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Mohlodi: Assessing Socio-economic Factors Influencing Wool Production in Kolomana Villages of Eastern Cape, South Africa (South African Journal of Agricultural Extension), citing Bot et al., 2004

Mefuta ya dijalo e lokelang ho hlahlojwa sebakeng seo

Boloka lebitso la mofuta oo o o kgethang ka nnete. Manane a makgutshwane a dipatlisiso a hloka netefatso bakeng sa nako ya sebaka, metsi le mobu.

Tomatoes

Mofuta o rekotilweng: ha ho eso kgethwe.

Maemo a lehodimo a sebaka sena ha a eso hlake, kahoo ha ho bolelwe lenane le lekgutshwane la sebaka. Bula karete ya sejalo ho bona mehlodi le ho rekota kgetho ya hao.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.