SYNTHETIC GRAPH SOURCE {COUNT} $&

Ngaphambi kokuthenga noma ukuqala

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Iqembu lesimo sezulu locwaningo: Indawo yokulima ayikacaci. Leli qembu alisona isincomo esiqinisekisiwe saleli pulazi.

Lokho okubikile ngaleli pulazi

Amanzi ngesikhathi esomile

Akurekhodiwe. Qedela inhlolovo yendawo bese uqinisekisa amanzi ngaphambi kokukhetha uhlelo oludinga izinsiza eziningi.

Isithwathwa kuleli pulazi

Okubonwe ngesithwathwa endaweni akurekhodiwe. Izilinganiso zanyanga zonke zesathelayithi azikwazi ukuthola izinsuku zokuqala nezokugcina zesithwathwa.

Ilanga nokuphuma kwamanzi

Ilanga: akurekhodiwe.

Ukuphuma kwamanzi: akurekhodiwe. Kusadingeka ukuhlola imiphumela yokuhlolwa komhlabathi nezidingo zesitshalo ngasinye.

Amarekhodi onyaka wokubika - hhayi isibikezelo

Izamba nezinyanga zonyaka wokubika odlule zichaza lokho okwabikwa. Azithembisi ukudla ohlelweni oluzayo.

Original eggs {year} $&

Isamba sonyaka esibikwe umlimi sango-2025: 240 eggs.

Okusetshenziswa ekhaya: 0 eggs. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: Jun, Jul. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Fish

Isamba sonyaka esibikwe umlimi sango-2025: akurekhodiwe.

Okusetshenziswa ekhaya: akurekhodiwe. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: akurekhodiwe. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Eminye imifino

Isamba sonyaka esibikwe umlimi sango-2025: 12 kg.

Okusetshenziswa ekhaya: 7 kg. Okuthengisiwe: 3 kg.

Izinyanga zokuvuna ezibikiwe: Jan, Dis. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela

Izinyosi: Honeybee (managed hives)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-2. Uhlobo lokukhiqiza olukhethiwe: uju. Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Iseluleko sokuthenga: fanisa uhlobo/izilwane nomkhiqizo, ukudla kwendawo, isimo sezulu namandla okunakekela; qinisekisa nomeluleki wendawo wemfuyo noma wokufuywa kwezinyosi.

Ukuvuna kuncike eqoqweni lezinyosi, ukuqhakaza nemvula endaweni. Hlola ukuvuthwa ushiyele iqoqo ukudla; asikho isikhathi sezwe lonke esinqunyiwe sokuvuna uju.

Isikhathi somkhiqizo wokuqala: asinamthombo walolu hlobo lokukhiqiza.

Inkomba yokukhiqiza: 25 kg woju/ngesidleke sezinyosi (hive)/ngonyaka. Kusuka ocwaningweni lukazwelonke lwango-2008 olwenziwa ngeposi kubafuyi bezinyosi abangamalungu e-SABIO abangu-112 (abaphendula bangu-22.4%) abaphethe izidleke ezilinganiselwa ku-19,520 ezindaweni zezinyosi ezingu-2,094; leli nani libikwe yibo futhi alikalungiswa ngezilinganiso zesisindo samasampula. Ithebula 7 (umbhalo ofanayo, amakhasi 13-14) likhombisa umehluko omkhulu ngesifunda/ngenhloso yokufuya/ngobukhulu bebhizinisi ngonyaka ofanayo: isibonelo, esifundeni esibizwa ngokuthi 'All', amabhizinisi agxile ojwini abo bonke osayizi = 25.1-26.9 kg/hive/yr ezindaweni zocwaningo ezingu-3; e-Western Cape agxile ojwini = 23.6-27.9 kg/hive/yr; e-Western Cape amabhizinisi amancane agxile ekuthuthweni kwempova = kuphela 7.0-7.5 kg/hive/yr. Umbhalo ofanayo uphinde ucaphune ucwaningo lwangaphambilini olwaqinisekiswa ngokucophelela kakhulu: 'Isivuno esimaphakathi abasibikile siphansi kakhulu, singamakhilogremu angu-13.4 kuphela ngesidleke' ezidlekeni zase-Western Cape (Allsopp & Cherry 2004, ecashunwe ekhasini 2 lalo mbiko), kanye nedatha yomlando yokubalwa kwezinyosi kazwelonke engu-8.3 kg/hive/annum (isilinganiso sango-1911-1988) eyakhuphukela ku-24 kg/hive ekubalweni kwango-1974/5 (umbhalo ofanayo, ikhasi 1). Alikho inani elilodwa elingabizwa ngokuthi liyisiphetho esiqinisekile; u-25 kg/hive/yr usetshenziswa njengesilinganiso sikazwelonke esiyinhloko salo mbhalo uqobo.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

Beka izidleke zezinyosi kude nezindawo zokudlala, unikeze amanzi ahlanzekile futhi usebenzise indawo eyomile. Cela umfuyi wezinyosi obhalisiwe ahlole ukubekwa okuphephile kwendawo ngaphambi kokwengeza isidleke.

Hlola iqoqo ngalinye lezinyosi njalo ukuze uthole izimpawu zesifo sezinyosi okufanele sibikwe kanye nokutheleleka nge-Cape-bee (Capensis).

Beka futhi uvikele izidleke ekwebiweni nasekucekelweni phansi, okungenye yezinselelo ezinkulu kakhulu kubafuyi bezinyosi baseNingizimu Afrika.

Register with the Department before beekeeping. Registration lasts 24 months from registration or renewal and must be renewed when it expires.

A beekeeper who fails to renew registration at expiry will be deregistered and face penalties under the Act.

Beekeeping activities and hired beekeeping services require a valid registration certificate. Check the certificate before using a beekeeper.

Every beehive must be clearly and legibly marked with the beekeeper's registration number.

Keep written records of colonies, apiary locations, diseases, disease-control measures and colony losses with their reasons.

Do not move honeybees across the Cape bee line, or keep Cape bees north of it, without written approval.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Izinyosi: Honeybee (managed hives) (kuyaqhubeka)

Report any suspected notifiable disease (American foulbrood is listed); officials can order an infected colony destroyed.

Umthombo: FAO: Beekeeping in Africa, Site selection (general African apiary guidance)

Umthombo: Department of Agriculture: Control Measures relating to honey-bees R.858 of 2013, consolidated with R.1511 of 22 November 2019, p. 6

Umthombo: Gums & Bees: A roadmap for landowners in South Africa (South African National Biodiversity Institute, SANBI), p. 21

Umthombo: Department of Agriculture: Control Measures relating to honey-bees R.858 of 2013, consolidated with R.1511 of 22 November 2019, control measures 2(1) and 2(4), p. 4

Umthombo: Department of Agriculture: Control Measures relating to honey-bees R.858 of 2013, consolidated with R.1511 of 22 November 2019, control measure 2(5), p. 4

Umthombo: Department of Agriculture: Control Measures relating to honey-bees R.858 of 2013, consolidated with R.1511 of 22 November 2019, control measures 2(8) and 2(9), p. 5

Umthombo: Department of Agriculture: Control Measures relating to honey-bees R.858 of 2013, consolidated with R.1511 of 22 November 2019, p. 5

Umthombo: Survey of Beekeeping in South Africa, CSSR Working Paper No. 221 (Conradie & Nortje, 2008, UCT Centre for Social Science Research), p. 14

Umthombo: FAO, Beekeeping in Africa, honey harvesting

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Isibaya: Nguni / crossbred beef cattle (communal and extensive veld)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-2. Uhlobo lokukhiqiza olukhethiwe: inyama. Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Iseluleko sokuthenga: fanisa uhlobo/izilwane nomkhiqizo, ukudla kwendawo, isimo sezulu namandla okunakekela; qinisekisa nomeluleki wendawo wemfuyo noma wokufuywa kwezinyosi.

Isikhathi somkhiqizo wokuqala: asinamthombo walolu hlobo lokukhiqiza.

Inkomba yokukhiqiza: 114.5–121.2 kg yesisindo ngesikhathi sokulumula/ngethole. Ithebula 5 linikeza isisindo sokulunyulwa (WW) ezindaweni ezine ezihlukene ngokwemvelo yezolimo semihlambi efanayo eyisishiyagalolunye yezinkomo zama-Nguni zomphakathi: eyomile kakhulu 114.51 kg (ephansi kakhulu), eyomile ngokwengxenye 119.98 kg, enomswakama ongaphansi kodwa eyomile 117.91 kg, enomswakama 121.21 kg (ephezulu kakhulu). Ububanzi obubhalwe lapha buhlanganisa izilinganiso zezindawo ezisukela kwezomile kuya kwezimanzi zalolu cwaningo olulodwa; abuhlanganiswa nezibalo zesisindo sokulunyulwa zanoma yiliphi elinye iphepha (ezinye izifundo zaseNingizimu Afrika zibika ububanzi obuhlukile bezinhlelo ezihlukile - isibonelo, imihlambi yezikhungo zocwaningo noma eyokuzalanisa - futhi zikhishwe ngamabomu ukuze kungaxutshwa izinhlelo). Amankonyane ama-Nguni angu-826 asemihlambini eyisishiyagalolunye iphepha ngokwalo elithi 'igcinwa ngaphansi kohlelo lokuklaba emadlelweni abanzi' eSifundazweni saseLimpopo - uhlelo lwangempela lomphakathi/lwamadlelo abanzi oluhambisana nalolu hlobo lokufuya.

Inkomba yesikhathi sokukhiqiza: iminyaka engu-6.4. Izinsuku ezingu-2354 / 365.25 = iminyaka engu-6.44. 'Failure time' yisikhathi sokuphila kokukhiqiza emhlambini samarekhodi angu-580 anganqanyulwanga (abhekwe kuze kube sekupheleni) edatheni ehlanganisiwe; ucwaningo lweziqu ngokwalo luchaza ukuphila kokukhiqiza emhlambini ngokuthi 'isikhawu sesikhathi esiphakathi kosuku lokuzala inkonyane lokuqala nosuku lokukhishwa emhlambini'. Idatha ehlanganisiwe ivela emihlambini emithathu yama-Nguni yokuzalanisa eklaba emadlelweni abanzi, izilwane ezazalwa ngo-1968-2015.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

Izibaya zezinkomo akufanele zigcwale ngokweqile: kufanele kube nendawo eyanele yaphansi ukuze zonke izilwane zilale ngesikhathi esisodwa.

Ngesikhathi zithuthwa, inkomo ngayinye kufanele ibe nendawo yaphansi okungenani engu-1.4 m² ukuze ukulayishwa kungabi kuminyene kakhulu noma kube nesikhala esikhulu kakhulu.

Izinkomo akufanele zithuthwe amahora angaphezu kwangu-18 zingakehliswa zinikezwe ukudla, amanzi nendawo yokukhosela.

Kuyicala ukulambisa, ukunikeza ukudla okunganele, noma ukunqabela izinkomo amanzi noma ukudla.

Foot-and-mouth disease (FMD) is a controlled animal disease under the Animal Diseases Act: state Veterinary Services enforce isolation and movement restrictions.

Every cattle owner must register an official identification mark and brand or mark their cattle with it, under the Animal Identification Act.

Any suspected or confirmed brucellosis-related abortion in cattle must be reported to the State Veterinary office, as part of the national bovine brucellosis control scheme under the Animal Diseases Act.

No animal may be slaughtered anywhere but a registered abattoir, with the exception below.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Isibaya: Nguni / crossbred beef cattle (communal and extensive veld) (kuyaqhubeka)

Slaughter for the farmer's own household consumption, or for cultural or religious purposes, is exempt from the abattoir rule.

Umthombo: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.1.2, p. 4

Umthombo: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.4.6.1, p. 7

Umthombo: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.7.1, p. 9

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Umthombo: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Umthombo: Animal Identification Act 6 of 2002, s.7(1), p. 4

Umthombo: Marumo, Hlokwe & Kayoka-Kabongo, Seroprevalence of brucellosis in communal and smallholder cattle farming in North West Province, South Africa, Onderstepoort Journal of Veterinary Research (PMC10784229)

Umthombo: Meat Safety Act 40 of 2000, s.7(1)(a), p. 6

Umthombo: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Umthombo: Mpofu, Ginindza, Siwendu, Nephawe & Mtileni (2016). Effect of agro-ecological zone, season of birth and sex on pre-weaning performance of Nguni calves in Limpopo Province, South Africa. Tropical Animal Health and Production 49:187-194 (PMC5203849), Table 5

Umthombo: Ngayo, M. (2017). Factors Affecting Productive Life and Fertility in Nguni Cows (MSc dissertation, University of the Free State), Table 5.1, p. 58

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Isibaya: Small-scale dairy cow (Jersey, Holstein or crossbred)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-2. Uhlobo lokukhiqiza olukhethiwe: ubisi. Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Iseluleko sokuthenga: fanisa uhlobo/izilwane nomkhiqizo, ukudla kwendawo, isimo sezulu namandla okunakekela; qinisekisa nomeluleki wendawo wemfuyo noma wokufuywa kwezinyosi.

Hlela ngokuzala kwangempela kwamathole/amazinyane nokuncelisa. Izilwane ezingancelisi azinikezi ubisi.

Inkomba yomkhiqizo wokuqala: amasonto angu-121.8–130.5. Ithebula 1, ikholomu ye-AFC, imigqa ilandelana njengoba isethebula: Holstein-Friesland Reg./Grade, Jersey Reg./Grade, Ayrshire Reg./Grade: izinyanga ezingu-28, 30, 25, 28, 29, 32. Imigqa ye-Grade esetshenziswa lapha yi-Holstein-Friesland engu-30 ne-Jersey engu-28 (i-Grade Ayrshire engu-32 ayisetshenziswa: lolu hlobo lokufuya luyi-Jersey noma i-Holstein). 28 x 4.35 = amasonto angu-121.8; 30 x 4.35 = amasonto angu-130.5. Ubisi luqala lapho kuzalwa inkonyane lokuqala, ngakho ubudala bokuzala inkonyane lokuqala buyisikhathi somkhiqizo wokuqala.

Inkomba yokukhiqiza: 3840–5422 kg wobisi/ngenkomazi/ngesikhathi sokuncelisa. Ithebula 1 ('Ukuqhathaniswa kwesibalo sezinkomazi, ukukhiqiza nokuzala kwezinhlobo eziyinhloko zobisi eNingizimu Afrika'), ikholomu ethi Milk, imigqa ye-Grade: Jersey 3840 kg ne-Holstein-Friesland 5422 kg ngesikhathi ngasinye sokukhiqiza ubisi (imigqa ye-Registered: 4468 no-6426 kg). Umbhalo uthi le yimihlambi ye-National Milk Recording Scheme, 'ebonakale inakekelwa kangcono kunengaphandle kwalolu hlelo, ukukhiqiza kwayo ngesikhathi ngasinye sobisi kungaphezu kokomhlambi kazwelonke ngo-50 %', ngakho umlimi omncane kufanele alindele okungaphansi kwalokho.

Inkomba yesikhathi sokukhiqiza: iminyaka engu-1.9–2. I-Holstein izinsuku ezingu-739.33 ne-Jersey ezingu-696.81 zokuphila kokukhiqiza (kusukela ekuzaleni inkonyane lokuqala kuya ekukhishweni emhlambini) emihlambini yaseNingizimu Afrika erekhodelwa ubisi, 2000-2019: 696.81/365.25 = 1.91 no-739.33/365.25 = iminyaka engu-2.02.

Inkomba yobudala/uhlelo: Ezindaweni ezishisayo nezinomswakama zase-KZN, i-KZN DARD ichaza ukuhlolwa kwezinkomo zobisi ze-Nguni × Jersey eMakhathini ukuze kuhlanganiswe amandla obisi nokujwayela indawo. Ukusenga ngesandla inkonyane likhona kugqamisa ukuncintisana phakathi kobisi lwasekhaya nokukhula kwenkonyane. Xoxa ngendawo ngezilwane ezijwayele indawo nokondla; izamba zamarekhodi obisi ezohwebo azibikezeli lolu hlelo. Rekhoda ukuzala kwenkonyane, isigaba sokukhiqiza ubisi nobisi olusele ngemva kwezidingo zenkonyane.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

Izibaya zezinkomo akufanele zigcwale ngokweqile: kufanele kube nendawo eyanele yaphansi ukuze zonke izilwane zilale ngesikhathi esisodwa.

Izinkomazi akufanele zilayishwe ukuze zithuthwe uma amabele azo egcwele ubisi avuvukala.

Izinkomo akufanele zithuthwe amahora angaphezu kwangu-18 zingakehliswa zinikezwe ukudla, amanzi nendawo yokukhosela.

Kuyicala ukulambisa, ukunikeza ukudla okunganele, noma ukunqabela inkomazi yobisi amanzi noma ukudla.

Izinkomazi ezisemadlelweni noma ezinkanjini ezivulekile zidinga umthunzi: izakhiwo zomthunzi kufanele zinikeze okungenani u-4 kuya ku-5 m² womthunzi ngenkomazi ngayinye.

Foot-and-mouth disease (FMD) is a controlled animal disease under the Animal Diseases Act: state Veterinary Services enforce isolation and movement restrictions.

Every cattle owner must register an official identification mark and brand or mark their cattle with it, under the Animal Identification Act.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Isibaya: Small-scale dairy cow (Jersey, Holstein or crossbred) (kuyaqhubeka)

Dairy farmers are legally required to test their herds for bovine TB, mainly because of export requirements, so most dairy cattle in South Africa are tested.

Any suspected or confirmed brucellosis-related abortion in cattle must be reported to the State Veterinary office, under the national bovine brucellosis control scheme.

A cull cow may be slaughtered only at an abattoir, except for the farmer's own consumption or for cultural or religious purposes.

Umthombo: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.1.2, p. 4

Umthombo: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.6.13, p. 9

Umthombo: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.7.1, p. 9

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Umthombo: Muller, C.J.C., The Dairy Farming Handbook (2017), Western Cape Department of Agriculture (Elsenburg), p. 129

Umthombo: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Umthombo: Animal Identification Act 6 of 2002, s.7(1), p. 4

Umthombo: Bovine tuberculosis / dairy herd testing study, PMC10369683

Umthombo: Marumo, Hlokwe & Kayoka-Kabongo, Seroprevalence of brucellosis in communal and smallholder cattle farming in North West Province, South Africa, Onderstepoort Journal of Veterinary Research (PMC10784229)

Umthombo: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Umthombo: KZN DARD: Subsistence Dairying in KZN, Makhathini Research Station trials

Umthombo: Muller, C.J.C., The Dairy Farming Handbook (2017), Western Cape Department of Agriculture (Elsenburg), p. 10

Umthombo: Muller, C.J.C., The Dairy Farming Handbook (2017), Western Cape Department of Agriculture (Elsenburg), Table 21.1, p. 122

Umthombo: Gertenbach, W.D., Dairying in KwaZulu-Natal: Breeds of Dairy Cattle, Cedara Agricultural Development Institute, KZN Department of Agriculture and Rural Development, Table 1, p. 1

Umthombo: Cow Longevity and Reasons and Risk Factors for Culling in South African Holstein and Jersey Dairy Herds, Animals 2025 (PMC12560872)

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Izinkukhu: Broilers (commercial)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-2. Uhlobo lokukhiqiza olukhethiwe: inyama. Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Iseluleko sokuthenga: khetha uhlobo lwenyama nohlelo lwamaqoqo lomhlinzeki; qinisekisa ukufudumeza amachwane, ukudla, amanzi nezinhlelo zokuhlaba.

Hlela ukudla okunomsoco olinganiselwe, amanzi ahlanzekile, umthunzi, umoya nokuvikelwa ezilwaneni ezidlayo. Ukutholakala kwamaqanda kuncike ezinkukhwini ezizalelayo, ubudala bazo, impilo nokunakekelwa; ihhoko lodwa alinikezi amaqanda.

Inkomba yomkhiqizo wokuqala: amasonto angu-4.6–4.7. Izinsuku ezingu-32 / 7 = amasonto angu-4.57; izinsuku ezingu-33 / 7 = amasonto angu-4.71. Lolu hlobo lokufuya lunomjikelezo owodwa wokukhulisa ophela ngokuhlatshwa, ngakho 'isikhathi somkhiqizo wokuqala' = ubudala bokuhlatshwa. INingizimu Afrika, isilinganiso semboni yokuhweba.

Inkomba yokukhiqiza: 1.8–1.9 kg/ngenyoni ngesikhathi sokuhlatshwa (izinsuku ezingu-32–33). Isilinganiso semboni yezinkukhu zenyama zokuhweba sikazwelonke, eNingizimu Afrika, 2022. Elinye ithebula lokuhlolwa kwezinhlobo (Ithebula 4b, umbhalo ofanayo, ikhasi 39) linikeza 'Cumulative FI (kg)' kanye 'Body weight (kg)' yezinhlobo ezishiwo ngamagama zinezinsuku ezingu-35 ngqo: Arbor Acres Plus 2.29kg, Cobb 500 2.52kg, Indian River 2.30kg, Ross 308 2.30kg (ukudla okudliwe kuhlanganisiwe 3.21-3.64kg) - ubudala obuthe xaxa (35 uma kuqhathaniswa nezinsuku ezingu-32-33) nesisindo esiphakeme kunesilinganiso semboni yonke esicashunwe ngenhla; akuhlanganiswa nenani eliyinhloko ngoba leyo yidatha ehlukile (yokuhlolwa kwamazinga ezinhlobo), kodwa isetshenziswa ngezansi enanini lokudla okudliwe.

Inkomba yobudala/uhlelo: Isikhombo esisha sokuhweba saseNingizimu Afrika: i-SAPA 2024 ibika isilinganiso sokuhlatshwa ezinsukwini ezingu-30–31 izinkukhu zinesisindo esingu-1.8–1.85 kg. Ububanzi obuyinhloko obungenhla buhlala buyisikhombo sangaphambilini sango-2022 sezinsuku ezingu-32–33. Lezi yizisindo zezinkukhu zokuhweba, hhayi ama-kg enyama elungisiwe noma okuhloswe ngomhlambi wasemakhaya. Rekhoda ubudala bokuchanyuselwa noma bokuthengwa, indlela yokondla, usuku lwangempela lokuvuna kanye nokuthi umkhiqizo okaliwe ulinganiswe kanjani.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

Izinkukhu zenyama ezigcinwa phansi endlini: kungabi ngaphezu kuka-40 kg wesisindo sezinkukhu ngemitha eyisikwele ngayinye.

Amatshwele asanda kuchanyuselwa kufanele anikwe ukudla engakapheli amahora angu-24 echanyuselwe.

Amatshwele asanda kuchanyuselwa kufanele akwazi ukuthola amanzi engakapheli amahora angu-24 echanyuselwe, futhi ngokushesha kakhulu uma kushisa.

Amanzi ahlanzekile nokudla okufanele kuhlale kutholakala, ukuze izinkukhu zingalambi futhi zingomi.

Izindlu zezinkukhu zenyama zidinga ukungena nokugeleza komoya okungenani okungamamitha ayi-cubic angu-5 ngehora ngekhilogremu ngayinye yesisindo sezinkukhu ezisendlini.

Ekufuyeni izinkukhu zenyama ezihamba ngaphandle, inani eligcinwa ngaphakathi akufanele lidlule izinkukhu ezingu-15 ngemitha eyisikwele yendawo yaphansi.

An owner or manager whose animals are, or may be, infected with a controlled animal disease must report it to the state veterinary director immediately.

Newcastle disease and notifiable avian influenza are on the state list of controlled and notifiable animal diseases.

No animal may be slaughtered anywhere but an abattoir, with the exceptions below.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Izinkukhu: Broilers (commercial) (kuyaqhubeka)

Slaughter for your own household, or for cultural or religious purposes, is exempt from the abattoir rule.

Umthombo: SAPA Code of Practice for Broiler Production (May 2012), 2.2 Housing of broilers in Floor Systems, p. 6

Umthombo: SAPA Code of Practice for Broiler Production (May 2012), p. 11

Umthombo: SAPA Code of Practice for Broiler Production (May 2012), p. 12

Umthombo: SAPA Code of Practice for Broiler Production (May 2012), p. 7

Umthombo: SAPA Code of Practice for Broiler Production (May 2012), p. 8

Umthombo: SAPA Code of Practice for Broiler Production (May 2012), 2.4 Free Range Broiler Production, p. 8

Umthombo: Animal Diseases Act 35 of 1984, s.11(1)(b)(ii), p. 9

Umthombo: Department of Agriculture, Forestry and Fisheries, Controlled and Notifiable Animal Diseases (factsheet), p. 1

Umthombo: Meat Safety Act 40 of 2000, s.7(1)(a), p. 6

Umthombo: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Umthombo: SAPA Industry Profile 2024, section 7.9 Performance efficiency, p. 82

Umthombo: SAPA Industry Profile 2022, section 6.9 Performance efficiency, p. 79

Umthombo: ARC Climate-Smart Agriculture, module 11, printed pp. 468–480

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Izinkukhu: Village chickens (indigenous, free-range)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-2. Uhlobo lokukhiqiza olukhethiwe: amaqanda. Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Buying advice: Potchefstroom Koekoek is a dual-purpose option; Venda, Ovambo and Naked Neck are other ARC-conserved options. No province-specific winning breed is claimed.

Hlela ukudla okunomsoco olinganiselwe, amanzi ahlanzekile, umthunzi, umoya nokuvikelwa ezilwaneni ezidlayo. Ukutholakala kwamaqanda kuncike ezinkukhwini ezizalelayo, ubudala bazo, impilo nokunakekelwa; ihhoko lodwa alinikezi amaqanda.

Qoqa amaqanda njalo, ugcine okwandlalwe ezidlekeni kuhlanzekile futhi komile, uphathe/ugcine amaqanda ngokucophelela ukuze asetshenziswe ekhaya noma athengiswe.

Inkomba yomkhiqizo wokuqala: amasonto angu-15.7–27.8. Izinkukhu zasemakhaya ezizihambelayo, KwaZulu-Natal; ezendawo eyomile zaqala ukubekela ngaphambi (amasonto angu-15.74) kwalezo zendawo emanzi (amasonto angu-27.78), umehluko umakwe njengobalulekile ngokwezibalo ('*') ethebuleni lomthombo. Ububanzi obukhulu buveza ukwehluka kwangempela kwezimo zendawo ezomile/ezimanzi okubikwa ngumthombo, hhayi ukungaqiniseki kokukala.

Inkomba yokukhiqiza: 40.4–49.9 amaqanda/ngenkukhukazi/ngonyaka. Izinkukhu zasemakhaya ezizihambelayo/ezizifunela ukudla, KwaZulu-Natal: indawo eyomile (40.43) uma kuqhathaniswa nemanzi (49.91), umehluko awubalulekile ngokwezibalo ('NS'). Ukuhlolwa kwe-ARC Irene ngaphansi kohlelo olulawulwayo kwezinhlobo zendabuko ezishiwo ngamagama (Grobbelaar, Sutherland & Molalakgotla 2010, Animal Genetic Resources 46: 25-32) kubika izibalo eziphakeme kakhulu, manje eseziqinisekiswe ngokwehlukana futhi zigcinwe ku-productionReferences; izimo ezilawulwayo azikwazi ukuthatha indawo yalobu bubanzi basemakhaya.

Inkomba yobudala/uhlelo: Ukuhlolwa kwe-ARC Irene kwaqhathanisa i-Potchefstroom Koekoek, Venda, Ovambo ne-Naked Neck ngaphansi kokudla kokuhweba, amanzi nokukhanyisa okulawulwayo. Isilinganiso samaqanda/ngenkukhukazi emjikelezweni wamasonto angu-52 sasingu-195.9, 153.7, 125.5 no-138.9 ngokulandelana; ubudala beqanda lokuqala babuyizinsuku ezingu-138.5, 139.0, 134.5 no-129.0 kusukela ekuchanyuselweni, kungekho mehluko obalulekile ngokwezibalo wobudala beqanda lokuqala phakathi kwezinhlobo. Lokhu kuyisimo sokuhlolwa kwezinhlobo ezinakekelwa ngohlelo olulawulwayo, hhayi isivuno sezinkukhukazi ezizifunela ukudla e-KZN. Fanisa ukondla nezindawo zokugcina izinkukhu ngaphambi kokusebenzisa isilinganiso sokuqhathanisa.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

Ezinhlelweni zasemakhaya zokufuya endaweni evulekile, izinkukhu kufanele zizifunele amanzi nokudla.

Izinkukhu zasemakhaya ezizifunela ukudla zikhula kancane kunezinkukhu ezifuywa ngokuhweba futhi zisengozini enkulu yezifo, izilokazane eziphila kuzo nezilwane ezizizingelayo.

Ocwaningweni lwaseLimpopo naseKwaZulu-Natal, abalimi abangu-94.9% babefaka izinkukhu zabo ezindlini ebusuku.

Lokho izikhukhukazi ezizihambelayo ezazikuthola ngokuzifunela ukudla kwakwanele ukugcina umzimba nokukhula, kodwa kunganele ukuzalela amaqanda: amaprotheni kuzo zonke izinkathi zonyaka, i-calcium ne-phosphorus ebusika.

An owner or manager whose animals are, or may be, infected with a controlled animal disease must report it to the state veterinary director immediately.

Newcastle disease and notifiable avian influenza are on the state list of controlled and notifiable animal diseases.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Izinkukhu: Village chickens (indigenous, free-range) (kuyaqhubeka)

No animal may be slaughtered anywhere but an abattoir, with the exceptions below.

Slaughter for your own household, or for cultural or religious purposes, is exempt from the abattoir rule.

Umthombo: ARC, Climate-Smart Agriculture Training Manual, Module 11: Poultry Production, p. 471

Umthombo: ARC, Climate-Smart Agriculture Training Manual, Module 11: Poultry Production, p. 468

Umthombo: Malatji, Tsotetsi, van Marle-Koster & Muchadeyi (2016), 'A description of village chicken production systems and prevalence of gastrointestinal parasites: Case studies in Limpopo and KwaZulu-Natal provinces of South Africa', Onderstepoort Journal of Veterinary Research 83(1)

Umthombo: Raphulu, Jansen van Rensburg & van Ryssen (2015), 'Nutrient content of crop contents of free ranging indigenous chickens raised under village conditions', South African Journal of Animal Science 45(2), p. 1

Umthombo: Animal Diseases Act 35 of 1984, s.11(1)(b)(ii), p. 9

Umthombo: Department of Agriculture, Forestry and Fisheries, Controlled and Notifiable Animal Diseases (factsheet), p. 1

Umthombo: Meat Safety Act 40 of 2000, s.7(1)(a), p. 6

Umthombo: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Umthombo: Grobbelaar, Sutherland & Molalakgotla (2010), Egg production potentials of certain indigenous chicken breeds from South Africa: methods pp27–28, first-egg p29, Table 4 p31, p. 31

Umthombo: Tenza, Mhlongo & Chimonyo (2023), 'Village chicken production and egg quality in dry and wet, resource-limited environments in KwaZulu-Natal, South Africa', South African Journal of Animal Science 53(6), p. 5

Umthombo: ARC Climate-Smart Agriculture, module 11, printed pp. 468–480

Umthombo: FAO: Small-scale poultry production, egg marketing

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Izinkukhu: Laying hens (commercial)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-2. Uhlobo lokukhiqiza olukhethiwe: amaqanda. Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Iseluleko sokuthenga: ukukhiqiza amaqanda, cela izikhukhukazi ezincane ezigonyiwe esezizozalela kumhlinzeki wezinkukhu ezizalelayo, namarekhodi eminyaka, ukudla nokugonywa.

Hlela ukudla okunomsoco olinganiselwe, amanzi ahlanzekile, umthunzi, umoya nokuvikelwa ezilwaneni ezidlayo. Ukutholakala kwamaqanda kuncike ezinkukhwini ezizalelayo, ubudala bazo, impilo nokunakekelwa; ihhoko lodwa alinikezi amaqanda.

Qoqa amaqanda njalo, ugcine okwandlalwe ezidlekeni kuhlanzekile futhi komile, uphathe/ugcine amaqanda ngokucophelela ukuze asetshenziswe ekhaya noma athengiswe.

Inkomba yesikhathi: Uma ukukhanya kosuku kugcinwa kumahora angu-14–16 njalo, izikhukhukazi zezokuhweba ziqhubeka nokuzalela ngezinga eliphezulu unyaka wonke. Le nkomba yokuphatha kwezohwebo ayisho ukutholakala kwamaqanda kwasekhaya okulinganayo ngokwemvelo.

Inkomba yomkhiqizo wokuqala: amasonto angu-21. Ubudala benkukhu kusukela ekuchanyuselweni; qinisekisa uhlobo nokukhuliswa nomhlinzeki. Izinkukhu esezizozalela ziqala kamuva kulo mjikelezo.

Inkomba yokukhiqiza: 407.1–428.6 amaqanda/ngenkukhukazi efakwe endlini (hen housed), umjikelezo wokubekela kuze kube amasonto angu-90. Ithebula 4a linikeza isamba esiqoqekayo se-'Eggs/hen housed' sezinhlobo ezinhlanu zokuhweba; ithebula elifanayo linikeza 'Age at depop. weeks 90.0' kuhlobo ngalunye. Isilinganiso sezindlu/amakheji zokuhweba, hhayi ukuhlolwa komlimi omncane wezinkukhu ezihamba ngaphandle. Kugcinwa njengoba umthombo ukunikeza: inani langonyaka lingadinga ubudala bokusondela ekuqaleni kokubekela obuvela komunye umbhalo.

Inkomba yobudala/uhlelo: Amazinga ezinhlobo zokuhweba e-SAPA 2024 ayisamba kuze kube amasonto angu-90: Dekalb Amberlink 429 eggs/hen housed, Dekalb Brown 428, Hy-Line Silver Brown 435, Hy-Line Brown 434 ne-Lohmann Brown Lite 413. Lezi yizinhloso zomjikelezo ogcwele, hhayi amaqanda ngonyaka wekhalenda noma isibikezelo somlimi omncane. Ubudala bokuthengwa, ukuqala kwangempela kokubekela, izinkukhukazi ezibekelayo ezisaphila, ukudla, amanzi nokukhanyisa kudinga amarekhodi ahlukile.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

Ezinhlelweni zokufuya okuvumela ukuhamba ngaphandle, izikhukhukazi kufanele zithole indawo yangaphandle okungenani amahora angu-8 ngosuku emini.

Lapho kusetshenziswa amabhokisi ezidleke ahlukene, kube okungenani nesidleke esisodwa ngezikhukhukazi ezingu-8.

Izikhukhukazi zidinga okungenani amahora angu-8 obumnyama obungaphazanyiswa kuwo wonke umjikelezo wamahora angu-24 ukuze ziphumule kahle.

Ukugcinwa phansi endlini kudinga okokwandlalela okungenani engxenyeni eyodwa kwezintathu (33%) yendawo yaphansi.

Indawo yangaphandle yokuzihambela akufanele igcwale ngokweqile: kungabi ngaphezu kwezinkukhu ezingu-5 ngemitha eyisikwele yendawo.

An owner or manager whose animals are, or may be, infected with a controlled animal disease must report it to the state veterinary director immediately.

Newcastle disease and notifiable avian influenza are on the state list of controlled and notifiable animal diseases.

No animal may be slaughtered anywhere but an abattoir, with the exceptions below.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Izinkukhu: Laying hens (commercial) (kuyaqhubeka)

Slaughter for your own household, or for cultural or religious purposes, is exempt from the abattoir rule.

Umthombo: SAPA Abridged Code of Practice: Commercial Layers, p. 1

Umthombo: Animal Diseases Act 35 of 1984, s.11(1)(b)(ii), p. 9

Umthombo: Department of Agriculture, Forestry and Fisheries, Controlled and Notifiable Animal Diseases (factsheet), p. 1

Umthombo: Meat Safety Act 40 of 2000, s.7(1)(a), p. 6

Umthombo: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Umthombo: SAPA Industry Profile 2024, Table 4: commercial standards cumulative to 90 weeks, p. 39

Umthombo: SAPA Layer Notes, Commercial Layers (training module, November 2013), p. 13

Umthombo: SAPA Industry Profile 2022, Table 4a (Breed standards in laying hens), p. 39

Umthombo: ARC Climate-Smart Agriculture Training Manual, Poultry production, p. 8

Umthombo: ARC Climate-Smart Agriculture, module 11, printed pp. 468–480

Umthombo: FAO: Small-scale poultry production, egg marketing

Umthombo: SAPA Layer Notes, Commercial Layers (training module, November 2013)

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Amadada: Meat duck (Pekin / Muscovy, backyard)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-2. Uhlobo lokukhiqiza olukhethiwe: inyama. Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Iseluleko sokuthenga: fanisa uhlobo/izilwane nomkhiqizo, ukudla kwendawo, isimo sezulu namandla okunakekela; qinisekisa nomeluleki wendawo wemfuyo noma wokufuywa kwezinyosi.

Inkomba yomkhiqizo wokuqala: amasonto angu-7–12. P44 = Pekin (amasonto angu-7 kuze kuhlatshwe); MR71 = Muscovy (amasonto angu-10 kumadada ezinsikazi, angu-12 kwabesilisa). Kubhekwa 'njengesikhathi somkhiqizo wokuqala' = ubudala bokuhlatshwa, ngoba lolu hlobo lokufuya inyama lunomjikelezo owodwa (alunawo umkhiqizo ophindaphindayo njengamaqanda). Ukuhlolwa okungesikho kwaseNingizimu Afrika okwenziwa ngabacwaningi baseWarsaw, kwashicilelwa ku-SAJAS; indawo yejenali ayiqinisekisi ukufaneleka kwendawo.

Inkomba yokukhiqiza: 2.3–2.9 kg yesisindo esiphilayo/ngenyoni ngesikhathi sokuhlatshwa. Akusikho kwaseNingizimu Afrika (ucwaningo lwaseGuyana olubika ukucaphuna u-Steklenev 1990); alitholakalanga inani eliqondile lesisindo sokuhlatshwa esiphilayo eliqondene neNingizimu Afrika (bheka okushodayo). 2.93 kg = Pekin enamasonto angu-8-10, 2.29 kg = Muscovy enamasonto angu-8-10 - kuhambisana nezinhlobo ezimbili zalolu hlobo lokufuya. Ukuhlolwa kwephepha elifanayo le-LRRD uqobo (Ithebula 2, uhlelo olunakekelwa kakhulu, eGuyana) kwakala isisindo esiphilayo sokuhlatshwa (emasontweni angu-8) kanje: Pekin abesilisa 2.53 kg, Pekin izinsikazi 2.29 kg, Muscovy abesilisa 2.47 kg, Muscovy izinsikazi 1.51 kg - okuhambisana ngokubanzi nobubanzi obucashunwe ngenhla, kodwa okungahlanganiswa nabo ngoba kuyidatha/ithebula elehlukile emthonjeni ofanayo. Alitholakalanga inani elinomthombo lamaqanda/ngedada/ngonyaka kunoma yiluphi uhlobo (bheka okushodayo); imithombo ye-LRRD ne-SAJAS esetshenziswa lapha yacwaninga amadada akhuliselwa inyama kuphela.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

Kuyicala ukunqabela idada ukudla noma amanzi, noma ukuligcina endaweni engenayo indawo eyanele, umoya owanele, ukukhanya noma indawo yokukhosela ekushiseni nasemakhazeni.

Bheka emihlambini ukufa okungazelelwe, izimpaphe ezimahliphihliphi, ukuvuvukala kwezicubu ezilenga ngaphansi koqhwaku noma amagekle, noma ukwehla okungazelelwe kokuzalela amaqanda - lezi yizimpawu zomkhuhlane wezinyoni futhi kufanele zibikwe ngokushesha.

Gcina amadada kude nezinyoni zasendle namanzi noma ukudla okuvulekile okuzidonsayo, futhi ulawule ukungena kwezivakashi ezindlini zamadada, ukuze unciphise ingozi yomkhuhlane wezinyoni.

Ducks are one of the domesticated animal species listed in the Meat Safety Act, so its rules on registered abattoirs and hygiene apply to them.

Ducks slaughtered to be sold must be slaughtered at a registered abattoir; slaughter for the farmer's own consumption is exempt but that meat may not be sold.

At the abattoir, ducks must be handled humanely during loading, transport, offloading, housing, immobilising and killing, under the Animals Protection Act.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Amadada: Meat duck (Pekin / Muscovy, backyard) (kuyaqhubeka)

Ducks are birds/poultry, so an outbreak of avian influenza in a duck flock is a controlled animal disease under the Animal Diseases Act and must be reported to the state vet immediately.

Umthombo: Animals Protection Act 71 of 1962 (consolidated text, s.2(1)(b)-(c)), p. 2

Umthombo: Western Cape Department of Agriculture, Avian Influenza (Bird Flu) factsheet, p. 2

Umthombo: Meat Safety Act 40 of 2000, Schedule 1 (Animals to which this Act applies), p. 16

Umthombo: Meat Safety Act 40 of 2000, s.7, p. 6

Umthombo: Meat Safety Act 40 of 2000, s.9, p. 7

Umthombo: Damaziak et al. (2014), Influence of housing system on the growth and histological structure of duck muscles, S. Afr. J. Anim. Sci. 44(2): Poland trial

Umthombo: Livestock Research for Rural Development 18(11) 2006 - Solomon et al. (Guyana; not an SA figure), citing Steklenev 1990

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Ichibi elincane: Tilapia (Mozambique tilapia, small pond or tank)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-2. Uhlobo lokukhiqiza olukhethiwe: inhlanzi. Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Iseluleko sokuthenga: fanisa uhlobo/izilwane nomkhiqizo, ukudla kwendawo, isimo sezulu namandla okunakekela; qinisekisa nomeluleki wendawo wemfuyo noma wokufuywa kwezinyosi.

Inkomba yomkhiqizo wokuqala: amasonto angu-43.5–52.2. Izinyanga ezingu-10 x 4.35 = amasonto angu-43.5; izinyanga ezingu-12 x 4.35 = amasonto angu-52.2. Lesi yisikhathi sokukhulisa i-Mozambique Tilapia (O. mossambicus) kuze ibe ngosayizi ovunekayo; umthombo usho ngokwehlukana ukuthi i-Nile Tilapia (O. niloticus) ifinyelela ekuvuthweni okuvunwayo ngokushesha, ngezinyanga ezingu-6-10 (= amasonto angu-26.1-43.5) — akusetshenziswa lapha ngoba iyinhlobo ehlukile enesimo somthetho esihlukile (bheka 'umthetho').

Inkomba yokukhiqiza: 800 g wesisindo ngesikhathi sokuvuna/ngenhlanzi. Ithebula 8-3 linikeza usayizi ovunekayo we-Mozambique Tilapia njengenani elilodwa elilinganiselwayo ('+- 800g'), hhayi ububanzi, ngakho kusetshenziswa [800, 800] kunokuba kusungulwe ukusabalala. Iseli elifanayo lethebula lihlukanisa u-'10-12' ngekhefu lomugqa ku-PDF ('10-\n12'), kugcinwa njengalokho. Umugqa we-Nile Tilapia ethebuleni unikeza isisindo esifanayo esilinganiselwayo (+-800g) esifinyelelwa ngokushesha, ngezinyanga ezingu-6-10 — akusetshenziswa lapha ngoba lo mbhalo ugxile ku-Mozambique Tilapia yendabuko engenamkhawulo womthetho ngokomyalo womsebenzi; bheka 'umthetho' ukuthi kungani i-Nile Tilapia ibhekwa ngokwehlukana. Awutholakalanga umthombo waseNingizimu Afrika onikeza isibalo esiqondene ne-O. mossambicus esisuselwa ekuguqulweni kokudla noma isivuno ngehektha esingaguqulelwa kule yunithi ngenhlanzi ngaphandle kokuthunga izinombolo zemibhalo ehlukene, ngakho i-outputUnit ilandela iyunithi yomthombo uqobo (amagremu esisindo sokuvuna ngenhlanzi) kunokuba iguqulwe.

Inkomba yobudala/uhlelo: I-ARC yenza ukufaneleka kwe-tilapia kuncike ekushiseni kwamanzi: ukukhuliswa ehlobo kungafaneleka noma kuphi eNingizimu Afrika lapho amanzi engaphezu kuka-20°C; ukukhula kubi ngaphansi kuka-18°C futhi amanzi asebusika angaphansi kuka-13°C angabulala i-tilapia efuywayo. Isikhombo sase-Highveld siyisilimo sasehlobo; imigudu emboziwe ingandisa ububanzi. Kala amanzi echibi bese uqinisekisa uhlobo lwezinhlanzi olufakwayo nezinsuku. Isimo sezulu somoya noma ichibi elibhalwe ebalazweni akuqinisekisi izinyanga zokuvuna, izibalo zezinhlanzi noma ama-kg okudla.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

The indigenous Mozambique Tilapia (O. mossambicus) is not a listed invasive species and may be farmed without an alien-species permit; the faster-growing Nile Tilapia (O. niloticus) is.

Nile Tilapia (Oreochromis niloticus) is a nationally listed invasive fish species: Category 1b inside National Parks, Provincial Reserves, Mountain Catchment Areas and Forestry Reserves, and Category 3 in all other areas.

Outside protected areas Nile tilapia is Category 3: it may remain in prescribed areas or provinces, but further propagation or trade is prohibited.

Nile Tilapia has been listed under the NEMBA Alien and Invasive Species Regulations as requiring a permit to produce.

Producing an alien or invasive species (such as Nile Tilapia) is prohibited in areas designated under the Protected Areas Act and the Fish Sanctuary Act; a permit is required to produce it elsewhere.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Ichibi elincane: Tilapia (Mozambique tilapia, small pond or tank) (kuyaqhubeka)

Producing tilapia in South Africa requires a water use licence under the National Water Act.

Umthombo: IDC, Research into the Potential for the Production, Processing and Export of Tilapia for the Southern African Market (2015), Table 8-3 (Mozambique vs. Nile Tilapia), p. 69

Umthombo: Dept. of Environmental Affairs / invasives.org.za, National Listed Invasive Species (NEMBA AIS Regulations booklet), List 7 (National List of Invasive Fresh-water Fish Species), p. 32

Umthombo: Dept. of Environmental Affairs / invasives.org.za, National Listed Invasive Species (NEMBA AIS Regulations booklet), p. 3

Umthombo: IDC, Research into the Potential for the Production, Processing and Export of Tilapia for the Southern African Market (2015), p. 69

Umthombo: IDC, Research into the Potential for the Production, Processing and Export of Tilapia for the Southern African Market (2015), p. 74

Umthombo: IDC, Research into the Potential for the Production, Processing and Export of Tilapia for the Southern African Market (2015), p. 75

Umthombo: ARC Aquaculture Production App: General FAQ, Can I grow tilapia on the Highveld?

Izinhlobo zezitshalo okufanele zihlolwe endaweni

Gcina igama lohlobo olukhethayo ngempela. Uhlu olufushane locwaningo ludinga ukuqinisekiswa kwesikhathi sendawo, amanzi nomhlabathi.

Tomatoes

Uhlobo olurekhodiwe: akukakhethwa.

Isimo sezulu sale ndawo asikacaci, ngakho akukho hlu olufushane lwendawo olushiwo. Vula ikhadi lesitshalo ukuze ubone imithombo bese urekhoda okukhethile.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.