ImbewuField

Permaculture Site Analysis Report

Original site · 28.0000°S 30.0000°E · 22 October 2026
Rainfall 800 mm/yr · Soil pH not measured · Mean temp 21°C

Contents

1. Site record
1.1 Saved plan

1. Site record

Original unchanged narrative, 6 m².

1.1 Saved plan

The original source is retained.

Crop	Record
1	Original record number 1
2	Original record number 2
3	Original record number 3
4	Original record number 4
5	Original record number 5
6	Original record number 6
7	Original record number 7
8	Original record number 8
9	Original record number 9
10	Original record number 10
11	Original record number 11
12	Original record number 12
13	Original record number 13
14	Original record number 14
15	Original record number 15
16	Original record number 16
17	Original record number 17
18	Original record number 18
19	Original record number 19
20	Original record number 20
21	Original record number 21
22	Original record number 22
23	Original record number 23
24	Original record number 24
25	Original record number 25
26	Original record number 26
27	Original record number 27
28	Original record number 28
29	Original record number 29

Not checked by an agronomist — a planning guide, not an instruction. Show it to your extension officer, and get a soil test before spending on soil.

Crop	Record
30	Original record number 30
31	Original record number 31
32	Original record number 32
33	Original record number 33
34	Original record number 34
35	Original record number 35
36	Original record number 36
37	Original record number 37
38	Original record number 38
39	Original record number 39
40	Original record number 40
41	Original record number 41
42	Original record number 42
43	Original record number 43
44	Original record number 44
45	Original record number 45
46	Original record number 46
47	Original record number 47
48	Original record number 48
49	Original record number 49
50	Original record number 50
51	Original record number 51
52	Original record number 52
53	Original record number 53
54	Original record number 54
55	Original record number 55
56	Original record number 56
57	Original record number 57
58	Original record number 58
59	Original record number 59
60	Original record number 60
61	Original record number 61
62	Original record number 62
63	Original record number 63
64	Original record number 64
65	Original record number 65
66	Original record number 66
67	Original record number 67
68	Original record number 68
69	Original record number 69
70	Original record number 70

Not checked by an agronomist — a planning guide, not an instruction. Show it to your extension officer, and get a soil test before spending on soil.

Seasonal sowing calendar

Saved plan: 2026/10/21

S = sow seed (in trays for transplant crops). T = check seedlings; transplant when ready. Check water and field conditions before planting.

Crop	Oct 2026	Nov 2026	Dec 2026	Jan 2027	Feb 2027	Mar 2027	Apr 2027	May 2027	Jun 2027	Jul 2027	Aug 2027	Sept 2027
Tomatoes	S	T										
Green beans	S											
Sweet potato	S											
Maize (mielies)	S											
Butternut			S									
Broccoli					S	T						
Carrots							S					
Lettuce												S

No new start in this period: Garlic, Onions, Swiss chard (spinach), Cabbage.

Bed allocations, varieties, seed buying and monthly jobs are in the separate crop-plan report. This calendar shows planned starts, not confirmation of planting.

Open current crop planner

Not checked by an agronomist — a planning guide, not an instruction. Show it to your extension officer, and get a soil test before spending on soil.

BED CALENDAR

Growing plan: Oct 2026 - Sep 2027

Read across to see what occupies each bed. Each line is one planting, not a measured strip of land.

Bed reserved / growing Pick fresh food Finish a cover crop

Tray crops reserve the bed from their first readiness month. Follow the monthly jobs. An arrow means the crop continues after Sep 2027.

CROP / SHARE OF BED	Oct 2026	Nov 2026	Dec 2026	Jan 2027	Feb 2027	Mar 2027	Apr 2027	May 2027	Jun 2027	Jul 2027	Aug 2027	Sep 2027
Bed 1												6 m²
On **Onions** 61% area - sow Mar 2026		Pick										
Ca **Cabbage** 39% area - sow Mar 2026	Pick											
Bed 2												6 m²
Ca **Cabbage** 14% area - sow Mar 2026	Pick											
Car **Carrots** 86% area - sow Apr 2027											Pick	
Bed 3												6 m²
Bu **Butternut** Whole area - sow Dec 2026							Pick					
Le **Lettuce** 62% area - sow May 2026	Pick											

Not checked by an agronomist - a planning guide, not an instruction. Show it to your extension officer, and get a soil test before spending on soil.

BED CALENDAR - CONTINUED

Growing plan: Oct 2026 - Sep 2027

Read across to see what occupies each bed. Each line is one planting, not a measured strip of land.

Bed reserved / growing Pick fresh food Finish a cover crop

Tray crops reserve the bed from their first readiness month. Follow the monthly jobs. An arrow means the crop continues after Sep 2027.

CROP / SHARE OF BED	Oct 2026	Nov 2026	Dec 2026	Jan 2027	Feb 2027	Mar 2027	Apr 2027	May 2027	Jun 2027	Jul 2027	Aug 2027	Sep 2027
Bed 4												6 m²
To **Tomatoes** 75% area - sow Oct 2026							Pick					
Car **Carrots** 20% area - sow Apr 2027											Pick	
Bed 5												6 m²
GB **Green beans** 69% area - sow Oct 2026			Pick									
Bed 6												8 m²
Ga **Garlic** 1/2 area - sow May 2026			Pick									
Br **Broccoli** 47% area - sow Feb 2027										Pick		
SP **Sweet potato** 46% area - sow Oct 2026						Pick						

BED CALENDAR - CONTINUED

Growing plan: Oct 2026 - Sep 2027

Read across to see what occupies each bed. Each line is one planting, not a measured strip of land.

Bed reserved / growing Pick fresh food Finish a cover crop

Tray crops reserve the bed from their first readiness month. Follow the monthly jobs. An arrow means the crop continues after Sep 2027.

CROP / SHARE OF BED	Oct 2026	Nov 2026	Dec 2026	Jan 2027	Feb 2027	Mar 2027	Apr 2027	May 2027	Jun 2027	Jul 2027	Aug 2027	Sep 2027
Bed 7												6 m²
Ma **Maize (mielies)** 83% area - sow Oct 2026						Pick						
Plot 1												21 m²
No dated crop reserved here												
Plot 2												21 m²
No dated crop reserved here												
Plot 3												21 m²
No dated crop reserved here												
Plot 4												21 m²
No dated crop reserved here												

Not checked by an agronomist - a planning guide, not an instruction. Show it to your extension officer, and get a soil test before spending on soil.

FULL PLAN

Bed-by-bed plan

Each line is one planting. Yield is a conservative benchmark comparison where a verified kg/m² entry exists; "Not verified" is never treated as 0kg.

Area	Crop	Space	Establish	Into field	Harvest	Benchmark
Bed 1	Cabbage	39%	Nursery Mar	Check Apr-Jun; transplant when ready	Oct	7.0 kg
	Onions	61%	Nursery Mar	Check Apr-Jun; transplant when ready	Nov	5.5 kg
Bed 2	Cabbage	14%	Nursery Mar	Check Apr-Jun; transplant when ready	Oct	2.6 kg
	Carrots	86%	Direct sow Apr	Direct	Aug	10.3 kg
	Lettuce	62%	Nursery Sep	Check Oct-Dec; transplant when ready	Feb	4.4 kg
Bed 3	Lettuce	62%	Nursery May	Check Jun-Aug; transplant when ready	Oct	4.4 kg
	Butternut	Full	Direct sow Dec	Direct	Apr-May	7.2 kg
Bed 4	Carrots	20%	Direct sow Apr	Direct	Aug	2.4 kg
	Tomatoes	75%	Nursery Oct	Check Nov-Jan; transplant when ready	Mar-May	13.5 kg
Bed 5	Swiss chard (spinach)	95%	Direct sow Apr	Direct	Jun-Sep	11.3 kg
	Green beans	69%	Direct sow Oct	Direct	Dec	2.1 kg
Bed 6	Broccoli	47%	Nursery Feb	Check Mar-May; transplant when ready	Jul-Aug	1.9 kg
	Garlic	1/2	Direct sow May	Direct	Dec	2.4 kg

Bed-by-bed plan (continued)

Area	Crop	Space	Establish	Into field	Harvest	Benchmark
Bed 6	Sweet potato	46%	Plant slips Oct	Direct	Mar-Apr	5.5 kg
Bed 7	Maize (mielies)	83%	Direct sow Oct	Direct	Mar	1.5 kg

INPUTS

Seed and seedling buying schedule

Find the month, then the crop and bed. Check the seed quantity and sowing method before buying.

The buying rule

Source direct-sown or tray seed before the named sowing month; the source does not provide a universal procurement lead time. Ready-grown seedlings are listed at the start of the field-readiness window; buy them only when the bed and seedlings are ready. Living corms, slips, cloves and seed potatoes are listed close to planting. For a tray crop, choose either packet seed for the nursery or ready-grown seedlings - not both.

A published field seed rate gives a weight range for the mapped area. Confirm the sowing method with the supplier; no germination or loss allowance is added. For crops without a published seed rate, field spacing supports only an approximate FINAL stand. It does not prove a seed-buying quantity: use the packet's crop-specific sowing rate and germination guidance. Living-material ranges are approximate field positions from mapped area and published spacing, not guaranteed order quantities or loss allowances; supplier and crop-specific guidance may change what to purchase.

Source/check	Crop	Quantity	Method	For	Planting timeline
October 2026	Green beans	Packet rate needed	Direct sow; ~98-230 final positions	Bed 5	Sow Oct
	Maize (mielies)	Packet rate needed	Direct sow; ~21-22 final positions	Bed 7	Sow Oct
	Sweet potato	~9-17 slips positions	Living pieces; confirm loss allowance	Bed 6	Sow Oct
November 2026	Tomatoes	~6-17 seedlings positions	Ready seedlings; own seed before Oct nursery	Bed 4	Source own seed before Oct; nursery Oct; check/transplant Nov-Jan
December 2026	Butternut	Packet rate needed	Direct sow; ~10 final positions	Bed 3	Sow Dec
March 2027	Broccoli	~11-21 seedlings positions	Ready seedlings; own seed before Feb nursery	Bed 6	Source own seed before Feb; nursery Feb; check/transplant Mar-May

Seed and seedling buying schedule (continued)

Source/check	Crop	Quantity	Method	For	Planting timeline
April 2027	Carrots	Packet rate needed	Direct sow; ~316-1 585 final positions	Beds 2, 4	Sow Apr
September 2027	Lettuce	~21-37 seedlings positions	Ready seedlings; own seed before Sep nursery	Bed 2	Source own seed before Sep; nursery Sep; check/transplant Oct-Dec

October 2026 field sheet

Original site - tick each job off as it is done.

11 jobs - 4 sowing / planting - 3 harvest / recording

Published optimum-condition maturity endpoints are planning slots, not promises. Before any successor is sown or transplanted, confirm the previous crop is finished and the bed is actually clear; crops may mature later.

DONE	PLACE	WORK TO COMPLETE	DATE / NOTE
Prepare for the next planting			
		Where a bed follows another crop, confirm it is finished and cleared before preparing it. Assess soil and drainage; use a soil test or local advice before adding amendments.	
☐	**Bed 4**	Prepare the ground for tomatoes (75% of the bed; 4.5 m²).	
☐	**Bed 5**	Prepare the ground for green beans (69% of the bed; 4.13 m²).	
☐	**Bed 6**	Prepare the ground for sweet potato (46% of the bed; 3.67 m²).	
☐	**Bed 7**	Prepare the ground for maize (mielies) (83% of the bed; 5 m²).	
Nursery - raise seedlings			
☐	**Nursery**	Raise and label trays for tomatoes (75% of the bed; 4.5 m²; sow 1 cm deep) for Bed 4. Start checking in Nov; transplant when ready, within the planning window through Jan.	
Direct sowing and planting			
☐	**Bed 5**	Sow green beans (69% of the bed; 4.13 m²; rows 45-60 cm apart, 4-7 cm in the row, 2-5 cm deep).	
☐	**Bed 6**	Plant sweet potato slips (46% of the bed; 3.67 m²; rows 90-100 cm apart, 25-40 cm in the row).	
☐	**Bed 7**	Sow maize (mielies) (83% of the bed; 5 m²; rows 91 cm apart, 25 cm in the row, 5-10 cm deep).	
Harvest and record			
☐	**Bed 1**	Harvest cabbage (39% of the bed; 2.33 m²). Record kilograms and where it went.	
☐	**Bed 2**	Harvest cabbage (14% of the bed; 0.87 m²). Record kilograms and where it went.	
☐	**Bed 3**	Harvest lettuce (62% of the bed; 3.7 m²). Record kilograms and where it went.	

November 2026 field sheet

Original site - tick each job off as it is done.

3 jobs - 1 sowing / planting - 1 harvest / recording

Published optimum-condition maturity endpoints are planning slots, not promises. Before any successor is sown or transplanted, confirm the previous crop is finished and the bed is actually clear; crops may mature later.

DONE	PLACE	WORK TO COMPLETE	DATE / NOTE
Prepare for the next planting			
		Where a bed follows another crop, confirm it is finished and cleared before preparing it. Assess soil and drainage; use a soil test or local advice before adding amendments.	
☐	**Bed 3**	Prepare the ground for butternut (whole bed; 6 m²).	
Direct sowing and planting			
☐	**Bed 4**	From this month, transplant tomatoes (75% of the bed; 4.5 m²; rows 90-120 cm apart, 30-60 cm in the row) when seedlings and the bed are ready.	
Harvest and record			
☐	**Bed 1**	Harvest onions (61% of the bed; 3.67 m²). Record kilograms and where it went.	

December 2026 field sheet

Original site - tick each job off as it is done.

3 jobs - 1 sowing / planting - 2 harvest / recording

Published optimum-condition maturity endpoints are planning slots, not promises. Before any successor is sown or transplanted, confirm the previous crop is finished and the bed is actually clear; crops may mature later.

DONE	PLACE	WORK TO COMPLETE	DATE / NOTE
Direct sowing and planting			
☐	**Bed 3**	Sow butternut (whole bed; 6 m²; rows 150 cm apart, 40 cm in the row).	
Harvest and record			
☐	**Bed 5**	Harvest green beans (69% of the bed; 4.13 m²). Record kilograms and where it went.	
☐	**Bed 6**	Harvest garlic (half the bed; 4 m²). Record kilograms and where it went.	

February 2027 field sheet

Original site - tick each job off as it is done.

2 jobs - 1 sowing / planting - 0 harvest / recording

Published optimum-condition maturity endpoints are planning slots, not promises. Before any successor is sown or transplanted, confirm the previous crop is finished and the bed is actually clear; crops may mature later.

DONE	PLACE	WORK TO COMPLETE	DATE / NOTE
Prepare for the next planting			
		Where a bed follows another crop, confirm it is finished and cleared before preparing it. Assess soil and drainage; use a soil test or local advice before adding amendments.	
☐	**Bed 6**	Prepare the ground for broccoli (47% of the bed; 3.75 m²).	
Nursery - raise seedlings			
☐	**Nursery**	Raise and label trays for broccoli (47% of the bed; 3.75 m²; sow 1.5-2 cm deep) for Bed 6. Start checking in Mar; transplant when ready, within the planning window through May.	

March 2027 field sheet

Original site - tick each job off as it is done.

6 jobs - 1 sowing / planting - 3 harvest / recording

Published optimum-condition maturity endpoints are planning slots, not promises. Before any successor is sown or transplanted, confirm the previous crop is finished and the bed is actually clear; crops may mature later.

DONE	PLACE	WORK TO COMPLETE	DATE / NOTE
Prepare for the next planting			
		Where a bed follows another crop, confirm it is finished and cleared before preparing it. Assess soil and drainage; use a soil test or local advice before adding amendments.	
☐	**Bed 2**	Prepare the ground for carrots (86% of the bed; 5.13 m²).	
☐	**Bed 4**	Prepare the ground for carrots (20% of the bed; 1.21 m²).	
Direct sowing and planting			
☐	**Bed 6**	From this month, transplant broccoli (47% of the bed; 3.75 m²; rows 60-70 cm apart, 30-45 cm in the row) when seedlings and the bed are ready.	
Harvest and record			
☐	**Bed 4**	Harvest tomatoes (75% of the bed; 4.5 m²). Record kilograms and where it went.	
☐	**Bed 6**	Harvest sweet potato (46% of the bed; 3.67 m²). Record kilograms and where it went.	
☐	**Bed 7**	Harvest maize (mielies) (83% of the bed; 5 m²). Record kilograms and where it went.	

April 2027 field sheet

Original site - tick each job off as it is done.

5 jobs - 2 sowing / planting - 3 harvest / recording

Published optimum-condition maturity endpoints are planning slots, not promises. Before any successor is sown or transplanted, confirm the previous crop is finished and the bed is actually clear; crops may mature later.

DONE	PLACE	WORK TO COMPLETE	DATE / NOTE
Direct sowing and planting			
☐	**Bed 2**	Sow carrots (86% of the bed; 5.13 m²; rows 20-40 cm apart, 2-5 cm in the row, 1-2.5 cm deep).	
☐	**Bed 4**	Sow carrots (20% of the bed; 1.21 m²; rows 20-40 cm apart, 2-5 cm in the row, 1-2.5 cm deep).	
Harvest and record			
☐	**Bed 3**	Harvest butternut (whole bed; 6 m²). Record kilograms and where it went.	
☐	**Bed 4**	Harvest tomatoes (75% of the bed; 4.5 m²). Record kilograms and where it went.	
☐	**Bed 6**	Harvest sweet potato (46% of the bed; 3.67 m²). Record kilograms and where it went.	

May 2027 field sheet

Original site - tick each job off as it is done.

2 jobs - 0 sowing / planting - 2 harvest / recording

Published optimum-condition maturity endpoints are planning slots, not promises. Before any successor is sown or transplanted, confirm the previous crop is finished and the bed is actually clear; crops may mature later.

DONE	PLACE	WORK TO COMPLETE	DATE / NOTE
Harvest and record			
☐	**Bed 3**	Harvest butternut (whole bed; 6 m²). Record kilograms and where it went.	
☐	**Bed 4**	Harvest tomatoes (75% of the bed; 4.5 m²). Record kilograms and where it went.	

July 2027 field sheet

Original site - tick each job off as it is done.

1 jobs - 0 sowing / planting - 1 harvest / recording

Published optimum-condition maturity endpoints are planning slots, not promises. Before any successor is sown or transplanted, confirm the previous crop is finished and the bed is actually clear; crops may mature later.

DONE	PLACE	WORK TO COMPLETE	DATE / NOTE
Harvest and record			
☐	**Bed 6**	Harvest broccoli (47% of the bed; 3.75 m²). Record kilograms and where it went.	

August 2027 field sheet

Original site - tick each job off as it is done.

3 jobs - 0 sowing / planting - 3 harvest / recording

Published optimum-condition maturity endpoints are planning slots, not promises. Before any successor is sown or transplanted, confirm the previous crop is finished and the bed is actually clear; crops may mature later.

DONE	PLACE	WORK TO COMPLETE	DATE / NOTE
Harvest and record			
☐	**Bed 2**	Harvest carrots (86% of the bed; 5.13 m²). Record kilograms and where it went.	
☐	**Bed 4**	Harvest carrots (20% of the bed; 1.21 m²). Record kilograms and where it went.	
☐	**Bed 6**	Harvest broccoli (47% of the bed; 3.75 m²). Record kilograms and where it went.	

September 2027 field sheet

Original site - tick each job off as it is done.

2 jobs - 1 sowing / planting - 0 harvest / recording

Published optimum-condition maturity endpoints are planning slots, not promises. Before any successor is sown or transplanted, confirm the previous crop is finished and the bed is actually clear; crops may mature later.

DONE	PLACE	WORK TO COMPLETE	DATE / NOTE
Prepare for the next planting			
		Where a bed follows another crop, confirm it is finished and cleared before preparing it. Assess soil and drainage; use a soil test or local advice before adding amendments.	
☐	**Bed 2**	Prepare the ground for lettuce (62% of the bed; 3.7 m²).	
Nursery - raise seedlings			
☐	**Nursery**	Raise and label trays for lettuce (62% of the bed; 3.7 m²; sow 1.5-2 cm deep) for Bed 2. Start checking in Oct; transplant when ready, within the planning window through Dec.	

PLAN VERSUS REALITY

Monthly harvest and field record

Write the month: _____ Team: _____

Write down what actually happened

Record the date, crop, bed and actual harvest weight. Write how much was used, kept, shared or lost. These records help you check the next plan.

Harvest record

Date	Crop / bed	Picked kg	Used kg	Stored kg	Sold/shared kg	Lost kg

PLAN VERSUS REALITY

Fruit, eggs, honey and other production

Write the month: _____ Team: _____

Use the unit you actually measured

Write the food and its source: tree, coop, hive or bed. Use kg for weighed food, eggs for counted eggs, or jars, bunches or items. Record jar size in the source column. Keep all amounts on one row in the same unit.

Date	Food / source	Collected	Unit	Used	Sold/shared	Lost

Weekly observation

Week	Rainfall	Irrigation	Pests / disease	What we observed	What we changed

Decision for next month

Observe. Adjust. Write it down.