Ţanḍa saved report

Leswi nga endzeni

1. Ndhawu
1.1 Pulani leyi hlayisiweke

1. Ndhawu

Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².

1.1 Pulani leyi hlayisiweke

Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m². Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m². Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m². Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m². Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m². Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m². Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².

Xibyariwa	Vuxokoxoko
1	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
2	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
3	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
4	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
5	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
6	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
7	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
8	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
9	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
10	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
11	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
12	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
13	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
14	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
15	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
16	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
17	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
18	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
19	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
20	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
21	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
22	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
23	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
24	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
25	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
26	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
27	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
28	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.

Xibyariwa	Vuxokoxoko
29	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
30	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
31	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
32	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
33	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
34	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
35	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
36	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
37	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
38	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
39	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
40	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
41	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
42	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
43	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
44	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
45	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
46	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
47	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².
48	Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².

Original saved Ţanḍa ṉḍḽ record, {count} $&, 6 m².

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.

Khalendara ya ku byala ya tinguva

Pulani leyi hlayisiweke: 05 N'we 2026

S = byala mbewu (eka thireyi ta swibyariwa leswi nga ta yisiwa ensin'wini). T = kambela swimilana; swi yise ensin'wini loko swi lunghekile. Kambela mati ni swiyimo swa nsimu u nga si byala.

Xibyariwa	N'we 2026	Sung 2027	Nyny 2027	Nyku 2027	Dziv 2027	Mudy 2027	Khot 2027	Maw 2027	Mhaw 2027	Ndzh 2027	Nhla 2027	Huku 2027
Butternut	S											
Broccoli			S	T								
Carrots					S							
Lettuce										S	T	
Tomatoes											S	T
Green beans											S	
Sweet potato											S	
Maize (mielies)											S	

A ku na masungulo lamantshwa eka nkarhi lowu: Garlic, Onions, Swiss chard (spinach), Cabbage.

Swiphemu swa mibedo, tinxaka leti hlawuriweke, ku xava mbewu ni mintirho ya n’hweti swi le ka xiviko lexi hambaneke xa pulani ya swibyariwa. Khalendara leyi yi komba masungulo lama pulaniweke, a yi tiyisisi leswaku ku byariwile.

Pfula mupulani wa swibyariwa wa sweswi

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.

How this plan was put together

From the suggested plan that was accepted. Anything changed by hand since is not described here.

WHAT TO WATCH

Original saved tdl record: 6 m². Private wording stays as recorded.

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.

BED CALENDAR

Growing plan: Dec 2026 - Nov 2027

Read across to see what occupies each bed. Each line is one planting, not a measured strip of land.

Bed reserved / growing Pick fresh food Finish a cover crop

Tray crops reserve the bed from their first readiness month. Follow the monthly jobs. An arrow means the crop continues after Nov 2027.

CROP / SHARE OF BED	Dec 2026	Jan 2027	Feb 2027	Mar 2027	Apr 2027	May 2027	Jun 2027	Jul 2027	Aug 2027	Sep 2027	Oct 2027	Nov 2027
Ṭanḍa {count} $&												6 m²
No dated crop reserved here												
Bed 2												6 m²
Le **Lettuce** 62% area - sow Sep 2027											→	
Car **Carrots** 86% area - sow Apr 2027									Pick			
Bed 3												6 m²
Bu **Butternut** Whole area - sow Dec 2026					Pick							
Bed 4												6 m²
To **Tomatoes** 75% area - sow Oct 2027												→
Car **Carrots** 20% area - sow Apr 2027									Pick			

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.

BED CALENDAR - CONTINUED

Growing plan: Dec 2026 - Nov 2027

Read across to see what occupies each bed. Each line is one planting, not a measured strip of land.

Bed reserved / growing Pick fresh food Finish a cover crop

Tray crops reserve the bed from their first readiness month. Follow the monthly jobs. An arrow means the crop continues after Nov 2027.

CROP / SHARE OF BED	Dec 2026	Jan 2027	Feb 2027	Mar 2027	Apr 2027	May 2027	Jun 2027	Jul 2027	Aug 2027	Sep 2027	Oct 2027	Nov 2027
Bed 5												6 m²
GB **Green beans** 69% area - sow Oct 2027											→	→
Bed 6												8 m²
Ga **Garlic** 1/2 area - sow May 2026 Variety: Original ndl	Pick											
Br **Broccoli** 47% area - sow Feb 2027								Pick				
SP **Sweet potato** 46% area - sow Oct 2027											→	→
Bed 7												6 m²
Ma **Maize (mielies)** 83% area - sow Oct 2027											→	→

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.

BED CALENDAR - CONTINUED

Growing plan: Dec 2026 - Nov 2027

Read across to see what occupies each bed. Each line is one planting, not a measured strip of land.

Bed reserved / growing Pick fresh food Finish a cover crop

Tray crops reserve the bed from their first readiness month. Follow the monthly jobs. An arrow means the crop continues after Nov 2027.

CROP / SHARE OF BED	Dec 2026	Jan 2027	Feb 2027	Mar 2027	Apr 2027	May 2027	Jun 2027	Jul 2027	Aug 2027	Sep 2027	Oct 2027	Nov 2027
Plot 1												21 m²
No dated crop reserved here												
Plot 2												21 m²
No dated crop reserved here												
Plot 3												21 m²
No dated crop reserved here												
Plot 4												21 m²
No dated crop reserved here												

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.

FULL PLAN

Bed-by-bed plan

Each line is one planting. Yield is a conservative benchmark comparison where a verified kg/m² entry exists; "Not verified" is never treated as 0kg.

Area	Crop	Space	Establish	Into field	Harvest	Benchmark
Ṯaṇḍa {count} $&	Cabbage	39%	Nursery Mar	Check Apr-Jun; transplant when ready	Oct	7.0 kg
	Onions	61%	Nursery Mar	Check Apr-Jun; transplant when ready	Nov	5.5 kg
Bed 2	Cabbage	14%	Nursery Mar	Check Apr-Jun; transplant when ready	Oct	2.6 kg
	Carrots	86%	Direct sow Apr	Direct	Aug	10.3 kg
	Lettuce	62%	Nursery Sep	Check Oct-Dec; transplant when ready	Feb	4.4 kg
Bed 3	Lettuce	62%	Nursery May	Check Jun-Aug; transplant when ready	Oct	4.4 kg
	Butternut	Full	Direct sow Dec	Direct	Apr-May	7.2 kg
Bed 4	Carrots	20%	Direct sow Apr	Direct	Aug	2.4 kg
	Tomatoes	75%	Nursery Oct	Check Nov-Jan; transplant when ready	Mar-May	13.5 kg
Bed 5	Swiss chard (spinach)	95%	Direct sow Apr	Direct	Jun-Sep	11.3 kg
	Green beans	69%	Direct sow Oct	Direct	Dec	2.1 kg
Bed 6	Broccoli	47%	Nursery Feb	Check Mar-May; transplant when ready	Jul-Aug	1.9 kg

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.

Bed-by-bed plan (continued)

Area	Crop	Space	Establish	Into field	Harvest	Benchmark
Bed 6	Garlic - Original n̰d̰l̰	1/2	Direct sow May	Direct	Dec	2.4 kg
	Sweet potato	46%	Plant slips Oct	Direct	Mar-Apr	5.5 kg
Bed 7	Maize (mielies)	83%	Direct sow Oct	Direct	Mar	1.5 kg

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.

INPUTS

Seed and seedling buying schedule

Find the month, then the crop and bed. Check the seed quantity and sowing method before buying.

The buying rule

Source direct-sown or tray seed before the named sowing month; the source does not provide a universal procurement lead time. Ready-grown seedlings are listed at the start of the field-readiness window; buy them only when the bed and seedlings are ready. Living corms, slips, cloves and seed potatoes are listed close to planting. For a tray crop, choose either packet seed for the nursery or ready-grown seedlings - not both.

A published field seed rate gives a weight range for the mapped area. Confirm the sowing method with the supplier; no germination or loss allowance is added. For crops without a published seed rate, field spacing supports only an approximate FINAL stand. It does not prove a seed-buying quantity: use the packet's crop-specific sowing rate and germination guidance. Living-material ranges are approximate field positions from mapped area and published spacing, not guaranteed order quantities or loss allowances; supplier and crop-specific guidance may change what to purchase.

Source/check	Crop	Quantity	Method	For	Planting timeline
December 2026	Butternut	Packet rate needed	Direct sow; ~10 final positions	Bed 3	Sow Dec
March 2027	Broccoli	~11–21 seedlings positions	Ready seedlings; own seed before Feb nursery	Bed 6	Source own seed before Feb; nursery Feb; check/transplant Mar-May
April 2027	Carrots	Packet rate needed	Direct sow; ~316–1 585 final positions	Beds 2, 4	Sow Apr
October 2027	Green beans	Packet rate needed	Direct sow; ~98–230 final positions	Bed 5	Sow Oct
	Lettuce	~21–37 seedlings positions	Ready seedlings; own seed before Sep nursery	Bed 2	Source own seed before Sep; nursery Sep; check/transplant Oct-Dec

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.

Seed and seedling buying schedule (continued)

Source/check	Crop	Quantity	Method	For	Planting timeline
October 2027	Maize (mielies)	Packet rate needed	Direct sow; ~21–22 final positions	Bed 7	Sow Oct
	Sweet potato	~9–17 slips positions	Living pieces; confirm loss allowance	Bed 6	Sow Oct
November 2027	Tomatoes	~6–17 seedlings positions	Ready seedlings; own seed before Oct nursery	Bed 4	Source own seed before Oct; nursery Oct; check/transplant Nov-Jan

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.

ImbewuField

FIELD SHEET

December 2026 field sheet

Ṭanḍa saved report - tick each job off as it is done.

3 jobs - 1 sowing / planting - 1 harvest / recording

Published optimum-condition maturity endpoints are planning slots, not promises. Before any successor is sown or transplanted, confirm the previous crop is finished and the bed is actually clear; crops may mature later.

DONE	PLACE	WORK TO COMPLETE	DATE / NOTE
Prepare for the next planting			
		Where a bed follows another crop, confirm it is finished and cleared before preparing it. Assess soil and drainage; use a soil test or local advice before adding amendments.	
☐	**Bed 3**	Prepare the ground for butternut (whole bed; 6 m²).	
Direct sowing and planting			
☐	**Bed 3**	Sow butternut (whole bed; 6 m²; rows 150 cm apart, 40 cm in the row).	
Harvest and record			
☐	**Bed 6**	Harvest garlic (half the bed; 4 m²). Record kilograms and where it went.	

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.

February 2027 field sheet

Ṭanḍa saved report - tick each job off as it is done.

2 jobs - 1 sowing / planting - 0 harvest / recording

Published optimum-condition maturity endpoints are planning slots, not promises. Before any successor is sown or transplanted, confirm the previous crop is finished and the bed is actually clear; crops may mature later.

DONE	PLACE	WORK TO COMPLETE	DATE / NOTE
Prepare for the next planting			
		Where a bed follows another crop, confirm it is finished and cleared before preparing it. Assess soil and drainage; use a soil test or local advice before adding amendments.	
☐	**Bed 6**	Prepare the ground for broccoli (47% of the bed; 3.75 m^2).	
Nursery - raise seedlings			
☐	**Nursery**	Raise and label trays for broccoli (47% of the bed; 3.75 m^2; sow 1.5–2 cm deep) for Bed 6. Start checking in Mar; transplant when ready, within the planning window through May.	

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.

March 2027 field sheet

Ṭanḍa saved report - tick each job off as it is done.

3 jobs - 1 sowing / planting - 0 harvest / recording

Published optimum-condition maturity endpoints are planning slots, not promises. Before any successor is sown or transplanted, confirm the previous crop is finished and the bed is actually clear; crops may mature later.

DONE	PLACE	WORK TO COMPLETE	DATE / NOTE
Prepare for the next planting			
		Where a bed follows another crop, confirm it is finished and cleared before preparing it. Assess soil and drainage; use a soil test or local advice before adding amendments.	
☐	**Bed 2**	Prepare the ground for carrots (86% of the bed; 5.13 m²).	
☐	**Bed 4**	Prepare the ground for carrots (20% of the bed; 1.21 m²).	
Direct sowing and planting			
☐	**Bed 6**	From this month, transplant broccoli (47% of the bed; 3.75 m²; rows 60–70 cm apart, 30–45 cm in the row) when seedlings and the bed are ready.	

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.

April 2027 field sheet

Ṭanḍa saved report - tick each job off as it is done.

3 jobs - 2 sowing / planting - 1 harvest / recording

Published optimum-condition maturity endpoints are planning slots, not promises. Before any successor is sown or transplanted, confirm the previous crop is finished and the bed is actually clear; crops may mature later.

DONE	PLACE	WORK TO COMPLETE	DATE / NOTE
Direct sowing and planting			
☐	**Bed 2**	Sow carrots (86% of the bed; 5.13 m^2; rows 20–40 cm apart, 2–5 cm in the row, 1–2.5 cm deep).	
☐	**Bed 4**	Sow carrots (20% of the bed; 1.21 m^2; rows 20–40 cm apart, 2–5 cm in the row, 1–2.5 cm deep).	
Harvest and record			
☐	**Bed 3**	Harvest butternut (whole bed; 6 m^2). Record kilograms and where it went.	

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.

May 2027 field sheet

Ṭanḍa saved report - tick each job off as it is done.

1 jobs - 0 sowing / planting - 1 harvest / recording

Published optimum-condition maturity endpoints are planning slots, not promises. Before any successor is sown or transplanted, confirm the previous crop is finished and the bed is actually clear; crops may mature later.

DONE	PLACE	WORK TO COMPLETE	DATE / NOTE
Harvest and record			
☐	**Bed 3**	Harvest butternut (whole bed; 6 m^2). Record kilograms and where it went.	

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.

July 2027 field sheet

Ṭanḍa saved report - tick each job off as it is done.

1 jobs - 0 sowing / planting - 1 harvest / recording

Published optimum-condition maturity endpoints are planning slots, not promises. Before any successor is sown or transplanted, confirm the previous crop is finished and the bed is actually clear; crops may mature later.

DONE	PLACE	WORK TO COMPLETE	DATE / NOTE
Harvest and record			
☐	**Bed 6**	Harvest broccoli (47% of the bed; 3.75 m^2). Record kilograms and where it went.	

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.

August 2027 field sheet

Ṭanḍa saved report - tick each job off as it is done.

3 jobs - 0 sowing / planting - 3 harvest / recording

Published optimum-condition maturity endpoints are planning slots, not promises. Before any successor is sown or transplanted, confirm the previous crop is finished and the bed is actually clear; crops may mature later.

DONE	PLACE	WORK TO COMPLETE	DATE / NOTE
Harvest and record			
☐	**Bed 2**	Harvest carrots (86% of the bed; 5.13 m²). Record kilograms and where it went.	
☐	**Bed 4**	Harvest carrots (20% of the bed; 1.21 m²). Record kilograms and where it went.	
☐	**Bed 6**	Harvest broccoli (47% of the bed; 3.75 m²). Record kilograms and where it went.	

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.

September 2027 field sheet

Ṭanḍa saved report - tick each job off as it is done.

5 jobs - 1 sowing / planting - 0 harvest / recording

Published optimum-condition maturity endpoints are planning slots, not promises. Before any successor is sown or transplanted, confirm the previous crop is finished and the bed is actually clear; crops may mature later.

DONE	PLACE	WORK TO COMPLETE	DATE / NOTE
Prepare for the next planting			
		Where a bed follows another crop, confirm it is finished and cleared before preparing it. Assess soil and drainage; use a soil test or local advice before adding amendments.	
☐	**Bed 2**	Prepare the ground for lettuce (62% of the bed; 3.7 m^2).	
☐	**Bed 5**	Prepare the ground for green beans (69% of the bed; 4.13 m^2).	
☐	**Bed 6**	Prepare the ground for sweet potato (46% of the bed; 3.67 m^2).	
☐	**Bed 7**	Prepare the ground for maize (mielies) (83% of the bed; 5 m^2).	
Nursery - raise seedlings			
☐	**Nursery**	Raise and label trays for lettuce (62% of the bed; 3.7 m^2; sow 1.5–2 cm deep) for Bed 2. Start checking in Oct; transplant when ready, within the planning window through Dec.	

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.

October 2027 field sheet

Ṭanḍa saved report - tick each job off as it is done.

6 jobs - 5 sowing / planting - 0 harvest / recording

Published optimum-condition maturity endpoints are planning slots, not promises. Before any successor is sown or transplanted, confirm the previous crop is finished and the bed is actually clear; crops may mature later.

DONE	PLACE	WORK TO COMPLETE	DATE / NOTE
Prepare for the next planting			
		Where a bed follows another crop, confirm it is finished and cleared before preparing it. Assess soil and drainage; use a soil test or local advice before adding amendments.	
☐	**Bed 4**	Prepare the ground for tomatoes (75% of the bed; 4.5 m²).	
Nursery - raise seedlings			
☐	**Nursery**	Raise and label trays for tomatoes (75% of the bed; 4.5 m²; sow 1 cm deep) for Bed 4. Start checking in Nov; transplant when ready, within the planning window through Jan.	
Direct sowing and planting			
☐	**Bed 2**	From this month, transplant lettuce (62% of the bed; 3.7 m²; rows 40–50 cm apart, 25–35 cm in the row) when seedlings and the bed are ready.	
☐	**Bed 5**	Sow green beans (69% of the bed; 4.13 m²; rows 45–60 cm apart, 4–7 cm in the row, 2–5 cm deep).	
☐	**Bed 6**	Plant sweet potato slips (46% of the bed; 3.67 m²; rows 90–100 cm apart, 25–40 cm in the row).	
☐	**Bed 7**	Sow maize (mielies) (83% of the bed; 5 m²; rows 91 cm apart, 25 cm in the row, 5–10 cm deep).	

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.

November 2027 field sheet

Ṭanḍa saved report - tick each job off as it is done.

1 jobs - 1 sowing / planting - 0 harvest / recording

Published optimum-condition maturity endpoints are planning slots, not promises. Before any successor is sown or transplanted, confirm the previous crop is finished and the bed is actually clear; crops may mature later.

DONE	PLACE	WORK TO COMPLETE	DATE / NOTE
Direct sowing and planting			
☐	**Bed 4**	From this month, transplant tomatoes (75% of the bed; 4.5 m²; rows 90–120 cm apart, 30–60 cm in the row) when seedlings and the bed are ready.	

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.

PLAN VERSUS REALITY

Monthly harvest and field record

Write the month: _____ Team: _____

Write down what actually happened

Record the date, crop, bed and actual harvest weight. Write how much was used, kept, shared or lost. These records help you check the next plan.

Harvest record

Date	Crop / bed	Picked kg	Used kg	Stored kg	Sold/shared kg	Lost kg

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.

PLAN VERSUS REALITY

Fruit, eggs, honey and other production

Write the month: _____ Team: _____

Use the unit you actually measured

Write the food and its source: tree, coop, hive or bed. Use kg for weighed food, eggs for counted eggs, or jars, bunches or items. Record jar size in the source column. Keep all amounts on one row in the same unit.

Date	Food / source	Collected	Unit	Used	Sold/shared	Lost

Weekly observation

Week	Rainfall	Irrigation	Pests / disease	What we observed	What we changed

Decision for next month

Observe. Adjust. Write it down.

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Malebulu ya xiviko lexi rhumeriwaka swi ni vuhundzuluxi byo ka byi nga si kamberiwa. Tsalwa ra xiviko lexi hlayisiweke ri sala hi ririmi leri rhekhodiweke ha rona.