SYNTHETIC GRAPH SOURCE {COUNT} $&

Ngaphambi kokuthenga noma ukuqala

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Iqembu lesimo sezulu locwaningo: Ugu olufudumele oluseduze nezindawo ezishisayo. Leli qembu alisona isincomo esiqinisekisiwe saleli pulazi.

Lokho okubikile ngaleli pulazi

Amanzi ngesikhathi esomile

Akurekhodiwe. Qedela inhlolovo yendawo bese uqinisekisa amanzi ngaphambi kokukhetha uhlelo oludinga izinsiza eziningi.

Isithwathwa kuleli pulazi

Okubonwe ngesithwathwa endaweni akurekhodiwe. Izilinganiso zanyanga zonke zesathelayithi azikwazi ukuthola izinsuku zokuqala nezokugcina zesithwathwa.

Ilanga nokuphuma kwamanzi

Ilanga: akurekhodiwe.

Ukuphuma kwamanzi: akurekhodiwe. Kusadingeka ukuhlola imiphumela yokuhlolwa komhlabathi nezidingo zesitshalo ngasinye.

Amarekhodi onyaka wokubika - hhayi isibikezelo

Izamba nezinyanga zonyaka wokubika odlule zichaza lokho okwabikwa. Azithembisi ukudla ohlelweni oluzayo.

Original eggs {year} $&

Isamba sonyaka esibikwe umlimi sango-2025: 240 eggs.

Okusetshenziswa ekhaya: 0 eggs. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: Jun, Jul. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Fish

Isamba sonyaka esibikwe umlimi sango-2025: akurekhodiwe.

Okusetshenziswa ekhaya: akurekhodiwe. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: akurekhodiwe. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Eminye imifino

Isamba sonyaka esibikwe umlimi sango-2025: 12 kg.

Okusetshenziswa ekhaya: 7 kg. Okuthengisiwe: 3 kg.

Izinyanga zokuvuna ezibikiwe: Jan, Dis. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu

Pawpaw

Isikhombo sesifunda: Pawpaw - kulindeleke lapho sekumile kahle

Jan	Feb	Mas	Eph	Mey	Jun	Jul	Aga	Sep	Okt	Nov	Dis

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhombo sesivuno sokuqala: izinyanga ezingu-18. Isivuno sokuqala esivamile e-KZN emva kokutshala, cishe izinyanga ezingu-18. Isigaba esifanayo sibika izinyanga ezingu-9–11 ezimweni ezinhle zase-Makhathini Flats. Lesi isikhombo sesifunda esivamile, akusona isikhathi esincane kunazo zonke noma isiqinisekiso. Isikhathi sangempela sincike ohlotsheni nasekunakekelweni kwendawo.

Ukuvuselela indawo etshaliwe: Umhlahlandlela wase-KZN unikeza cishe iminyaka engu-4–5 njengempilo yezomnotho yendawo etshaliwe. Buyekeza ukutshala kabusha ohlelweni oluzayo; le nkomba yokuvuselela yezohwebo ayisho ukuthi isitshalo ngasinye sasekhaya siyafa lapho sineminyaka emihlanu noma siqala ukukhiqiza ngokugcwele ngaleso sikhathi.

Ukukhiqiza kwesifunda ngehektare: Inkomba yokukhiqiza yesifunda: ngokucophelela 10–15 t/ha, ngokwesilinganiso 20–25 t/ha, okuhle 30 t/ha. La manani endawo awasona isimiso sonyaka ngokobudala besitshalo ngasinye. Fanisa ubulili bezitshalo, izitshalo ezithela, izikhala, isimo sezulu namanzi ngaphambi kokubeka ama-kilogram alindelwe.

Izitshalo zokuqala nobulili besitshalo: I-Sunrise Solo iyinketho yohlobo lwe-hermaphrodite; i-Honey Gold inezitshalo zesilisa nezesifazane ezihlukene. Qinisekisa izitshalo zangempela nohlobo lobulili. Isibalo sezitshalo ezisemephini sisodwa asisho ukuthi zingaki ezithela izithelo.

Gwema isithwathwa nokugcwala kwamanzi. I-Honey Gold idinga izitshalo zesilisa nezesifazane; i-Sunrise Solo inezitho zombili zobulili.

Uhlobo olucatshangwayo lokutshala: Sunrise Solo, uma indawo yokukhula ingenayo isithwathwa futhi amanzi ephuma. Qinisekisa izinyanga zalo zokuvuna endaweni; ikhalenda lisebenzisa inkomba yesifunda ephawuliwe lapho inomthombo.

Iseluleko sokuthenga: Okukhethelwe ukuhlela izindawo ezifudumele: Sunrise Solo. Qinisekisa ubulili/uhlobo lwesitshalo enkulisa yezitshalo.

Isikhombo sesifunda: Pawpaw. KwaZulu-Natal. Isikhombo sesifunda sase-KZN; isikhathi sendawo esiqondene nohlobo sisengaziwa. Isikhombo sokuhlela lapho sekumile kahle; qinisekisa izinsuku zokuvuna zendawo. Akuthenjiswa inani lokudla noma isivuno sonyaka wokuqala.

Umthombo: KZN DARD, Fruit and Nut Production, PDF pp. 18–19 (regional reference; confirm current nursery stock)

Umthombo: KwaZulu-Natal Department of Agriculture and Rural Development, 'Fruit and Nut Production in KZN' (Horticultural Advisory Notes), section 1.6 Papaya, 'Bearing age', p. 18

Umthombo: KZN DARD, Fruit and Nut Production in KZN, Bearing age, p. 18

Umthombo: KZN DARD, Fruit and Nut Production in KZN (2006), Papaya: Bearing age, p. 18

Umthombo: KZN DARD, Fruit and Nut Production in KZN (2006), Papaya: Yields, p. 19

Umthombo: KZN DARD, Fruit and Nut Production in KZN (2006), Papaya: Sex forms, p. 18

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Num-num

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amajikijolo avuthiwe adliwayo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: Ijikijolo elidliwayo kufanele lihlukaniswe namagxolo, umthombo owachaza njenganezinto ze-glucoside ezinobuthi.

Vikela izitshalo ezincane emakhazeni; sebenzisa umhlabathi okhipha amanzi kahle elangeni noma emthunzini othile. I-SANBI ichaza ukuzwela esithwathweni nokumelana nemimoya yolwandle.

Iseluleko sokuthenga: Cela i-Carissa bispinosa ekhonjwe ngokwebhotani nemvelaphi yendawo. Umthombo ohloliwe awunikezi uhlobo oluqanjwe lwezithelo.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, carissa-bispinosa

Karoo num-num

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo ze-num-num ezivuthiwe — ubunikazi kufanele buqinisekiswe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: Umbhalo webhothani we-SANBI ufaka i-C. haematocarpa phakathi kwe-Carissa yaseNingizimu Afrika. Ukuhlolwa kwamanje kwe-SANBI kuxhumanisa ubunikazi bayo ne-C. bispinosa; alukho uhlobo oluhlukile lwaseKaroo olufakazelwe.

Ukuxhumanisa kwamanje kwe-SANBI ngokwezinhlobo: Ibhalwe phakathi kwamanye amagama e-Carissa bispinosa. Lobu ubufakazi bobunikazi, hhayi uhlobo olusha lwezithelo noma isikhathi sokuvuna esizimele.

Qinisekisa ubunikazi bebhothani ngaphambi kokusebenzisa leli rekhodi lekhathalogi njengohlelo lwezithelo oluhlukile. Ungalibali kabili ngoba nje isitshalo esifanayo sibhalwe futhi ngokuthi C. bispinosa.

Iseluleko sokuthenga: Cela inkulisa yebhothani yendawo iqinisekise ubunikazi besitshalo nemvelaphi efanele; alukho uhlobo oluqanjwe noma izinga eliqondile lesithwathwa elaqinisekiswa emthonjeni oyisisekelo.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, carissa-sebrabergensis

Umthombo: SANBI Red List, Carissa bispinosa assessment (2023)

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Sour fig

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo ezivuthiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye edliwayo nokusetshenziswa endaweni: Umthombo ukhomba izithelo ezivuthiwe njengokudla. UJuni–Okthoba ukuqhakaza, hhayi isikhathi sokuvuna izithelo.

Lesi simila sasogwini esithanda ilanga nesimboza umhlabathi singabamba umhlabathi oyisihlabathi. I-SANBI irekhoda ukulimala ngesithwathwa, ngakho hlola ukuchayeka emakhazeni ngaphambi kokusisebenzisa phakathi nezwe.

Iseluleko sokuthenga: Qinisekisa i-Carpobrotus deliciosus; ungayifaki esikhundleni sayo olunye uhlobo lwe-sour-fig ngoba nje amagama ajwayelekile ayafana.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, carpobrotus-deliciosus

Izinhlobo zezitshalo okufanele zihlolwe endaweni

Gcina igama lohlobo olukhethayo ngempela. Uhlu olufushane locwaningo ludinga ukuqinisekiswa kwesikhathi sendawo, amanzi nomhlabathi.

Tomatoes

Uhlobo olurekhodiwe: akukakhethwa.

Uhlu olufushane locwaningo lwezimo zezulu ezifanayo: Rodade.

Umthombo: Rodade, Sakata product page

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.