SYNTHETIC GRAPH SOURCE {COUNT} $&

Ngaphambi kokuthenga noma ukuqala

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Iqembu lesimo sezulu locwaningo: Ugu olufudumele oluseduze nezindawo ezishisayo. Leli qembu alisona isincomo esiqinisekisiwe saleli pulazi.

Lokho okubikile ngaleli pulazi

Amanzi ngesikhathi esomile

Akurekhodiwe. Qedela inhlolovo yendawo bese uqinisekisa amanzi ngaphambi kokukhetha uhlelo oludinga izinsiza eziningi.

Isithwathwa kuleli pulazi

Okubonwe ngesithwathwa endaweni akurekhodiwe. Izilinganiso zanyanga zonke zesathelayithi azikwazi ukuthola izinsuku zokuqala nezokugcina zesithwathwa.

Ilanga nokuphuma kwamanzi

Ilanga: akurekhodiwe.

Ukuphuma kwamanzi: akurekhodiwe. Kusadingeka ukuhlola imiphumela yokuhlolwa komhlabathi nezidingo zesitshalo ngasinye.

Amarekhodi onyaka wokubika - hhayi isibikezelo

Izamba nezinyanga zonyaka wokubika odlule zichaza lokho okwabikwa. Azithembisi ukudla ohlelweni oluzayo.

Original eggs {year} $&

Isamba sonyaka esibikwe umlimi sango-2025: 240 eggs.

Okusetshenziswa ekhaya: 0 eggs. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: Jun, Jul. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Fish

Isamba sonyaka esibikwe umlimi sango-2025: akurekhodiwe.

Okusetshenziswa ekhaya: akurekhodiwe. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: akurekhodiwe. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Eminye imifino

Isamba sonyaka esibikwe umlimi sango-2025: 12 kg.

Okusetshenziswa ekhaya: 7 kg. Okuthengisiwe: 3 kg.

Izinyanga zokuvuna ezibikiwe: Jan, Dis. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu

Arabica coffee

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo zekhofi.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ubunikazi bezinhlobo zepulazi nesisekelo sokucubungula: Lezi ezintathu yi-SL28, Catuai ne-F6. Ipulazi lichaza ukususa inyama yesithelo, ukuvutshelwa, ukomisa, ukususa amakhoba nokosa ngemva kokuvuna; isisindo sesithelo, izimbewu zekhofi ezingakosiwa nomkhiqizo osiwe kuyimikhiqizo eyehlukene.

Umongo wokutshala ikhofi wendawo: Ipulazi lisogwini oluseningizimu ye-KZN futhi libika ukuthi likhulisa i-SL28, Catuai ne-F6. Lokhu ubufakazi bokulima obuvela epulazini uqobo, hhayi ukufaneleka ezweni lonke.

Rekhoda ukuvunwa kwezithelo zekhofi ngokwehlukana nokomisa, ukususa amakhoba nokosa. Ungasebenzisi izinyanga zesitoko samaphakethe ekhofi elosiwe njengekhalenda lesivuno esisha.

Sebenzisa inkomba yase-Port Edward kuphela ngemva kokuhlola izimo zendawo yangempela nohlobo olukhethiwe.

Iseluleko sokuthenga: I-SL28, Catuai ne-F6 zibhalwe epulazini lekhofi elisebenzayo lase-Port Edward. Buza enkulisa yendawo noma kumeluleki wekhofi ukuthi yiziphi izinto zokutshala ezifanele indawo nendlela yokucubungula ehlosiwe.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — Beaver Creek Estate, Port Edward, KwaZulu-Natal — SL28, Catuai and F6: Mey–Sep.

Umthombo: Beaver Creek Coffee Estate, Coffee Cultivars (own-farm observations)

Umthombo: Beaver Creek Estate, Our Story

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Livingstone potato

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izigaxa ezidliwayo (tubers).

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Umkhiqizo wezigaxa ezidliwayo (tubers) nendawo yokukhula yenkathi efudumele: Umkhiqizo wokudla yisigaxa (tuber), hhayi isithelo somndeni wamazambane. Kuchazwa ukulima okufudumele kwemvula yasehlobo okunesithwathwa esincane; ukuqhakaza kwasebusika/kwasentwasahlobo ngemva kokuwa kwamaqabunga akulona ikhalenda elinezinsuku zokumba izigaxa.

Umjikelezo wokutshala nokuvuna izigaxa (tubers): Izigaxa (tubers) zingavunwa ezinyangeni ezingu-4–6 ngemva kokutshala, kuye ngemvula, umhlabathi nendawo. Umongo wokutshala osemthonjeni ukuqala kwezimvula zentwasahlobo yokuqala, ekupheleni kuka-Agasti–ekuqaleni kukaSepthemba ezindaweni zaseNingizimu Afrika zemvula yasehlobo. Lona umjikelezo wokutshala izigaxa, hhayi iminyaka yokuqala ukuthela kwesihlahla; awuqinisekisi izinyanga zokuvuna zazo zonke izindawo. Isikhathi sokugcina sichazwa njengesifushane uma kuqhathaniswa, ngaphandle kwenani lesikhathi.

Sebenzisa umhlabathi ovulekile okhipha amanzi kahle elangeni eligcwele ngaphansi kwezimo ezifudumele ezifanele.

Rekhoda isivuno sezigaxa (tubers) ngeqoqo lokutshala nendawo yombhede, kunokusebenzisa ijika elijwayelekile lokukhula kwesihlahla sezithelo.

Inkomba ye-SANBI yomjikelezo wezigaxa (tubers) yizinyanga ezingu-4–6 ngemva kokutshala, kuye ngamanzi, umhlabathi nendawo. Rekhoda usuku lwangempela lokutshala nesivuno sezigaxa ezikhule ngokuphelele.

Iseluleko sokuthenga: Thola izigaxa (tubers) zokutshala noma izingcezu ezikhonjwe kahle. Uhlobo lwendawo oluqanjwe ngegama nenkomba yokudla ye-kg/plant akukaqinisekiswa.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Coleus esculentus

Umthombo: SANBI PlantZAfrica: Coleus esculentus, Harvesting and storage of tubers

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Honeybush

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amahlumela anamaqabunga etiye le-honeybush elomisiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Isisekelo sesivuno se-honeybush nomkhiqizo ocutshunguliwe: Amahlumela asikiwe ayaqotshwa, afakwe ku-oxidation ngokushisa, omiswe bese ayahlungwa; itiye eliluhlaza lomiswa ngaphandle kwe-oxidation. I-kg yamahlumela amasha ayiyona i-kg yetiye elomisiwe. I-C. genistoides iwuhlobo oluthile lwezentengiselwano, hhayi zonke izinhlobo ze-honeybush.

Amagama enkathi adinga ukuqinisekiswa endaweni: Umbhalo ukhuluma ngehlobo le-C. genistoides nangekwindla le-C. subternata, kodwa amazwibela ayaphikisana nalokho. Alukho uhlu lwezinyanga oluqondile olucatshangwayo.

Ukulinywa kwalolu hlobo: Umthombo uchaza uhlobo lwetiye nokulinywa e-southern Cape elangeni, ezimweni ezine-asidi nezikhipha amanzi kahle; awunikezi i-kg/plant yokudla engadluliselwa kwezinye izindawo noma iminyaka yokukhiqiza ngokugcwele.

Sebenzisa izimo ze-fynbos ezine-asidi nezikhipha amanzi kahle ezifanele lolu hlobo bese uqinisekisa ukuchayeka esithwathweni kwendawo.

Rekhoda okusanda kusikwa nomkhiqizo wetiye elomisiwe ngokwehlukana; akukho ukuguqulwa kokomisa okuzenzakalelayo noma isikhathi sokugcina esiphephile esibekiwe.

Iseluleko sokuthenga: Buza enkulisa yendawo enguchwepheshe nge-C. genistoides ekhonjwe kahle nohlobo olufakazelwe endaweni; izinhlobo zezindawo zemvelo ezehlukene azikhiqizi ngokulinganayo.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: ARC Infruitec-Nietvoorbij: Honeybush farming and processing

Umthombo: ARC Honeybush press release, May 2021

Umthombo: SANBI PlantZAfrica: Cyclopia genistoides

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Quince

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Umongo wokuchelela wase-Robertson nokusetshenziswa kokudla ekugcineni: Ucwaningo lubhala ukuchelela kwasehlobo nokukhiqizwa kwezithelo okuphethwe ngezindlela ze-organic. Alunikezi iresiphi eqinisekisiwe yokulungisa ekhaya noma isikhathi sokugcina.

Inkomba kaMeyi ye-Portuguese quince ivela ezinsimini zezithelo ezichelelwayo zase-Robertson. Rekhoda izinyanga zendawo zokuqala nezokugcina ukuvuna ngaphambi kokuyithatha njengokudla okutholakalayo.

Gcina izinsuku zesitoko sokudla okulondoloziwe zehlukene nokuvunwa kwezithelo; ukusetshenziswa ekheni akusunguli isikhathi sokugcina esiphephile.

Iseluleko sokuthenga: I-Portuguese quince inenkomba yomthombo yezinsimu zezithelo zase-Robertson. Cela uhlobo lwe-quince oluthela izithelo: amagama e-quince asetshenziswa njengezisekelo zokuxhunyelelwa kwamapheya (rootstocks) awasona isincomo sesivuno sezithelo.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — Tierhoek Organic Farm, Robertson, Breede River Valley, Western Cape — Portuguese quince: Mey.

Umthombo: Birkhofer et al. (2019), Effects of Ground Cover Management in Organic Deciduous Fruit Orchards in South Africa, Table 1

Izinhlobo zezitshalo okufanele zihlolwe endaweni

Gcina igama lohlobo olukhethayo ngempela. Uhlu olufushane locwaningo ludinga ukuqinisekiswa kwesikhathi sendawo, amanzi nomhlabathi.

Tomatoes

Uhlobo olurekhodiwe: akukakhethwa.

Uhlu olufushane locwaningo lwezimo zezulu ezifanayo: Rodade.

Umthombo: Rodade, Sakata product page

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.