SYNTHETIC GRAPH SOURCE {COUNT} $&

Ngaphambi kokuthenga noma ukuqala

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Iqembu lesimo sezulu locwaningo: Ugu olufudumele oluseduze nezindawo ezishisayo. Leli qembu alisona isincomo esiqinisekisiwe saleli pulazi.

Lokho okubikile ngaleli pulazi

Amanzi ngesikhathi esomile

Akurekhodiwe. Qedela inhlolovo yendawo bese uqinisekisa amanzi ngaphambi kokukhetha uhlelo oludinga izinsiza eziningi.

Isithwathwa kuleli pulazi

Okubonwe ngesithwathwa endaweni akurekhodiwe. Izilinganiso zanyanga zonke zesathelayithi azikwazi ukuthola izinsuku zokuqala nezokugcina zesithwathwa.

Ilanga nokuphuma kwamanzi

Ilanga: akurekhodiwe.

Ukuphuma kwamanzi: akurekhodiwe. Kusadingeka ukuhlola imiphumela yokuhlolwa komhlabathi nezidingo zesitshalo ngasinye.

Amarekhodi onyaka wokubika - hhayi isibikezelo

Izamba nezinyanga zonyaka wokubika odlule zichaza lokho okwabikwa. Azithembisi ukudla ohlelweni oluzayo.

Original eggs {year} $&

Isamba sonyaka esibikwe umlimi sango-2025: 240 eggs.

Okusetshenziswa ekhaya: 0 eggs. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: Jun, Jul. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Fish

Isamba sonyaka esibikwe umlimi sango-2025: akurekhodiwe.

Okusetshenziswa ekhaya: akurekhodiwe. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: akurekhodiwe. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Eminye imifino

Isamba sonyaka esibikwe umlimi sango-2025: 12 kg.

Okusetshenziswa ekhaya: 7 kg. Okuthengisiwe: 3 kg.

Izinyanga zokuvuna ezibikiwe: Jan, Dis. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu

Pecan

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: intongomane elisegobolondweni (nut in shell).

Isikhombo sesivuno sokuqala: iminyaka engu-5. Ukuthela okuncane cishe ngonyaka wesi-5 encwadini yase-KZN, ezindaweni eziniselwayo ezinehlobo elishisayo, ubusika obubandayo nomswakama ophansi ngesikhathi sokukhula. Ikhomba izigodi zemifula ezomile zase-Zululand/Lowveld njengezindawo zesifunda ezifanelekile. Indlela yokwandisa, uhlobo nobudala basenkulisa akucacisiwe; lesi isikhombo esijwayelekile esinemibandela, akulona inani elilindelekile epulazini. Isikhathi sangempela sincike ohlotsheni nasekunakekelweni kwendawo.

Isikhombo sokukhiqiza osekusimeme: iminyaka engu-12–13. Ukukhiqiza okugcwele cishe ngeminyaka engu-12–13 encwadini ejwayelekile yase-KZN. Uhlobo olukhethiwe, indlela yokwandisa, ukuminyana nokuphathwa kuthinta ukukhiqiza kwangempela; ubudala bokuvuthwa abuzakheli ngokuzenzakalela igrafu yama-kg ngesihlahla ngonyaka.

Okukhiqizwa komhlahlandlela we-pecan — isisekelo sehektare samantongomane omile asemagobolondweni: Umhlahlandlela unikeza u-750 oqaphile, isilinganiso esingu-800–1,200 kanye no-1,500+ omuhle we-kg/ha wamantongomane omile asemagobolondweni (Dry-in-Shell). Ubala ngokwehlukana ezinye izikhala phakathi kwezihlahla nokunciphiswa kwezihlahla kamuva, ngakho akucatshangwa ukuminyana okukodwa. Lezi yizinkomba zehektare ezingaboshelwe eminyakeni yobudala; isisindo esinegobolondo asisona isisindo somongo odliwayo futhi alukho ijika elijwayelekile le-kg/tree elisuselwa kuzo.

Sebenzisa izinhlobo ezikhipha impova neziyemukelayo ezihambisanayo. Izindawo ezinemvula yasehlobo zidinga izinhlobo ezimelana nesifo se-scab; ukuvuthwa kwamantongomane kusenesikhathi kukodwa akuqinisekisi ukuhambisana kwempova.

Iseluleko sokuthenga: Uhlu olufushane lwe-SAPPA: e-KZN/Lowveld enomswakama omningi — Ukulinga, Cape Fear, Choctaw; e-KZN emanzi nebandayo kakhulu — Barton; e-Highveld eyomile kakhudlwana — Barton, Pawnee, Wichita; ezindaweni ezomile zasentshonalanga — Wichita, Choctaw, Western Schley. Iqembu lesimo sezulu elicatshangelwe lodwa alikwazi ukuhlukanisa zonke lezi zindawo. Qinisekisa umswakama wendawo, umhlabathi nezinhlobo ezimbili zempova ngaphambi kokuthenga.

Impova: idinga impova yesinye isitshalo esihambisanayo. Hlola izidingo zohlobo olukhethiwe nenkulisa yezitshalo.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — South Africa (general — Southern Hemisphere phenology; main areas Vaalharts/Northern Cape, Lower Orange River): Mas–Jun.

Umthombo: SAPPA: Cultivar Recommendation by Production Area, p. 1 (retrieved 4 October 2026)

Umthombo: Lötze, E., 'Literature Review: Factors influencing pollination of pecans for commercial production', published by SAPPA (South African Pecan Nut Producers' Association), p. 3

Umthombo: Lötze, E., 'Literature Review: Factors influencing pollination of pecans for commercial production', published by SAPPA

Umthombo: KZN DARD, Fruit and Nut Production in KZN, Pecan bearing age; printed p.22, p. 26

Umthombo: KZN DARD, Fruit and Nut Production in KZN, Pecan yield; printed p.22, p. 26

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Pennywort

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: amaqabunga aphekiwe.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ukusetshenziswa njengemifino kwaseNingizimu Afrika okuqinisekisiwe: Umbhali ukhomba i-C. asiatica njengemifino ephekiwe yaseNingizimu Afrika. Izinhlobo ze-Centella zingaba nzima ukuzihlukanisa; ubufakazi bokudla noma isivuno be-C. coriacea esondelene nayo abudluliselwa kuyo. Akunikezwanga izinyanga zokuvuna ukudla, isikhathi sokuqala ukuvuna noma i-kg/plant.

Qinisekisa ubunikazi obuqondile bese urekhoda umkhiqizo wamaqabunga aphekiwe; ukusetshenziswa njengomuthi akuqinisekisi isibikezelo sokukhiqizwa kokudla.

Iseluleko sokuthenga: Thola izinto zokutshala ezikhonjwe njenge-Centella asiatica enkulisa ethembekile; alukho uhlobo lokudla lwesifunda noma isivuno samaqabunga sonyaka esilinganisiwe esiqinisekisiwe.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: Long, H.S. (2014), University of Johannesburg MSc Botany thesis abstract

Carob

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izindumba.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ingxenye yokudla yaseNingizimu Afrika nomongo wokutshala: Umhlahlandlela kahulumeni ukhomba izindumba, ukukhipha izindawo zesithwathwa esinamandla, ukuchelela ezindaweni ezomile nokwehluka phakathi kwezihlahla ezikhule embewini. Uncoma izinto ezixhunyelelwe nokuhlinzekwa kwempova; akuzona zonke izihlahla ezinesivuno esifanayo.

Imikhiqizo yokudla ye-carob nezinhlobo ezihlolwe endaweni: Ucwaningo oluyisisekelo lwahlola izinto zezindumba ezikhuliswe eNingizimu Afrika, kuhlanganise nalezo zinhlobo eziqanjwe ngamagama neyodwa engaziwa, lwase luthuthukisa imikhiqizo yokudla. Lokhu ubufakazi bengxenye edliwayo, hhayi ukuhlolwa kwesifunda kokuvuthwa/isivuno. Isixhumanisi senyuvesi sombhalo ophelele sabuyisa i-HTTP 403 ngesikhathi kuhlolwa.

Umkhiqizo ovunwayo yindumba. Qinisekisa ubulili besitshalo sokutshala (plant sex) nempova ehambisanayo; izivuno zezindumba zezihlahla ezikhule embewini ziyahlukahluka.

Hlola isithwathwa namanzi endawo. Ukucubungula ukudla kudinga indlela efanele namarekhodi acacile esitoko esigciniwe.

Iseluleko sokuthenga: Sebenzisa izinto ezixhunyelelwe nezikhonjwe kahle kunokucabanga ukuthi isithombo esingaziwa sizofana nesihlahla esikhiqizayo. I-Tylliria, SFax, Aaronsohn ne-Santa Fe zazikhona ocwaningweni lwaseNingizimu Afrika lokwakheka kokudla; lokhu akuklelisi isivuno sazo epulazini noma ukufaneleka kwesifunda.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: C.J. Esterhuyse (1989), Department of Environment Affairs, Agroforestry, pamphlet 412, p. 13

Umthombo: Iipumbu (2008), Stellenbosch MSc Food Science thesis, university-provided abstract in FAO AGRIS

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Tsamma

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: uhlobo lwekhabe lwendabuko oludliwayo olukhonjwe kahle — kudingeka ukuqinisekiswa uchwepheshe.

Ukubuyekezwa kokusetshenziswa njengokudla: qinisekisa ubunikazi, ingxenye edliwayo nokulungiswa okufanele nomeluleki wendawo oqeqeshiwe ngaphambi kokufaka lesi sitshalo ekudleni kwasekhaya. Asibalwa ezambeni zokudla okuvamile nasemisebenzini yokuvuna.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ukubuyekezwa kwengxenye edliwayo nokuphepha: Irekhodi lekhathalogi lihlanganisa amalebula athi tsamma no-var. citroides/uhlobo lwendabuko. I-SANBI ihlukanisa izinhlobo ezidliwayo ze-makataan/tsamma ku-karkoer ebabayo; kufanele kuqinisekiswe ubunikazi nengxenye edliwayo.

Gcina leli rekhodi lezinhlobo zendabuko ezixubile lingafakiwe ezibalweni zokudla kwasekhaya kuze umlimi wendawo onolwazi aqinisekise umthombo wembewu, uhlobo nendlela efanele yokulungisa ukudla.

Umthombo uchaza isitshalo sonyaka esisabalalayo sezindawo ezomile ngokwanele nezinesikhala esanele.

Iseluleko sokuthenga: Thola uhlobo lwendabuko lokudla oludliwayo olukhonjwe kahle emthonjeni wembewu wendawo othembekile. Ikhabe elibukeka lisendle noma igama elijwayelekile elithi karkoer kuphela akwanele.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica, citrullus-lanatus

Izinhlobo zezitshalo okufanele zihlolwe endaweni

Gcina igama lohlobo olukhethayo ngempela. Uhlu olufushane locwaningo ludinga ukuqinisekiswa kwesikhathi sendawo, amanzi nomhlabathi.

Tomatoes

Uhlobo olurekhodiwe: akukakhethwa.

Uhlu olufushane locwaningo lwezimo zezulu ezifanayo: Rodade.

Umthombo: Rodade, Sakata product page

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.