SYNTHETIC GRAPH SOURCE {COUNT} $&

Musi ni sa athu u renga kana u thoma

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Tshigwada tsha kilima tsha ṱhoḓisiso: Fhethu ha u lima a hu athu u ṱalutshedzea. Tshigwada itshi a si nyeletshedzo yo khwaṱhisedzwaho ya bulasi iḽi.

Zwe na vhiga nga bulasi iḽi

Maḓi nga khalaṅwaha yo oma

A zwo ngo rekhodwa. Fhedzisani ṱhoḓisiso ya fhethu ni khwaṱhisedze maḓi ni sa athu u nanga pulane ine ya ṱoḓa zwishumiswa zwinzhi.

Murotholo kha bulasi iḽi

Zwe zwa vhonwa nga murotholo wa henefho a zwo ngo rekhodwa. Zwikati zwa ṅwedzi zwa sathelaithi a zwi koni u khwaṱhisedza maḓuvha a murotholo wa u thoma na wa u fhedza.

Ḓuvha na u bva ha maḓi mavuni

Ḓuvha: a zwo ngo rekhodwa.

U bva ha maḓi: a zwo ngo rekhodwa. Mvelelo dza u ṱola mavu na ṱhoḓea dza tshiliṅwa tshiṅwe na tshiṅwe zwi kha ḓi ṱoḓa u ṱolwa.

Rekhodo dza ṅwaha wa u vhiga - hu si mbonelaphanḓa

Zwivhalo na miṅwedzi zwa ṅwaha wo fhiraho wa u vhiga zwi ṱalutshedza zwo vhigwaho. A zwi fulufhedzisi zwiḽiwa kha pulane i ḓaho.

Original eggs {year} $&

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: 240 eggs.

Zwo shumiswaho muṱani: 0 eggs. Zwo rengiswaho: a zwo ngo rekhodwa.

Miṅwedzi ya khaṇo yo vhigwaho: Fulw, Fwan. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

Fish

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: a zwo ngo rekhodwa.

Zwo shumiswaho muṱani: a zwo ngo rekhodwa. Zwo rengiswaho: a zwo ngo rekhodwa.

Miṅwedzi ya khaṇo yo vhigwaho: a zwo ngo rekhodwa. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

Miṅwe miroho

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: 12 kg.

Zwo shumiswaho muṱani: 7 kg. Zwo rengiswaho: 3 kg.

Miṅwedzi ya khaṇo yo vhigwaho: Phan, Nyen. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṇu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani

Pecan

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: nati i re kha ganda (nut in shell).

Tshiko tsha khaṋo ya u thoma: miṅwaha ya 5. U aṋwa zwiṱuku hu ṱoḓaho u vha kha ṅwaha wa 5 kha nyendedzi ya KZN, fhethu hu sheledzwaho hu re na tshilimo tshi fhisaho, vhuriha vhu rotholelaho na ṅukelo ya fhasi nga tshifhinga tsha u aluwa. I bula mikovhe yo omaho ya milambo ya Zululand/Lowveld sa madzingu o teaho. Maitele a u andisa, lushaka na miṅwaha ya tshimela fhethu ha zwiraba a zwo ngo bulwa; itshi ndi tshiko nga u angaredza tshi re na nyimele, a si tshivhalo tsho lavhelelwaho bulasini. Tshifhinga tsha vhukuma tshi ya nga lushaka na ṱhogomelo ya fhethu.

Tshiko tsha u bveledza ho no khwaṱhaho: miṅwaha ya 12–13. U bveledza ho fhelelaho hu ṱoḓaho u vha kha miṅwaha ya 12–13 kha nyendedzi nga u angaredza ya KZN. Lushaka, u andisa, tshivhalo tsha zwimela fhethu na ndangulo zwi kwama zwibveledzwa zwa vhukuma; miṅwaha ya u hula a i ḓi iteli girafu ya kg nga muri nga ṅwaha.

Vhubveledzi ha nyendedzi ya pecan — mutheo wa hekhithara wa nati dzo omaho dzi kha maganda: Nyendedzi i ṋea 750 ya vhuronwane, ya vhukati ya 800–1,200 na 1,500+ ya vhuimo havhuḓi ya kg/ha ya nati dzo omaho dzi kha maganda (Dry-in-Shell). I tevhekanya nga u fhambana zwikhala zwiṅwe vhukati ha miri na u fhungudza miri nga murahu, ngauralo a hu humbulelwi vhutsitsikani vhuthihi. Hedzi ndi ndaedzi dza hekhithara dzi si na vhukale ho tiwaho; tshileme tshi re na ganda a si tshileme tsha ngomu hu ḽiwaho nahone a hu bveledzwi girafu ya u angaredza ya kg/tree.

Shumisani tshaka dzi tshimbidzanaho dzi bvisaho na dzi ṱanganedzaho luvhanda. Madzingu a re na mvula tshilimo a ṱoḓa tshaka dzi konḓelelaho vhulwadze ha scab; u vhibva ha nḓuhu nga u ṱavhanya hu hoṱhe a hu khwaṱhisedzi u tshimbidzana kha luvhanda.

Nyeletshedzo ya u renga: Mutevhe mupfufhi wa SAPPA: KZN/Lowveld hu re na muṋo munzhi — Ukulinga, Cape Fear, Choctaw; KZN hu ṋukalaho, hu rotholelaho nga maanḓa — Barton; Highveld ho omaho nga maanḓa — Barton, Pawnee, Wichita; fhethu ho omaho ha vhukovhela — Wichita, Choctaw, Western Schley. Tshigwada tsha kilima tsho humbulelwaho tshi tshoṱhe a tshi koni u fhambanya fhethu hoṱhe uhu. Khwaṱhisedzani muṋo wa henefho, mavu na tshaka mbili dza luvhanda musi ni sa athu renga.

U phaḓaladzwa ha muvhere: tshi ṱoḓa muvhere wa tshiṅwe tshimela tshi yelanaho natsho. Ṱolani ṱhoḓea dza lushaka lwo nangwaho na nesari.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu athu u khwaṱhisedzwa tshifhinga tshithihi tsha lushaka lwa henefho. Khalaṅwaha dza ndaedzi dzi re afho fhasi a si mbonelaphanḓa.

Ndaedzi fhedzi — South Africa (nga u angaredza — mutevhe wa khalaṅwaha wa zwimela kha hafu ya shango ya tshipembe; vhupo vhuhulwane ndi Vaalharts/Northern Cape, Lower Orange River): Ṱhaf–Fulw.

Tshiko: SAPPA: Cultivar Recommendation by Production Area, p. 1 (retrieved 4 October 2026)

Tshiko: Lötze, E., 'Literature Review: Factors influencing pollination of pecans for commercial production', published by SAPPA (South African Pecan Nut Producers' Association), p. 3

Tshiko: Lötze, E., 'Literature Review: Factors influencing pollination of pecans for commercial production', published by SAPPA

Tshiko: KZN DARD, Fruit and Nut Production in KZN, Pecan bearing age; printed p.22, p. 26

Tshiko: KZN DARD, Fruit and Nut Production in KZN, Pecan yield; printed p.22, p. 26

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Mango

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: mitshelo.

Tshiko tsha khaṋo ya u thoma: miṅwaha ya 3–4. Zwimela zwa mango zwo ṱumetshedzwaho kha nyendedzi ya KZN nga u ḓowela zwi thoma u aṋwa nga murahu ha miṅwaha ya 3–4. Nyimele ndi u bveledza kha tropical/subtropical hu dudelaho hu si na ṅwando na ṅukelo ya fhasi nga tshifhinga tsha maluvha, hu tshi katelwa Zululand ho omaho, Valley Bushveld na Lowveld. Maṅwalwa a fhambanyisa zwimela zwo ṱumetshedzwaho na Peach/Sabre yo aluwaho nga mbeu; ni songo shumisa miṅwaha iyi kha tshimela tsha mbeu tshi songo rekhodiwaho kana u humbulela kg dza ṅwaha. Tshifhinga tsha vhukuma tshi ya nga lushaka na ṱhogomelo ya fhethu.

Grafted mango establishment — regional guide: Grafted stock generally first bears around 3–4 years and may remain productive 20 years or longer under the guide conditions. Seed-raised trees are a separate planting-material case. Frost, wet spring flowering conditions, cultivar and field establishment must be checked; longevity is not an age-yield curve.

Ṱolani ṅwando, u bva ha maḓi na khombo ya malwadze nga tshifhinga tsha maluvha. U kwamea nga mufhiso na u swa nga ḓuvha zwi fhambana nga tshaka.

Nyeletshedzo ya u renga: ARC i vhala Tommy Atkins na Kent kha tshaka dzi konḓelelaho mufhiso/u swa nga ḓuvha khwine; Sensation na Keitt dzi a kwamea nga maanḓa. Khwaṱhisedzani maḓuvha a u kaṋa a henefho musi ni sa athu nanga u tevhekana ha tshaka.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu athu u khwaṱhisedzwa tshifhinga tshithihi tsha lushaka lwa henefho. Khalaṅwaha dza ndaedzi dzi re afho fhasi a si mbonelaphanḓa.

Ndaedzi fhedzi — South Africa (nga u angaredza; Limpopo + Mpumalanga = 96% ya vhupo ha miango ha SA): Ḽara–Ṱhaf.

Tshiko: ARC Climate-Smart Agriculture, module 6, printed pp. 239–242

Tshiko: National Agricultural Marketing Council (NAMC), South African Fruit Trade Flow Report, Issue 56, December 2024 (citing FPEF 2024), p. 3

Tshiko: KZN DARD, Fruit and Nut Production in KZN, Mango bearing age; printed p.16, p. 20

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Purple granadilla

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: mitshelo.

Tshiko tsha khaṋo ya u thoma: miṅwedzi ya 6–8. Tshiko tsha KZN: miṅwedzi ya 6–8 nga murahu ha u ṱavhulula, hu ṱoḓaho u vha miṅwaha ya 0.5–0.67. Itshi ndi tshifhinga u ya kha khaṋo ya u thoma, a si khalenda ya u ka ya dzingu. Tshifhinga tsha vhukuma tshi ya nga lushaka na ṱhogomelo ya fhethu.

Tshiko tsha u bveledza ho no khwaṱhaho: miṅwaha ya 1.5. Nyendedzi ya KZN i amba u aṋwa nga vhuḓalo hu sa athu fhela miṅwedzi ya 18. Itshi ndi tshiko tsha mukano wa nṱha wa tshifhinga, a si fulufhedziso ya khilogireme dza zwiḽiwa nga ṅwaha.

Ṇeani zwitikedzi zwa u gonya ni rune; iledzani mavu o ḓalaho maḓi ni ṱole u sina ha midzi na thaidzo dza vairasi.

Nyeletshedzo ya u renga: Purple granadilla ndi tshiko tsha mitshelo mivhisi tsha KZN; tshaka dza ṱaḓa dzi na asidi nnzhi nahone dzi shumiswa kha dzhuisi. Khwaṱhisedzani mutakalo wa zwimela na tshifhinga tsha henefho.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu athu u khwaṱhisedzwa tshifhinga tshithihi tsha lushaka lwa henefho. Khalaṅwaha dza ndaedzi dzi re afho fhasi a si mbonelaphanḓa.

Ndaedzi fhedzi — KwaZulu-Natal (zwigwada zwa Bioresource Groups 3 na 5, vhupo vhu rotholelaho ha tsini na tropiki): Fulw–Fwan, Ḽara–Phan.

Tshiko: KZN DARD, Fruit and Nut Production, PDF pp. 14–15 (regional reference; confirm current nursery stock)

Tshiko: KwaZulu-Natal Department of Agriculture and Rural Development, Horticultural Advisory Notes: Fruit and Nut Production (in KZN), p. 14

Wild medlar

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: Mitshelo yo vhibvaho, mivhisi kana yo omiswaho.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Wider fruiting observations, not a ripe picking interval: This account separately distinguishes green unripe and brown ripe fruit, but its November–April biology sentence does not date that ripening change. The wider interval remains southern African phenology. SANBI's January–April description of ripe edible fruit supplies the food-ready regional reference.

Khwaṱhisedzani nyimele dza u thoma u aluwa henefho musi ni sa athu fulufhela tshiko tsha dzingu tsha u aṋwa mitshelo.

Nyeletshedzo ya u renga: Humbelani zwimela zwi aṋwaho mitshelo zwo teaho henefho; a hu na lushaka lwo bulwaho nga dzina lu re na tshiko.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu athu u khwaṱhisedzwa tshifhinga tshithihi tsha lushaka lwa henefho. Khalaṅwaha dza ndaedzi dzi re afho fhasi a si mbonelaphanḓa.

Ndaedzi fhedzi — South Africa (nga u angaredza; u phaḓalala SA ho ṋeiwa sa Eastern Cape, Free State, Gauteng, KwaZulu-Natal, Limpopo, Mpumalanga, North West, Northern Cape): Phan–Lamb.

Tshiko: SANBI PlantZAfrica: vangueria-infausta

Tshiko: Vangueria infausta | PlantZAfrica (SANBI)

Tshiko: Agroforestree Database 4.0 (Orwa et al. 2009), Vangueria infausta fact sheet, BIOLOGY section, p. 1

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Tshaka dza zwiliṅwa dza u sedzulusa henefho

Vhulungani dzina ḽa lushaka lune na nanga zwa vhukuma. Mitevhe mipfufhi ya ṱhoḓisiso i ṱoḓa khwaṱhisedzo ya khalaṅwaha ya henefho, maḓi na mavu.

Tomatoes

Lushaka lwo rekhodwaho: a lu athu u nangwa.

Kilima ya fhethu hafha a i athu u ṱalutshedzea, ngauralo a hu buliwi mutevhe mupfufhi wa henefho. Vulani garaṱa ya tshiliṅwa u vhona zwiko na u rekhoda zwe na nanga.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.