SYNTHETIC GRAPH SOURCE {COUNT} $&

Ngaphambi kokuthenga noma ukuqala

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Iqembu lesimo sezulu locwaningo: Indawo yokulima ayikacaci. Leli qembu alisona isincomo esiqinisekisiwe saleli pulazi.

Lokho okubikile ngaleli pulazi

Amanzi ngesikhathi esomile

Akurekhodiwe. Qedela inhlolovo yendawo bese uqinisekisa amanzi ngaphambi kokukhetha uhlelo oludinga izinsiza eziningi.

Isithwathwa kuleli pulazi

Okubonwe ngesithwathwa endaweni akurekhodiwe. Izilinganiso zanyanga zonke zesathelayithi azikwazi ukuthola izinsuku zokuqala nezokugcina zesithwathwa.

Ilanga nokuphuma kwamanzi

Ilanga: akurekhodiwe.

Ukuphuma kwamanzi: akurekhodiwe. Kusadingeka ukuhlola imiphumela yokuhlolwa komhlabathi nezidingo zesitshalo ngasinye.

Amarekhodi onyaka wokubika - hhayi isibikezelo

Izamba nezinyanga zonyaka wokubika odlule zichaza lokho okwabikwa. Azithembisi ukudla ohlelweni oluzayo.

Original eggs {year} $&

Isamba sonyaka esibikwe umlimi sango-2025: 240 eggs.

Okusetshenziswa ekhaya: 0 eggs. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: Jun, Jul. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Fish

Isamba sonyaka esibikwe umlimi sango-2025: akurekhodiwe.

Okusetshenziswa ekhaya: akurekhodiwe. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: akurekhodiwe. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Eminye imifino

Isamba sonyaka esibikwe umlimi sango-2025: 12 kg.

Okusetshenziswa ekhaya: 7 kg. Okuthengisiwe: 3 kg.

Izinyanga zokuvuna ezibikiwe: Jan, Dis. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu

Apple

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhombo sesivuno sokuqala: iminyaka engu-3. Isikhombo sencwadi yase-KZN sokuthela okuncane ngonyaka wesi-3, ezimweni zama-apula zesimo esipholile ezifaneleka kakhulu lapho kuyi-Dry Highland Sourveld. Isiphunzi, uhlobo nobudala bokuqala basenkulisa akucacisiwe. Uhlobo olubiziwe oludinga amakhaza ambalwa lusadinga amakhaza anele ebusika endaweni nokusimama; lokhu akusona isiqinisekiso sogu olufudumele. Isikhathi sangempela sincike ohlotsheni nasekunakekelweni kwendawo.

Isikhombo sokukhiqiza osekusimeme: iminyaka engu-7. Ukukhiqiza okugcwele ngonyaka wesi-7 kule ncwadi ejwayelekile yase-KZN. Akukho nani lokukhiqiza ngesihlahla elishiwo kulobu budala, futhi isiphunzi, uhlobo nokuphathwa kungashintsha ukuthela. Izabelomali ezine zase-Langkloof ziyizinto ezicatshangelwe zokuhlela zesifunda ezihlukene, azisona isiqinisekiso esilinganisiwe salobu budala obujwayelekile.

Apple year 3 — Langkloof enterprise-budget output: Langkloof, Little Karoo, sandy loam: budgeted year 3 product quantity 10,000 kg/ha. This is a commercial enterprise-budget assumption, not a field measurement. The budget gives no matched tree density, rootstock or cultivar; do not convert to kg/tree, apply it to an isolated young tree or interpolate other ages. Citation uses table excerpts: the total is in the Quantity column, and the apple product-income rows use Kg; the one-hectare land basis is stated in the heading.

Apple year 4–5 — Langkloof enterprise-budget output: Langkloof, Little Karoo, sandy loam: budgeted year 4–5 product quantity 25,000 kg/ha. This is a commercial enterprise-budget assumption, not a field measurement. The budget gives no matched tree density, rootstock or cultivar; do not convert to kg/tree, apply it to an isolated young tree or interpolate other ages. Citation uses table excerpts: the total is in the Quantity column, and the apple product-income rows use Kg; the one-hectare land basis is stated in the heading.

Apple year 6–7 — Langkloof enterprise-budget output: Langkloof, Little Karoo, sandy loam: budgeted year 6–7 product quantity 48,590 kg/ha. This is a commercial enterprise-budget assumption, not a field measurement. The budget gives no matched tree density, rootstock or cultivar; do not convert to kg/tree, apply it to an isolated young tree or interpolate other ages. Citation uses table excerpts: the total is in the Quantity column, and the apple product-income rows use Kg; the one-hectare land basis is stated in the heading.

Apple year 8 — Langkloof enterprise-budget output: Langkloof, Little Karoo, sandy loam: budgeted year 8 product quantity 64,000 kg/ha. This is a commercial enterprise-budget assumption, not a field measurement. The budget gives no matched tree density, rootstock or cultivar; do not convert to kg/tree, apply it to an isolated young tree or interpolate other ages. Citation uses table excerpts: the total is in the Quantity column, and the apple product-income rows use Kg; the one-hectare land basis is stated in the heading.

Ngaphambi kokuthenga, hlola uhlobo lwangempela, isiphunzi, ukubanda kwasebusika nomthombo wempova ohambisanayo. Ilebula lendawo yesimo sezulu efudumele noma ebandayo lodwa alikuqinisekisi lokhu.

Iseluleko sokuthenga: I-Afri-Star iwuhlobo olungadingi ukubanda okuningi olwakhiwe yi-ARC, olunesidingo esibhalwe esingu-300–500 Infruitec Chilling Unit; izinsuku zalo zika-Disemba–Januwari zatholakala e-Bien Donne, Simondium, Western Cape futhi zidinga ukuqinisekiswa endaweni kwenye indawo. I-Granny Smith inereferensi yokuqala ukukha e-Elgin ngasekupheleni kuka-Mashi; i-SAPO ibala i-Golden Delicious noma i-Hillieri njengezinhlobo zempova ezihambisanayo. Lezi izinkomba zezinhlobo ezehlukene, akusona isikhathi esiqhubekayo sokukha noma isincomo se-KZN efudumele. Qinisekisa izitshalo ezitholakala enkulisa manje nokusebenza kwazo endaweni.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — Bien Donne, Simondium, Western Cape — inkomba yokuhlolwa kohlobo lwe-Afri-Star: Dis–Jan.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Apple (kuyaqhubeka)

Inkomba kuphela — Elgin, Western Cape — ukuvuna kokuqala kohlobo lwe-Granny Smith: Mas.

Umthombo: Culdevco / ARC: Afri-Star apple cultivar information (Bien Donne, Simondium trial context; checked 10 October 2026)

Umthombo: SAPO Trust: Granny Smith apple cultivar information (Elgin first pick; checked 10 October 2026)

Umthombo: Culdevco / ARC Infruitec-Nietvoorbij, Afri-Star apple cultivar information sheet

Umthombo: SAPO Trust, Granny Smith apple cultivar information sheet

Umthombo: KZN DARD, Fruit and Nut Production in KZN, Apple bearing age; printed p.28, p. 32

Umthombo: Western Cape Department of Agriculture, Agricultural Economic Services, Apples (Yr 3), updated November 2024, p. 1

Umthombo: Western Cape Department of Agriculture, Agricultural Economic Services, Apples (Yr 4–5), updated November 2024, p. 1

Umthombo: Western Cape Department of Agriculture, Agricultural Economic Services, Apples (Yr 6–7), updated November 2024, p. 1

Umthombo: Western Cape Department of Agriculture, Agricultural Economic Services, Apples (Yr 8), updated November 2024, p. 1

Cape gooseberry

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Iseluleko sokuthenga: alukho uhlobo olunegama lwale ndawo olunomthombo. Qinisekisa uhlobo, impova nokufaneleka endaweni ngaphambi kokuthenga.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — Stellenbosch, Western Cape (ukuhlolwa emhubheni wokukhulisa izitshalo, kutshalwe ngoJuni 2021): Okt–Jan.

Umthombo: Tuaandi D (2023) The response of two Cape gooseberry varieties to organic amendments on degraded soils in the Western Cape, South Africa. MSc thesis, Stellenbosch University, p. 28

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Almond

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: nuts.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Texas Mission pollen, chill and weight context: Texas Mission is classified high chill and names Nonpareil as pollinator. Its 5 kg/tree production entry does not state tree age, management, trial region or whether weight is kernel or in-shell; it is not a mature annual food forecast.

Texas Mission named production entry: The Texas Mission table's Production (kg/tree) row gives 5 kg/tree. It does not state tree age, reporting period, trial region or whether this means kernels or nuts in shell. Retained as a cultivar source claim to investigate; numeric mature annual kg remains null.

Check the named cultivar's winter needs and compatible pollen before planting. Texas Mission is self-incompatible.

Record whether nut weights mean kernels or nuts in shell; these are different quantities.

Iseluleko sokuthenga: Texas Mission is a documented SAPO cultivar; its sheet names Nonpareil as pollen partner and describes a high chilling requirement. Confirm local suitability with the nursery.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — ikhasi lohlobo le-SAPO lase-South Africa; indawo yokuhlola ayishiwongo — ukuvuna kokuqala kwe-Texas Mission: Feb.

Umthombo: SAPO Trust, Texas Mission almond cultivar information

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Pear

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Rosemarie Select pollen partners: These are cultivar-specific compatible-pollen candidates, not a guarantee that any two pear trees pollinate one another.

Packham's Triumph pollen partners: SAPO describes chilling qualitatively as low and production as high; neither supplies a numeric age or kg/tree.

Record the named cultivar and actual first and last picking months. January and February references are alternatives, not a mixed-orchard calendar for every tree.

Iseluleko sokuthenga: Rosemarie Select is a source-backed Western Cape candidate to discuss with the nursery. Ask about December or Packham's Triumph as compatible pollen partners.

Iseluleko sokuthenga: For Packham's Triumph, ask about Clapp's Favourite, December or Starkrimson and check local winter conditions.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — Ceres, Koue Bokkeveld, Western Cape — ukuvuna kokuqala kwe-Rosemarie Select: Jan.

Inkomba kuphela — Wolseley, Western Cape — ukuvuna kokuqala kwe-Rosemarie Select: Jan.

Inkomba kuphela — ikhasi lohlobo lase-South Africa; indawo yokuhlola ayishiwongo — ukuvuna kokuqala kwe-Packham's Triumph: Feb.

Umthombo: Culdevco / ARC Infruitec-Nietvoorbij, Rosemarie Select pear cultivar sheet

Umthombo: SAPO Trust, Packham's Triumph pear cultivar sheet

Izinhlobo zezitshalo okufanele zihlolwe endaweni

Gcina igama lohlobo olukhethayo ngempela. Uhlu olufushane locwaningo ludinga ukuqinisekiswa kwesikhathi sendawo, amanzi nomhlabathi.

Tomatoes

Uhlobo olurekhodiwe: akukakhethwa.

Isimo sezulu sale ndawo asikacaci, ngakho akukho hlu olufushane lwendawo olushiwo. Vula ikhadi lesitshalo ukuze ubone imithombo bese urekhoda okukhethile.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.