SYNTHETIC GRAPH SOURCE {COUNT} $&

Musi ni sa athu u renga kana u thoma

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Tshigwada tsha kilima tsha ṱhoḓisiso: Fhethu ha u lima a hu athu u ṱalutshedzea. Tshigwada itshi a si nyeletshedzo yo khwaṱhisedzwaho ya bulasi iḽi.

Zwe na vhiga nga bulasi iḽi

Maḓi nga khalaṅwaha yo oma

A zwo ngo rekhodwa. Fhedzisani ṱhoḓisiso ya fhethu ni khwaṱhisedze maḓi ni sa athu u nanga pulane ine ya ṱoḓa zwishumiswa zwinzhi.

Murotholo kha bulasi iḽi

Zwe zwa vhonwa nga murotholo wa henefho a zwo ngo rekhodwa. Zwikati zwa ṅwedzi zwa sathelaithi a zwi koni u khwaṱhisedza maḓuvha a murotholo wa u thoma na wa u fhedza.

Ḓuvha na u bva ha maḓi mavuni

Ḓuvha: a zwo ngo rekhodwa.

U bva ha maḓi: a zwo ngo rekhodwa. Mvelelo dza u ṱola mavu na ṱhoḓea dza tshiliṅwa tshiṅwe na tshiṅwe zwi kha ḓi ṱoḓa u ṱolwa.

Rekhodo dza ṅwaha wa u vhiga - hu si mbonelaphanḓa

Zwivhalo na miṅwedzi zwa ṅwaha wo fhiraho wa u vhiga zwi ṱalutshedza zwo vhigwaho. A zwi fulufhedzisi zwiḽiwa kha pulane i ḓaho.

Original eggs {year} $&

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: 240 eggs.

Zwo shumiswaho muṱani: 0 eggs. Zwo rengiswaho: a zwo ngo rekhodwa.

Miṅwedzi ya khaṇo yo vhigwaho: Fulw, Fwan. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

Fish

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: a zwo ngo rekhodwa.

Zwo shumiswaho muṱani: a zwo ngo rekhodwa. Zwo rengiswaho: a zwo ngo rekhodwa.

Miṅwedzi ya khaṇo yo vhigwaho: a zwo ngo rekhodwa. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

Miṅwe miroho

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: 12 kg.

Zwo shumiswaho muṱani: 7 kg. Zwo rengiswaho: 3 kg.

Miṅwedzi ya khaṇo yo vhigwaho: Phan, Nyen. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṇu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo

Ṋotshi: Honeybee (managed hives)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: mutoli. A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Nyeletshedzo ya u renga: yelanyisani lushaka/zwifuwo na tshibveledzwa, furu ya henefho, kilima na vhukoni ha ṱhogomelo; khwaṱhisedzani na mueletshedzi wa henefho wa zwifuwo kana u fuwa ṉotshi.

Khaṉo i ḓitika nga tshigwada tsha ṉotshi, maluvha na mvula ya henefho. Ṱolani u vhibva ni siele tshigwada zwiḽiwa; a hu na khalaṅwaha yo tiwaho ya lushaka ya mutoli.

Tshifhinga tsha tshibveledzwa tsha u thoma: a tshi na tshiko kha bindu iḽi.

Ndaedzi ya vhubveledzi: 25 kg ya mutoli/nga nnḓu ya ṉotshi (hive)/nga ṅwaha. Zwi bva kha ṱhoḓisiso ya lushaka ya poswo ya 2008 ya vhafuwi vha ṉotshi vha 112 vha re miraḓo ya SABIO (ho fhindula 22.4%) vha langaho nnḓu dza ṉotshi dzi anganyelwaho u vha 19,520 kha zwitentsi zwa ṉotshi zwa 2,094; mbalo yo vhigwa nga vhone vhane nahone a yo ngo linganyiswa nga zwileme zwa tsumbonanguludzwa. Thebuḽa 7 (ḽiṅwalwa ḽithihi, masiaṱ.13-14) ḽi sumbedza phambano khulwane u ya nga dzingu/ndivho ya bindu/vhuhulwane kha ṅwaha wonoyo: tsumbo, dzingu ḽa 'All', mabindu a vhuhulwane hoṱhe o livhaho kha mutoli = 25.1-26.9 kg/hive/yr kha zwitentsi zwa ṱhoḓisiso zwa 3; a Western Cape o livhaho kha mutoli = 23.6-27.9 kg/hive/yr; mabindu maṱuku a Western Cape o livhaho kha u endedza luvhanda lwa maluvha = 7.0-7.5 kg/hive/yr fhedzi. Ḽiṅwalwa ḽithihi ḽi dovha ḽa redza ṱhoḓisiso ya kale yo khwaṱhisedzwaho nga vhuronwane vhuhulwane: 'Avhareji ya khaṉo ye vha vhiga i fhasi vhukuma, ndi khilogireme dza 13.4 fhedzi nga nnḓu ya ṉotshi' kha nnḓu dza ṉotshi dza Western Cape (Allsopp & Cherry 2004, vho redzwa kha siaṱ.2 ḽa bammbiri iḽi), na mafhungo a kale a mbalombalo ya ṉotshi dza lushaka a 8.3 kg/hive/annum (avhareji ya 1911-1988) o gonya a vha 24 kg/hive kha mbalombalo ya 1974/5 (ḽiṅwalwa ḽithihi, siaṱ.1). A hu na mbalo nthihi ine ya nga pfi ndi yone ya u fhedza yo khwaṱhisedzwaho; 25 kg/hive/yr i shumiswa sa nyanganyelo khulwane ya lushaka ya ḽiṅwalwa ḽone ḽiṉe.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṉeani maḓi o kunaho a fulufhedzeaho.

Veani miṱa ya ṉotshi kule na fhethu ha u tambela, ni ṉee maḓi o kunaho nahone ni shumise fhethu ho omaho. Humbelani mufuwi wa ṉotshi o ḓiṅwalisaho a sedzuluse u vhewa ho tsireledzeaho ha henefho phanḓa ha u engedza muṱa wa ṉotshi.

Sedzulusani tshigwada tshiṅwe na tshiṅwe tsha ṉotshi tshifhinga tshoṱhe u vhona tsumbo dza vhulwadze ha ṉotshi vhune ha tea u vhigiwa na u kavhiwa nga Cape-bee (Capensis).

Veani ni tsireledze miṱa ya ṉotshi kha vhuvhava na u tshinywa nga khole, zwine zwa vha iṅwe ya khaedu khulwane kha vhafuwi vha ṉotshi vha Afrika Tshipembe.

Register with the Department before beekeeping. Registration lasts 24 months from registration or renewal and must be renewed when it expires.

A beekeeper who fails to renew registration at expiry will be deregistered and face penalties under the Act.

Beekeeping activities and hired beekeeping services require a valid registration certificate. Check the certificate before using a beekeeper.

Every beehive must be clearly and legibly marked with the beekeeper's registration number.

Keep written records of colonies, apiary locations, diseases, disease-control measures and colony losses with their reasons.

Do not move honeybees across the Cape bee line, or keep Cape bees north of it, without written approval.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṉu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Ṋotshi: Honeybee (managed hives) (zwi khou bvela phanḓa)

Report any suspected notifiable disease (American foulbrood is listed); officials can order an infected colony destroyed.

Tshiko: FAO: Beekeeping in Africa, Site selection (general African apiary guidance)

Tshiko: Department of Agriculture: Control Measures relating to honey-bees R.858 of 2013, consolidated with R.1511 of 22 November 2019, p. 6

Tshiko: Gums & Bees: A roadmap for landowners in South Africa (South African National Biodiversity Institute, SANBI), p. 21

Tshiko: Department of Agriculture: Control Measures relating to honey-bees R.858 of 2013, consolidated with R.1511 of 22 November 2019, control measures 2(1) and 2(4), p. 4

Tshiko: Department of Agriculture: Control Measures relating to honey-bees R.858 of 2013, consolidated with R.1511 of 22 November 2019, control measure 2(5), p. 4

Tshiko: Department of Agriculture: Control Measures relating to honey-bees R.858 of 2013, consolidated with R.1511 of 22 November 2019, control measures 2(8) and 2(9), p. 5

Tshiko: Department of Agriculture: Control Measures relating to honey-bees R.858 of 2013, consolidated with R.1511 of 22 November 2019, p. 5

Tshiko: Survey of Beekeeping in South Africa, CSSR Working Paper No. 221 (Conradie & Nortje, 2008, UCT Centre for Social Science Research), p. 14

Tshiko: FAO, Beekeeping in Africa, honey harvesting

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Danga: Nguni / crossbred beef cattle (communal and extensive veld)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: ṉama. A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Nyeletshedzo ya u renga: yelanyisani lushaka/zwifuwo na tshibveledzwa, furu ya henefho, kilima na vhukoni ha ṱhogomelo; khwaṱhisedzani na mueletshedzi wa henefho wa zwifuwo kana u fuwa ṉotshi.

Tshifhinga tsha tshibveledzwa tsha u thoma: a tshi na tshiko kha bindu iḽi.

Ndaedzi ya vhubveledzi: 114.5–121.2 kg ya tshileme musi i tshi lumulwa/nga ṉamana. Thebuḽa 5 ḽi ṉea tshileme tsha u lumulwa (WW) kha dzingu nṉa dza vhulimi na mupo kha miṱambi yeneyo ya ṱahe ya Nguni ya tshitshavha: fhethu ho omaho 114.51 kg (ha fhasi-fhasi), ho omaho zwiṱuku 119.98 kg, ho omaho hu re na muṉuṉu wa vhukati 117.91 kg, hu re na muṉuṉu 121.21 kg (ha nṱhesa). Mikhano yo ṅwalwaho afha i katela avhareji dza dzingu dzo omaho u ya kha dzi re na muṉuṉu dza ṱhoḓisiso iyi nthihi; a yo ngo ṱanganyiswa na mbalo dza tshileme tsha u lumulwa dza ḽiṅwe bammbiri (dziṅwe ṱhoḓisiso dza Afrika Tshipembe dzi vhiga mikhano yo fhambanaho kha maitele o fhambanaho - tsumbo, miṱambi ya zwititshi zwa ṱhoḓisiso kana ya u bebisa - nahone dzo litshwa nga khole u itela u sa ṱanganyisa maitele). Ndi ṉamana dza Nguni dza 826 dzi bvaho kha miṱambi ya ṱahe ine bammbiri ḽone ḽiṉe ḽa ri yo vha i 'tshi fuwiwa kha maitele a mafulo mahulwane' Vunduni ḽa Limpopo - maitele a vhukuma a tshitshavha/mafulo mahulwane a fanaho na bindu iḽi.

Ndaedzi ya vhutshilo ha vhubveledzi: miṅwaha ya 6.4. Maḓuvha a 2354 / 365.25 = miṅwaha ya 6.44. 'Failure time' ndi vhulapfu ha vhutshilo ha vhubveledzi kha muṱambi kha rekhodo dza 580 dzi songo fheliswaho u sedzwa hu sa athu swikiwa magumoni (dzo sedzwaho u swika magumoni) kha mafhungo o ṱanganyiswaho; ḽiṅwalwa ḽa ṱhoḓisiso ḽone ḽiṉe ḽi ṱalusa vhutshilo ha vhubveledzi kha muṱambi sa 'tshifhinga vhukati ha datumu ya u thoma u bebwa ha ṉamana na datumu ya u bviswa muṱambini'. Mafhungo o ṱanganyiswaho a bva kha miṱambi miraru ya Nguni ya u bebisa yo fuwiwaho kha mafulo mahulwane, zwipuka zwo bebwaho nga 1968-2015.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṉeani maḓi o kunaho a fulufhedzeaho.

Zwitanga zwa kholomo a zwo ngo tea u ḓala u fhirisa: hu tea u vha na tshikhala tsho eḓanaho fhasi uri tshipuka tshiṅwe na tshiṅwe tshi kone u eḓela nga tshifhinga tshithihi.

Nga tshifhinga tsha u endedzwa, kholomo iṅwe na iṅwe i tea u vha na tshikhala tsha fhasi tshi si ho fhasi ha 1.4 m² uri u laḓa zwi songo tsikeledza nga maanḓa kana u sia tshikhala tshihulwane nga maanḓa.

Kholomo a dzo ngo tea u endedzwa tshifhinga tshi fhiraho awara dza 18 dzi sa athu u tsitswa dza ṉewa zwiḽiwa, maḓi na vhudzumbamo.

Ndi mulandu u tambudza kholomo nga nḓala, u dzi ṉea zwiḽiwa zwi sa eḓani, kana u dzi dzima maḓi kana zwiḽiwa.

Foot-and-mouth disease (FMD) is a controlled animal disease under the Animal Diseases Act: state Veterinary Services enforce isolation and movement restrictions.

Every cattle owner must register an official identification mark and brand or mark their cattle with it, under the Animal Identification Act.

Any suspected or confirmed brucellosis-related abortion in cattle must be reported to the State Veterinary office, as part of the national bovine brucellosis control scheme under the Animal Diseases Act.

No animal may be slaughtered anywhere but a registered abattoir, with the exception below.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṉu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Danga: Nguni / crossbred beef cattle (communal and extensive veld) (zwi khou bvela phanḓa)

Slaughter for the farmer's own household consumption, or for cultural or religious purposes, is exempt from the abattoir rule.

Tshiko: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.1.2, p. 4

Tshiko: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.4.6.1, p. 7

Tshiko: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.7.1, p. 9

Tshiko: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Tshiko: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Tshiko: Animal Identification Act 6 of 2002, s.7(1), p. 4

Tshiko: Marumo, Hlokwe & Kayoka-Kabongo, Seroprevalence of brucellosis in communal and smallholder cattle farming in North West Province, South Africa, Onderstepoort Journal of Veterinary Research (PMC10784229)

Tshiko: Meat Safety Act 40 of 2000, s.7(1)(a), p. 6

Tshiko: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Tshiko: Mpofu, Ginindza, Siwendu, Nephawe & Mtileni (2016). Effect of agro-ecological zone, season of birth and sex on pre-weaning performance of Nguni calves in Limpopo Province, South Africa. Tropical Animal Health and Production 49:187-194 (PMC5203849), Table 5

Tshiko: Ngayo, M. (2017). Factors Affecting Productive Life and Fertility in Nguni Cows (MSc dissertation, University of the Free State), Table 5.1, p. 58

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Danga: Small-scale dairy cow (Jersey, Holstein or crossbred)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: mafhi. A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Nyeletshedzo ya u renga: yelanyisani lushaka/zwifuwo na tshibveledzwa, furu ya henefho, kilima na vhukoni ha ṱhogomelo; khwaṱhisedzani na mueletshedzi wa henefho wa zwifuwo kana u fuwa ṋotshi.

Pulanani u ya nga u bebiwa ha vhukuma ha ṋamana/zwibudzana na u mamisa. Zwifuwo zwi sa mamisaho a zwi ṋei mafhi.

Ndaedzi ya tshibveledzwa tsha u thoma: vhege dza 121.8–130.5. Thebuḽa 1, khoḽomu ya AFC, mitalo nga mutevhe wa thebuḽa Holstein-Friesland Reg./Grade, Jersey Reg./Grade, Ayrshire Reg./Grade: miṅwedzi ya 28, 30, 25, 28, 29, 32. Mitalo ya Grade i shumiswaho afha ndi Holstein-Friesland 30 na Jersey 28 (Grade Ayrshire 32 a i shumiswi: bindu ndi ḽa lushaka lwa Jersey kana Holstein). 28 x 4.35 = vhege dza 121.8; 30 x 4.35 = vhege dza 130.5. Mafhi a thoma musi hu tshi bebwa ṋamana ya u thoma, ngauralo miṅwaha ya u beba ṋamana ya u thoma ndi tshifhinga tsha tshibveledzwa tsha u thoma.

Ndaedzi ya vhubveledzi: 3840–5422 kg ya mafhi/nga kholomo ya tshisadzi/nga tshifhinga tsha u bveledza mafhi. Thebuḽa 1 ('U vhambedza tshivhalo tsha kholomo dza tshisadzi, vhubveledzi na vhukoni ha u beba kha tshaka khulwane dza mafhi Afrika Tshipembe'), khoḽomu ya Milk, mitalo ya Grade: Jersey 3840 kg na Holstein-Friesland 5422 kg nga tshifhinga tshiṅwe na tshiṅwe tsha u ṋea mafhi (mitalo ya Registered: 4468 na 6426 kg). Ḽiṅwalwa ḽi ri iyi ndi miṱambi ya National Milk Recording Scheme, 'ye ya sumbedzwa uri i langwa khwine u fhira i re nnḓa ha mbekanyamushumo, vhubveledzi hayo nga tshifhinga tsha mafhi vhu fhira ha muṱambi wa lushaka nga 50 %', ngauralo muṱambi wa mufuwi muṱuku u tea u lavhelela zwi re fhasi ha izwi.

Ndaedzi ya vhutshilo ha vhubveledzi: miṅwaha ya 1.9–2. Holstein maḓuvha a 739.33 na Jersey a 696.81 a vhutshilo ha vhubveledzi (u bva kha u beba ṋamana ya u thoma u swika kha u bviswa muṱambini) kha miṱambi ya Afrika Tshipembe i re na rekhodo dza mafhi, 2000-2019: 696.81/365.25 = 1.91 na 739.33/365.25 = miṅwaha ya 2.02.

Ndaedzi ya vhukale/sisṱeme: Kha fhethu ha KZN hu fhisaho nga maanḓa hu dovha ha vha na muṋuṋu, KZN DARD i ṱalusa milingo ya kholomo dza mafhi dza Nguni × Jersey ngei Makhathini u itela u ṱanganyisa vhukoni ha mafhi na u ḓowela fhethu. U hama nga zwanḓa ṋamana i hone zwi sumbedza muṱa na ṋamana zwi tshi ṱoḓa mafhi eneo mathihi u itela u shumisa muṱani na u alusa ṋamana. Ambani henefho nga zwipuka zwo ḓowelaho fhethu na u zwi fha zwiḽiwa; ṱhanganyelo dza rekhodo dza mafhi dza mabindu a dzi vhumbi maitele aya. Ṅwalani u bebwa ha ṋamana, ḽiga ḽa u ṋea mafhi na mafhi ane a sala nga murahu ha zwine ṋamana ya ṱoḓa.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṋeani maḓi o kunaho a fulufhedzeaho.

Zwitanga zwa kholomo a zwo ngo tea u ḓala u fhirisa: hu tea u vha na tshikhala tsho eḓanaho fhasi uri tshipuka tshiṅwe na tshiṅwe tshi kone u eḓela nga tshifhinga tshithihi.

Kholomo dza tsadzi a dzo ngo tea u laḓiwa uri dzi endedzwe arali maḓamu adzo o ḓala mafhi a vho mboḓa.

Kholomo a dzo ngo tea u endedzwa tshifhinga tshi fhiraho awara dza 18 dzi sa athu u tsitswa dza ṋewa zwiḽiwa, maḓi na vhudzumbamo.

Ndi mulandu u tambudza kholomo ya mafhi nga nḓala, u i ṋea zwiḽiwa zwi sa eḓani, kana u i dzima maḓi kana zwiḽiwa.

Kholomo dza tsadzi dzi re mafuloni kana gammbeni dzo vuleaho dzi ṱoḓa murunzi: zwifhaṱo zwa murunzi zwi tea u ṋea murunzi u si ho fhasi ha 4 u swika kha 5 m² nga kholomo.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Danga: Small-scale dairy cow (Jersey, Holstein or crossbred) (zwi khou bvela phanḓa)

Foot-and-mouth disease (FMD) is a controlled animal disease under the Animal Diseases Act: state Veterinary Services enforce isolation and movement restrictions.

Every cattle owner must register an official identification mark and brand or mark their cattle with it, under the Animal Identification Act.

Dairy farmers are legally required to test their herds for bovine TB, mainly because of export requirements, so most dairy cattle in South Africa are tested.

Any suspected or confirmed brucellosis-related abortion in cattle must be reported to the State Veterinary office, under the national bovine brucellosis control scheme.

A cull cow may be slaughtered only at an abattoir, except for the farmer's own consumption or for cultural or religious purposes.

Tshiko: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.1.2, p. 4

Tshiko: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.6.13, p. 9

Tshiko: Livestock Welfare Coordinating Committee, Code of Practice: Handling and Transport of Livestock (2018), s.7.1, p. 9

Tshiko: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Tshiko: Muller, C.J.C., The Dairy Farming Handbook (2017), Western Cape Department of Agriculture (Elsenburg), p. 129

Tshiko: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Tshiko: Animal Identification Act 6 of 2002, s.7(1), p. 4

Tshiko: Bovine tuberculosis / dairy herd testing study, PMC10369683

Tshiko: Marumo, Hlokwe & Kayoka-Kabongo, Seroprevalence of brucellosis in communal and smallholder cattle farming in North West Province, South Africa, Onderstepoort Journal of Veterinary Research (PMC10784229)

Tshiko: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Tshiko: KZN DARD: Subsistence Dairying in KZN, Makhathini Research Station trials

Tshiko: Muller, C.J.C., The Dairy Farming Handbook (2017), Western Cape Department of Agriculture (Elsenburg), p. 10

Tshiko: Muller, C.J.C., The Dairy Farming Handbook (2017), Western Cape Department of Agriculture (Elsenburg), Table 21.1, p. 122

Tshiko: Gertenbach, W.D., Dairying in KwaZulu-Natal: Breeds of Dairy Cattle, Cedara Agricultural Development Institute, KZN Department of Agriculture and Rural Development, Table 1, p. 1

Tshiko: Cow Longevity and Reasons and Risk Factors for Culling in South African Holstein and Jersey Dairy Herds, Animals 2025 (PMC12560872)

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Khuhu: Broilers (commercial)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: ṉama. A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Nyeletshedzo ya u renga: nangani lushaka lwa ṉama na pulane ya zwigwada ya muṉetshedzi; khwaṱhisedzani u dudedza zwikukwana, zwiḽiwa, maḓi na ndugiselelo dza u ṱhavha.

Pulanani zwiḽiwa zwo linganelaho, maḓi o kunaho, murunzi, muya na tsireledzo kha zwipuka zwi ḽaho zwiṅwe. Mphakelo wa makumba u ḓitika nga khuhu dzi kudzelaho, vhukale hadzo, mutakalo na ṱhogomelo; hoko i yoṱhe a i ṉei makumba.

Ndaedzi ya tshibveledzwa tsha u thoma: vhege dza 4.6–4.7. Maḓuvha a 32 / 7 = vhege dza 4.57; maḓuvha a 33 / 7 = vhege dza 4.71. Bindu iḽi ḽi na mutevhe muthihi wa u alusa u fhelaho nga u ṱhavha, ngauralo 'tshifhinga tsha tshibveledzwa tsha u thoma' = miṅwaha musi hu tshi ṱhavhiwa. Afrika Tshipembe, avhareji ya nḓowetshumo ya mabindu.

Ndaedzi ya vhubveledzi: 1.8–1.9 kg/nga tshiṉoni musi tshi tshi ṱhavhiwa (maḓuvha a 32–33). Avhareji ya lushaka ya nḓowetshumo ya khuhu dza ṉama dza mabindu, Afrika Tshipembe, 2022. Ḽiṅwe thebuḽa ḽa mulingo wa tshaka (Thebuḽa 4b, ḽiṅwalwa ḽithihi, siaṱ.39) ḽi ṉea 'Cumulative FI (kg)' na 'Body weight (kg)' zwa tshaka dzo bulwaho nga madzina kha maḓuvha a 35 kokotolo: Arbor Acres Plus 2.29kg, Cobb 500 2.52kg, Indian River 2.30kg, Ross 308 2.30kg (ṱhanganyelo ya zwiḽiwa zwo ḽiwaho 3.21-3.64kg) - miṅwaha yo engedzeaho zwiṱuku (35 zwi tshi vhambedzwa na maḓuvha a 32-33) na tshileme tshi re nṱha ha avhareji ya nḓowetshumo yoṱhe yo redzwaho afho nṱha; a zwi ṱanganyiswi na mbalo khulwane ngauri ndi mafhungo o fhambanaho (a mulingo wa zwipimo zwa tshaka), fhedzi zwi shumiswa afho fhasi kha mbalo ya zwiḽiwa zwo ḽiwaho.

Ndaedzi ya vhukale/sisṱeme: Tshikombo tshiswa tsha mabindu tsha Afrika Tshipembe: SAPA 2024 i vhiga avhareji ya u ṱhavha kha maḓuvha a 30–31 khuhu i na tshileme tsha 1.8–1.85 kg. Mikhano mihulwane i re afho nṱha i sala i tshikombo tsha kale tsha 2022 kha maḓuvha a 32–33. Hezwi ndi zwileme zwa khuhu dza mabindu, hu si kg ya ṉama yo lugiselwaho kana tshipikwa tsha muṱambi wa mahayani. Ṅwalani miṅwaha u bva kha u thothonya kana musi hu tshi rengwa, maitele a zwiḽiwa, datumu ya vhukuma ya khaṉo na uri tshibveledzwa tsho kaliwaho tsho pimiwa tshi kha tshivhumbeo tshifhio.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṉeani maḓi o kunaho a fulufhedzeaho.

Khuhu dza ṉama dzi dzulaho fhasi nḓuni: tshileme tsha khuhu tshi songo fhira 40 kg nga mitara ya tshikwea.

Zwikukwana zwi kha ḓi bva u thothonya zwi tea u ṉewa zwiḽiwa hu sa athu u fhira awara dza 24 zwi tshi bva u thothonya.

Zwikukwana zwi kha ḓi bva u thothonya zwi tea u kona u wana maḓi hu sa athu u fhira awara dza 24 zwi tshi bva u thothonya, nga u ṱavhanya u fhira zwenezwo musi hu tshi fhisa.

Maḓi o kunaho na zwiḽiwa zwo teaho zwi dzule zwi hone, uri khuhu dzi si vhe na nḓala na ḓora.

Nnḓu dza khuhu dza ṉama dzi ṱoḓa mpimo wa u dzhena na u tshimbila ha muya u si ho fhasi ha mitara dza khubiki dza 5 nga awara kha khilogireme iṅwe na iṅwe ya tshileme tsha khuhu dzi re nḓuni.

Kha u fuwa khuhu dza ṉama dzi tshimbilaho nnḓa, tshivhalo tshi dzulaho nḓuni a tsho ngo tea u fhira khuhu dza 15 nga mitara ya tshikwea ya vhupo ha fhasi.

An owner or manager whose animals are, or may be, infected with a controlled animal disease must report it to the state veterinary director immediately.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṉu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Khuhu: Broilers (commercial) (zwi khou bvela phanḓa)

Newcastle disease and notifiable avian influenza are on the state list of controlled and notifiable animal diseases.

No animal may be slaughtered anywhere but an abattoir, with the exceptions below.

Slaughter for your own household, or for cultural or religious purposes, is exempt from the abattoir rule.

Tshiko: SAPA Code of Practice for Broiler Production (May 2012), 2.2 Housing of broilers in Floor Systems, p. 6

Tshiko: SAPA Code of Practice for Broiler Production (May 2012), p. 11

Tshiko: SAPA Code of Practice for Broiler Production (May 2012), p. 12

Tshiko: SAPA Code of Practice for Broiler Production (May 2012), p. 7

Tshiko: SAPA Code of Practice for Broiler Production (May 2012), p. 8

Tshiko: SAPA Code of Practice for Broiler Production (May 2012), 2.4 Free Range Broiler Production, p. 8

Tshiko: Animal Diseases Act 35 of 1984, s.11(1)(b)(ii), p. 9

Tshiko: Department of Agriculture, Forestry and Fisheries, Controlled and Notifiable Animal Diseases (factsheet), p. 1

Tshiko: Meat Safety Act 40 of 2000, s.7(1)(a), p. 6

Tshiko: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Tshiko: SAPA Industry Profile 2024, section 7.9 Performance efficiency, p. 82

Tshiko: SAPA Industry Profile 2022, section 6.9 Performance efficiency, p. 79

Tshiko: ARC Climate-Smart Agriculture, module 11, printed pp. 468–480

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Khuhu: Village chickens (indigenous, free-range)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: makumba. A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Buying advice: Potchefstroom Koekoek is a dual-purpose option; Venda, Ovambo and Naked Neck are other ARC-conserved options. No province-specific winning breed is claimed.

Pulanani zwiḽiwa zwo linganelaho, maḓi o kunaho, murunzi, muya na tsireledzo kha zwipuka zwi ḽaho zwiṅwe. Mphakelo wa makumba u ḓitika nga khuhu dzi kudzelaho, vhukale hadzo, mutakalo na ṱhogomelo; hoko i yoṱhe a i ṋei makumba.

Kuvhanganyani makumba tshifhinga tshoṱhe, vhulungani vhualo ha zwiṱaha ho kuna ho oma, ni fare/vhulunge makumba nga vhulondi u shumiswa muṱani kana u rengiswa.

Ndaedzi ya tshibveledzwa tsha u thoma: vhege dza 15.7–27.8. Khuhu dza mahayani dzi ḓitshimbilelaho nnḓa, KwaZulu-Natal; dza fhethu ho omaho dzo thoma u kudzela nga u ṱavhanya (vhege dza 15.74) u fhira dza fhethu hu ṋukalaho (vhege dza 27.78), phambano yo swaiwa sa i re ya ndeme nga mbalombalo ('*') kha thebuḽa ḽa tshiko. Mikhano yo ṱanḓavhuwaho i sumbedza phambano ya vhukuma ya mupo kha khalaṅwaha yo omaho/hu ṋukalaho yo vhigwaho nga tshiko, hu si u sa khwaṱhisedzea ha mupimo.

Ndaedzi ya vhubveledzi: 40.4–49.9 makumba/nga khuhu ya tshisadzi/nga ṅwaha. Khuhu dza mahayani dzi ḓitshimbilelaho nnḓa/dzi ḓilavelaho zwiḽiwa, KwaZulu-Natal: mupo wo omaho (40.43) u tshi vhambedzwa na u ṋukalaho (49.91), phambano a si ya ndeme nga mbalombalo ('NS'). Mulingo wa ARC Irene kha maitele a langwaho wa tshaka dza sialala dzo bulwaho nga madzina (Grobbelaar, Sutherland & Molalakgotla 2010, Animal Genetic Resources 46: 25-32) u vhiga mbalo dza nṱha nga maanḓa, zwino dzo khwaṱhisedzwaho nga thungo dza vhulungwa kha productionReferences; nyimele dza maitele a langwaho a dzi nga dzhii vhudzulo ha mikhano iyi ya mahayani.

Ndaedzi ya vhukale/sisṱeme: Mulingo wa ARC Irene wo vhambedza Potchefstroom Koekoek, Venda, Ovambo na Naked Neck dzi na zwiḽiwa zwa mabindu, maḓi na tshedza tshi langwaho. Avhareji ya makumba/nga khuhu ya tshisadzi kha mutevhe wa vhege dza 52 yo vha i 195.9, 153.7, 125.5 na 138.9 nga u tevhekana; miṅwaha ya gumba ḽa u thoma yo vha i maḓuvha a 138.5, 139.0, 134.5 na 129.0 u bva kha u thothonya, hu si na phambano ya ndeme nga mbalombalo ya miṅwaha ya gumba ḽa u thoma vhukati ha tshaka. Aya ndi mafhungo a tshaka dzi langwaho, hu si khaṋo ya khuhu dzi ḓilavelaho zwiḽiwa ngei KZN. Vhambedzani u fha zwiḽiwa na vhudzulo phanḓa ha u shumisa tshikombo tsha u vhambedza.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṋeani maḓi o kunaho a fulufhedzeaho.

Kha maitele a mahayani a u fuwa fhethu ho vuleaho hu hulwane, khuhu dzi tea u ḓiwanela maḓi na zwiḽiwa.

Khuhu dza mahayani dzi ḓiṱoḓelaho zwiḽiwa dzi aluwa nga u ongolowa u fhira dzi fuwaho kha mabindu nahone dzi khomboni khulwane ya malwadze, zwilumi zwi dzulaho khadzo na zwipuka zwi dzi ḽaho.

Kha ṱhoḓisiso ya Limpopo na KwaZulu-Natal, 94.9% ya vhalimi vho vha vha tshi dzhenisa khuhu dzavho nḓuni vhusiku.

Zwe khuhu dza tsadzi dzi ḓitshimbilelaho dza vha dzi tshi ḓiwanela sa zwiḽiwa zwo vha zwi tshi eḓana u tshidza muvhili na u aluwa, fhedzi zwi sa eḓani u kudzela makumba: phurotheini kha khalaṅwaha dzoṱhe, calcium na phosphorus vhuria.

An owner or manager whose animals are, or may be, infected with a controlled animal disease must report it to the state veterinary director immediately.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phaṋda

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phaṋḓa)

Khuhu: Village chickens (indigenous, free-range) (zwi khou bvela phaṋḓa)

Newcastle disease and notifiable avian influenza are on the state list of controlled and notifiable animal diseases.

No animal may be slaughtered anywhere but an abattoir, with the exceptions below.

Slaughter for your own household, or for cultural or religious purposes, is exempt from the abattoir rule.

Tshiko: ARC, Climate-Smart Agriculture Training Manual, Module 11: Poultry Production, p. 471

Tshiko: ARC, Climate-Smart Agriculture Training Manual, Module 11: Poultry Production, p. 468

Tshiko: Malatji, Tsotetsi, van Marle-Koster & Muchadeyi (2016), 'A description of village chicken production systems and prevalence of gastrointestinal parasites: Case studies in Limpopo and KwaZulu-Natal provinces of South Africa', Onderstepoort Journal of Veterinary Research 83(1)

Tshiko: Raphulu, Jansen van Rensburg & van Ryssen (2015), 'Nutrient content of crop contents of free ranging indigenous chickens raised under village conditions', South African Journal of Animal Science 45(2), p. 1

Tshiko: Animal Diseases Act 35 of 1984, s.11(1)(b)(ii), p. 9

Tshiko: Department of Agriculture, Forestry and Fisheries, Controlled and Notifiable Animal Diseases (factsheet), p. 1

Tshiko: Meat Safety Act 40 of 2000, s.7(1)(a), p. 6

Tshiko: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Tshiko: Grobbelaar, Sutherland & Molalakgotla (2010), Egg production potentials of certain indigenous chicken breeds from South Africa: methods pp27–28, first-egg p29, Table 4 p31, p. 31

Tshiko: Tenza, Mhlongo & Chimonyo (2023), 'Village chicken production and egg quality in dry and wet, resource-limited environments in KwaZulu-Natal, South Africa', South African Journal of Animal Science 53(6), p. 5

Tshiko: ARC Climate-Smart Agriculture, module 11, printed pp. 468–480

Tshiko: FAO: Small-scale poultry production, egg marketing

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbaṋḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phaṋḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Khuhu: Laying hens (commercial)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: makumba. A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Nyeletshedzo ya u renga: u bveledza makumba, humbelani khuhu ṱhukhu dzo haelwaho dzi re tsini na u thoma u kudzela kha muṅetshedzi wa khuhu dzi kudzelaho, na rekhodo dza vhukale, u fhiwa zwiḽiwa na u haelwa.

Pulanani zwiḽiwa zwo linganelaho, maḓi o kunaho, murunzi, muya na tsireledzo kha zwipuka zwi ḽaho zwiṅwe. Mphakelo wa makumba u ḓitika nga khuhu dzi kudzelaho, vhukale hadzo, mutakalo na ṱhogomelo; hoko i yoṱhe a i ṅei makumba.

Kuvhanganyani makumba tshifhinga tshoṱhe, vhulungani vhualo ha zwiṱaha ho kuna ho oma, ni fare/vhulunge makumba nga vhulondi u shumiswa muṱani kana u rengiswa.

Ndaedzi ya khalaṅwaha: Nga ḓuvha ḽa tshedza ḽi dzulaho ḽi awara dza 14–16, khuhu dza makumba dza mabindu dzi bvela phanḓa na u kudzela nga mpimo wa nṱha ṅwaha woṱhe. Ndaedzi iyi ya ndangulo ya vhubindudzi a si mphakelo wa makumba wa muṱa u linganaho nga mvelo.

Ndaedzi ya tshibveledzwa tsha u thoma: vhege dza 21. Vhukale ha khuhu u bva i tshi thothonywa; khwaṱhisedzani lushaka na u aluswa na muṅetshedzi. Khuhu dzi re tsini na u kudzela dzi thoma nga murahu kha mutevhe uyu.

Ndaedzi ya vhubveledzi: 407.1–428.6 makumba/nga khuhu ya tshisadzi yo vhewaho nḓuni (hen housed), mutevhe wa u kudzela u swika kha vhege dza 90. Thebuḽa 4a ḽi ṅea ṱhanganyelo yo kuvhanganywaho ya 'Eggs/hen housed' kha tshaka ṱhanu dza mabindu; thebuḽa ḽithihi ḽi ṅea 'Age at depop. weeks 90.0' kha lushaka luṅwe na luṅwe. Ndi avhareji ya nnḓu/mabogisi a khuhu dza mabindu, hu si mulingo wa mufuwi muṱuku wa khuhu dzi tshimbilaho nnḓa. Zwi vhulungwa nga nḓila ine tshiko tsha zwi ṅea ngayo: mpimo wa ṅwaha u ḓo ṱoḓa miṅwaha ya u vha tsini na u thoma u kudzela i bvaho kha ḽiṅwe ḽiṅwalwa.

Ndaedzi ya vhukale/sisṱeme: Zwipimo zwa tshaka dza mabindu zwa SAPA 2024 zwo kuvhanganywaho u swika kha vhege dza 90: Dekalb Amberlink 429 eggs/hen housed, Dekalb Brown 428, Hy-Line Silver Brown 435, Hy-Line Brown 434 na Lohmann Brown Lite 413. Hezwi ndi zwipikwa zwa mutevhe wo fhelelaho, hu si makumba nga ṅwaha wa khalenda kana mbonelaphanḓa ya mufuwi muṱuku. Miṅwaha musi hu tshi rengwa, tshifhinga tsha vhukuma tsha u thoma u kudzela, khuhu dza tshisadzi dzi kudzelaho dzo tshilaho, zwiḽiwa, maḓi na tshedza zwi ṱoḓa rekhodo dzo fhambanaho.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṅeani maḓi o kunaho a fulufhedzeaho.

Kha maitele a u fuwa a tendelaho u tshimbila nnḓa, khuhu dza tsadzi dzi tea u kona u ya fhethu ha nnḓa tshifhinga tshi si ho fhasi ha awara dza 8 nga ḓuvha hu masiari.

Hune ha shumiswa mabogisi a zwiṱaha zwa khuhu nga tshithihi, hu vhe na tshiṱaha tshithihi kana u fhira kha khuhu dza tsadzi dza 8.

Khuhu dza tsadzi dzi ṱoḓa tshifhinga tshi si ho fhasi ha awara dza 8 dza swiswi ḽi sa ṱhukhuwi kha mutevhe muṅwe na muṅwe wa awara dza 24 uri dzi awele zwavhuḓi.

U dzudza fhasi nḓuni zwi ṱoḓa zwa u andadza kha tshipiḓa tshithihi kha zwiraru (33%) tsha vhupo ha fhasi kana u fhira.

Fhethu ha nnḓa ha u tshimbila a ho ngo tea u ḓala nga maanḓa: khuhu dzi songo fhira 5 nga mitara ya tshikwea ya fhethu afho.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Khuhu: Laying hens (commercial) (zwi khou bvela phanḓa)

An owner or manager whose animals are, or may be, infected with a controlled animal disease must report it to the state veterinary director immediately.

Newcastle disease and notifiable avian influenza are on the state list of controlled and notifiable animal diseases.

No animal may be slaughtered anywhere but an abattoir, with the exceptions below.

Slaughter for your own household, or for cultural or religious purposes, is exempt from the abattoir rule.

Tshiko: SAPA Abridged Code of Practice: Commercial Layers, p. 1

Tshiko: Animal Diseases Act 35 of 1984, s.11(1)(b)(ii), p. 9

Tshiko: Department of Agriculture, Forestry and Fisheries, Controlled and Notifiable Animal Diseases (factsheet), p. 1

Tshiko: Meat Safety Act 40 of 2000, s.7(1)(a), p. 6

Tshiko: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Tshiko: SAPA Industry Profile 2024, Table 4: commercial standards cumulative to 90 weeks, p. 39

Tshiko: SAPA Layer Notes, Commercial Layers (training module, November 2013), p. 13

Tshiko: SAPA Industry Profile 2022, Table 4a (Breed standards in laying hens), p. 39

Tshiko: ARC Climate-Smart Agriculture Training Manual, Poultry production, p. 8

Tshiko: ARC Climate-Smart Agriculture, module 11, printed pp. 468–480

Tshiko: FAO: Small-scale poultry production, egg marketing

Tshiko: SAPA Layer Notes, Commercial Layers (training module, November 2013)

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Masekwa: Meat duck (Pekin / Muscovy, backyard)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: ṇama. A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Nyeletshedzo ya u renga: yelanyisani lushaka/zwifuwo na tshibveledzwa, furu ya henefho, kilima na vhukoni ha ṱhogomelo; khwaṱhisedzani na mueletshedzi wa henefho wa zwifuwo kana u fuwa ṇotshi.

Ndaedzi ya tshibveledzwa tsha u thoma: vhege dza 7–12. P44 = Pekin (vhege dza 7 u swika kha u ṱhavha); MR71 = Muscovy (vhege dza 10 kha masekwa a tshisadzi, dza 12 kha a tshinna). Zwi dzhiiwa sa 'tshifhinga tsha tshibveledzwa tsha u thoma' = miṅwaha ya u ṱhavhiwa, ngauri iḽi ndi bindu ḽa ṇama ḽa mutevhe muthihi (a ḽi na tshibveledzwa tshi dovhololaho u fana na makumba). Ndi mulingo u si wa Afrika Tshipembe wa vhaṱoḓisisi vha Warsaw, wo anḓadzwaho kha SAJAS; fhethu ha dzhenala a hu khwaṱhisedzi uri zwi a shuma henefho.

Ndaedzi ya vhubveledzi: 2.3–2.9 kg ya tshileme tsha tshiṇoni tshi tshilaho/nga tshiṇoni musi tshi tshi ṱhavhiwa. A si zwa Afrika Tshipembe (ṱhoḓisiso ya Guyana i vhigaho u redzwa ha Steklenev 1990); a hu na mbalo ya vhukuma ya tshileme tshi tshilaho musi hu tshi ṱhavhiwa ya Afrika Tshipembe yo wanalaho (sedzani zwi ṱahelaho). 2.93 kg = Pekin kha vhege dza 8-10, 2.29 kg = Muscovy kha vhege dza 8-10 - zwi fana na tshaka mbili dza bindu iḽi. Mulingo wa bammbiri ḽithihi ḽa LRRD ḽone ḽiṋe (Thebuḽa 2, maitele a ndondolo yo khwaṱhaho, Guyana) wo kala tshileme tshi tshilaho musi hu tshi ṱhavhiwa (vhege dza 8) sa: Pekin dza tshinna 2.53 kg, Pekin dza tshisadzi 2.29 kg, Muscovy dza tshinna 2.47 kg, Muscovy dza tshisadzi 1.51 kg - zwi anḓanaho nga u angaredza na mikhano yo redzwaho afho nṱha, fhedzi zwi songo ṱanganyiswa nayo ngauri ndi mafhungo/thebuḽa ḽo fhambanaho kha tshiko tshithihi. A hu na mbalo i re na tshiko ya makumba/sekwa/ṅwaha yo wanalaho kha lushaka luṅwe na luṅwe (sedzani zwi ṱahelaho); zwiko zwa LRRD na SAJAS zwi shumiswaho afha zwo ita ṱhoḓisiso ya masekwa o aluselwaho ṇama fhedzi.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṇeani maḓi o kunaho a fulufhedzeaho.

Ndi mulandu u dzima sekwa zwiḽiwa kana maḓi, kana u ḽi vhea hune ha shaya tshikhala tsho eḓanaho, muya wo eḓanaho, tshedza kana vhudzumbamo kha mufhiso na phepho.

Sedzani miṱambi u vhona u fa nga khathihi, mithenga yo ṱhilinganyaho, u zwimba ha zwiṇama zwo nembelelaho fhasi ha mulomo kana kha ṱhoho, kana u fhungudzea ha makumba nga khathihi - hezwi ndi tsumbo dza mugunyuso wa zwiṇoni nahone dzi tea u vhigiwa nga u ṱavhanya.

Veani masekwa kule na zwiṇoni zwa ḓaka na maḓi kana zwiḽiwa zwo vuleaho zwi zwi kokodzaho, ni lange u dzhena ha vhaeni nḓuni dza masekwa, u fhungudza khombo ya mugunyuso wa zwiṇoni.

Ducks are one of the domesticated animal species listed in the Meat Safety Act, so its rules on registered abattoirs and hygiene apply to them.

Ducks slaughtered to be sold must be slaughtered at a registered abattoir; slaughter for the farmer's own consumption is exempt but that meat may not be sold.

At the abattoir, ducks must be handled humanely during loading, transport, offloading, housing, immobilising and killing, under the Animals Protection Act.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṇu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Masekwa: Meat duck (Pekin / Muscovy, backyard) (zwi khou bvela phanḓa)

Ducks are birds/poultry, so an outbreak of avian influenza in a duck flock is a controlled animal disease under the Animal Diseases Act and must be reported to the state vet immediately.

Tshiko: Animals Protection Act 71 of 1962 (consolidated text, s.2(1)(b)-(c)), p. 2

Tshiko: Western Cape Department of Agriculture, Avian Influenza (Bird Flu) factsheet, p. 2

Tshiko: Meat Safety Act 40 of 2000, Schedule 1 (Animals to which this Act applies), p. 16

Tshiko: Meat Safety Act 40 of 2000, s.7, p. 6

Tshiko: Meat Safety Act 40 of 2000, s.9, p. 7

Tshiko: Damaziak et al. (2014), Influence of housing system on the growth and histological structure of duck muscles, S. Afr. J. Anim. Sci. 44(2): Poland trial

Tshiko: Livestock Research for Rural Development 18(11) 2006 - Solomon et al. (Guyana; not an SA figure), citing Steklenev 1990

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Tshivhudu: Tilapia (Mozambique tilapia, small pond or tank)

Zwifhaṱo zwa 1 zwi re hone; zwa 2 zwo dzinginywaho. Bindu ḽo nangwaho: khovhe. A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Nyeletshedzo ya u renga: yelanyisani lushaka/zwifuwo na tshibveledzwa, furu ya henefho, kilima na vhukoni ha ṱhogomelo; khwaṱhisedzani na mueletshedzi wa henefho wa zwifuwo kana u fuwa ṋotshi.

Ndaedzi ya tshibveledzwa tsha u thoma: vhege dza 43.5–52.2. Miṅwedzi ya 10 x 4.35 = vhege dza 43.5; miṅwedzi ya 12 x 4.35 = vhege dza 52.2. Hetshi ndi tshifhinga tsha u alusa Mozambique Tilapia (O. mossambicus) u swika kha vhuhulwane ha u kaṉiwa; tshiko tshi bula nga thungo uri Nile Tilapia (O. niloticus) i swika kha vhuhulwane ha u kaṉiwa nga u ṱavhanya, kha miṅwedzi ya 6-10 (= vhege dza 26.1-43.5) — a zwi shumiswi afha ngauri ndi lushaka lwo fhambanaho lu re na vhuimo ha mulayo ho fhambanaho (sedzani 'mulayo').

Ndaedzi ya vhubveledzi: 800 g ya tshileme musi i tshi kaṉiwa/nga khovhe. Thebuḽa 8-3 ḽi ṋea vhuhulwane ha u kaṉiwa ha Mozambique Tilapia sa mbalo nthihi ya nyanganyelo ('+- 800g'), hu si mikhano, ngauralo hu shumiswa [800, 800] nṱhani ha u tou humbulela phambano. Tshipiḓa tshithihi tsha thebuḽa tshi khethekanya '10-12' nga u khethekanywa ha mutalo kha PDF ('10-\n12'), zwe zwa vhulungwa zwo ralo. Mutalo wa Nile Tilapia kha thebuḽa u ṋea tshileme tshithihi tsha nyanganyelo (+-800g) tshi swikiwaho nga u ṱavhanya, kha miṅwedzi ya 6-10 — a u shumiswi afha ngauri dosiye iyi yo livha kha Mozambique Tilapia ya henefha i si na thivhelo ya mulayo u ya nga ndaela ya mushumo; sedzani 'mulayo' u itela uri ndi ngani Nile Tilapia i dzhiiwa nga thungo. A hu na tshiko tsha Afrika Tshipembe tsho wanalaho tshi ṋeaho mbalo yo ḓitikaho nga u shandukiswa ha zwiḽiwa kana khaṉo nga hekithara yo livhaho kha O. mossambicus ine ya nga shandukiswa ya vha yuniti iyi nga khovhe hu sa ṱanganyiswi mbalo dza maṅwalwa o fhambanaho, ngauralo outputUnit i tevhela yuniti ya tshiko tshone tshiṉe (gireme dza tshileme tsha khaṉo nga khovhe) nṱhani ha u shandukiswa.

Ndaedzi ya vhukale/sisṱeme: ARC i ita uri u tea ha tilapia hu ḓitike nga mufhiso wa maḓi: u alusa tshilimo zwi nga tea huṅwe na huṅwe Afrika Tshipembe musi maḓi a tshi fhira 20°C; u aluwa a hu vhi havhuḓi fhasi ha 18°C nahone maḓi a vhuria a re fhasi ha 13°C a nga vhulaha tilapia i fuwiwaho. Tshikombo tsha Highveld ndi tshiliṅwa tsha tshilimo; thaneḽa dzi nga ṱanḓavhudza mikhano. Kalani maḓi a dzivha ni khwaṱhisedze lushaka lu dzheniswaho na datumu. Mutsho wa muya kana dzivha ḽo swaiwaho kha mapa a zwi khwaṱhisedzi miṅwedzi ya khaṉo, tshivhalo tsha khovhe kana kg ya zwiḽiwa.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṋeani maḓi o kunaho a fulufhedzeaho.

The indigenous Mozambique Tilapia (O. mossambicus) is not a listed invasive species and may be farmed without an alien-species permit; the faster-growing Nile Tilapia (O. niloticus) is.

Nile Tilapia (Oreochromis niloticus) is a nationally listed invasive fish species: Category 1b inside National Parks, Provincial Reserves, Mountain Catchment Areas and Forestry Reserves, and Category 3 in all other areas.

Outside protected areas Nile tilapia is Category 3: it may remain in prescribed areas or provinces, but further propagation or trade is prohibited.

Nile Tilapia has been listed under the NEMBA Alien and Invasive Species Regulations as requiring a permit to produce.

Producing an alien or invasive species (such as Nile Tilapia) is prohibited in areas designated under the Protected Areas Act and the Fish Sanctuary Act; a permit is required to produce it elsewhere.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṉu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Tshivhudu: Tilapia (Mozambique tilapia, small pond or tank) (zwi khou bvela phanḓa)

Producing tilapia in South Africa requires a water use licence under the National Water Act.

Tshiko: IDC, Research into the Potential for the Production, Processing and Export of Tilapia for the Southern African Market (2015), Table 8-3 (Mozambique vs. Nile Tilapia), p. 69

Tshiko: Dept. of Environmental Affairs / invasives.org.za, National Listed Invasive Species (NEMBA AIS Regulations booklet), List 7 (National List of Invasive Fresh-water Fish Species), p. 32

Tshiko: Dept. of Environmental Affairs / invasives.org.za, National Listed Invasive Species (NEMBA AIS Regulations booklet), p. 3

Tshiko: IDC, Research into the Potential for the Production, Processing and Export of Tilapia for the Southern African Market (2015), p. 69

Tshiko: IDC, Research into the Potential for the Production, Processing and Export of Tilapia for the Southern African Market (2015), p. 74

Tshiko: IDC, Research into the Potential for the Production, Processing and Export of Tilapia for the Southern African Market (2015), p. 75

Tshiko: ARC Aquaculture Production App: General FAQ, Can I grow tilapia on the Highveld?

Tshaka dza zwiliṅwa dza u sedzulusa henefho

Vhulungani dzina ḽa lushaka lune na nanga zwa vhukuma. Mitevhe mipfufhi ya ṱhoḓisiso i ṱoḓa khwaṱhisedzo ya khalaṅwaha ya henefho, maḓi na mavu.

Tomatoes

Lushaka lwo rekhodwaho: a lu athu u nangwa.

Kilima ya fhethu hafha a i athu u ṱalutshedzea, ngauralo a hu buliwi mutevhe mupfufhi wa henefho. Vulani garaṱa ya tshiliṅwa u vhona zwiko na u rekhoda zwe na nanga.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.