SYNTHETIC GRAPH SOURCE {COUNT} $&

# Ngaphambi kokuthenga noma ukuqala

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Iqembu lesimo sezulu locwaningo: Indawo yokulima ayikacaci. Leli qembu alisona isincomo esiqinisekisiwe saleli pulazi.

## Lokho okubikile ngaleli pulazi

### Amanzi ngesikhathi esomile

Akurekhodiwe. Qedela inhlolovo yendawo bese uqinisekisa amanzi ngaphambi kokukhetha uhlelo oludinga izinsiza eziningi.

### Isithwathwa kuleli pulazi

Okubonwe ngesithwathwa endaweni akurekhodiwe. Izilinganiso zanyanga zonke zesathelayithi azikwazi ukuthola izinsuku zokuqala nezokugcina zesithwathwa.

### Ilanga nokuphuma kwamanzi

Ilanga: akurekhodiwe.

Ukuphuma kwamanzi: akurekhodiwe. Kusadingeka ukuhlola imiphumela yokuhlolwa komhlabathi nezidingo zesitshalo ngasinye.

## Amarekhodi onyaka wokubika - hhayi isibikezelo

Izamba nezinyanga zonyaka wokubika odlule zichaza lokho okwabikwa. Azithembisi ukudla ohlelweni oluzayo.

### Original eggs {year} $&

Isamba sonyaka esibikwe umlimi sango-2025: 240 eggs.

Okusetshenziswa ekhaya: 0 eggs. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: Jun, Jul. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

### Fish

Isamba sonyaka esibikwe umlimi sango-2025: akurekhodiwe.

Okusetshenziswa ekhaya: akurekhodiwe. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: akurekhodiwe. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

### Eminye imifino

Isamba sonyaka esibikwe umlimi sango-2025: 12 kg.

Okusetshenziswa ekhaya: 7 kg. Okuthengisiwe: 3 kg.

Izinyanga zokuvuna ezibikiwe: Jan, Dis. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.



Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

# Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

## Imikhiqizo yezilwane nokunakekela

### Izimbuzi: Dairy goat (Saanen / Toggenburg / British Alpine)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-2. Uhlobo lokukhiqiza olukhethiwe: ubisi. Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Iseluleko sokuthenga: fanisa uhlobo/izilwane nomkhiqizo, ukudla kwendawo, isimo sezulu namandla okunakekela; qinisekisa nomeluleki wendawo wemfuyo noma wokufuywa kwezinyosi.

Hlela ngokuzala kwangempela kwamathole/amazinyane nokuncelisa. Izilwane ezingancelisi azinikezi ubisi.

Isikhathi somkhiqizo wokuqala: asinamthombo walolu hlobo lokukhiqiza.

Inkomba yokukhiqiza: 775.4–1073.4 kg wobisi/ngembuzikazi/ngesikhathi sokuncelisa sezinsuku ezingu-305. Izilinganiso eziphansi kakhulu (ukuzala kwe->=7) neziphezulu kakhulu (ukuzala kwesi-3) zamaqembu esivuno sobisi ngesikhathi sokukhiqiza ubisi esilinganiselwe ezinsukwini ezingu-305 kumarekhodi obisi e-ARC Saanen aseNingizimu Afrika angu-16,407 ahlaziywe, 1955–2018, ikakhulukazi imihlambi yokuzalanisa enakekelwa kakhulu/ngokulingene. Ithebula 3 le-PDF yokuqala libiza iqembu lokugcina ngokuthi >=7th; i-HTML ibhala >7th. Kugcinwa ku-kg, ngaphandle kokuguqulelwa kumalitha, ukubalwa ngokonyaka noma ukuqagela isivuno ngeminyaka ephakathi kwamaphuzu edatha.

Inkomba yobudala/uhlelo: Isikhombo sama-Saanen aseNingizimu Afrika ngenombolo yomjikelezo wokukhiqiza ubisi, hhayi ubudala ngeminyaka: isisindo sobisi esimaphakathi ngesikhathi esilinganiselwe sezinsuku ezingu-305 sasingu-947.3 kg ekuzaleni kokuqala, 1043.2 kokwesibili, 1073.4 kokwesithathu, 1020.3 kokwesine, 972.8 kokwesihlanu, 901.6 kokwesithupha no-775.4 kokwe->=7. La maqembu e-ARC anamarekhodi obisi ayeyimihlambi yokuzalanisa enakekelwa kakhulu/ngokulingene ikakhulukazi. Rekhoda usuku lwangempela lokuzala kwamazinyane, inombolo yomjikelezo wobisi nobisi oluqoqiwe; ungahlukanisi lezi zamba ngokulinganayo phakathi kwezinyanga.

Inkomba yobudala/uhlelo: EPutukwane eduze kwasePolokwane, izimbuzikazi ezincelisayo ezingu-179 ezidla emadlelweni abanzi ezinokudla okwengeziwe okungajwayelekile zabhekwa izinsuku ezingu-210 ngemva kokuzala. Isisindo sobisi esimaphakathi sasingu-1.45 kg/day kuma-Saanen, 0.75 kuma-British Alpine no-0.56 kuma-Toggenburg ngesikhathi sokukhiqiza ubisi esabhekwa. Ukuqala kokukhiqiza ubisi kwedlula isigaba esiphakathi nesokugcina; ukuzala ngo-Mashi–Ephreli kwaba ngcono kuno-Okthoba–Novemba kuleli qembu. Lezi zimo zihlukile kumarekhodi emihlambi yokuzalanisa. Xoxa ngendawo ngezilwane ezijwayele indawo nokudla; lezi akuzona izethembiso zamalitha/ngosuku noma zonyaka wonke.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

Kuyicala ukugcina imbuzi endaweni enendawo enganele, umoya onganele, ukukhanya okunganele noma indawo yokukhosela enganele ekushiseni, emakhazeni noma esimweni sezulu, noma ukuyivalela noma ukuyibopha ngendlela eyibangela ukuhlupheka okungadingekile.

Kuyicala ukulambisa, ukunikeza ukudla okunganele, noma ukunqabela imbuzi amanzi noma ukudla.

Umnikazi akufanele avumele imbuzi ihlale ingcolile noma inezilokazane eziphila kuyo, futhi kufanele ayitholele ukwelashwa ngudokotela wezilwane noma okunye ukwelashwa uma igula, ilimele noma inesifo lapho ekwazi.

Foot-and-mouth disease (FMD) is a controlled animal disease under the Animal Diseases Act: veterinary services enforce isolation and movement restrictions, and a suspected case must be reported.

Inside a declared FMD-affected zone, goats and their products (including milk) cannot be moved into, out of, or within the zone without a state veterinary movement permit and compliance with its conditions.

Every goat owner must register an official identification mark and mark their goats with it, under the Animal Identification Act.



Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

# Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

## Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

### Izimbuzi: Dairy goat (Saanen / Toggenburg / British Alpine) (kuyaqhubeka)

A goat may only be slaughtered for sale at a registered abattoir under the Meat Safety Act (relevant when culled dairy does or male kids are sold for meat); slaughtering for the farmer's own consumption, or for cultural/religious purposes, is exempt but that meat may not then be sold.

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(b), p. 1

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(e), p. 1

Umthombo: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Umthombo: Animal Identification Act 6 of 2002, s.7(1), p. 4

Umthombo: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Umthombo: Malemela, Nemutandani & Tada (2024), South African Saanen goats, Table 3, p. 625

Umthombo: Norris et al. (2011), Milk Production of Three Exotic Dairy Goat Genotypes in Limpopo Province, South Africa: methods, results and Table 2

Umthombo: Malemela, Nemutandani & Tada (2024), South African Saanen goats: Table 3, 305-day milk yield by parity, p. 625



Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

# Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

## Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

### Izimbuzi: Indigenous veld / communal goat (e.g. Nguni, Tankwa, Xhosa lob-ear)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-2. Uhlobo lokukhiqiza olukhethiwe: inyama. Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Iseluleko sokuthenga: fanisa uhlobo/izilwane nomkhiqizo, ukudla kwendawo, isimo sezulu namandla okunakekela; qinisekisa nomeluleki wendawo wemfuyo noma wokufuywa kwezinyosi.

Inkomba yomkhiqizo wokuqala: amasonto angu-69.6–78.3. Lokhu ubudala bokuZALA OKOKUQALA (ukuzalwa kwamazinyane okuqala), hhayi amazinyane okuqala aselunyuliwe. Izinyanga ezingu-16 x 4.35 = amasonto angu-69.6; izinyanga ezingu-18 x 4.35 = amasonto angu-78.3, kusukela ekuzalweni kwembuzikazi kuya lapho izala okokuqala. Ukwengeza ukulunyulwa okucatshangwa ngumthombo uqobo okucishe kube izinsuku ezingu-150 (cishe izinyanga ezingu-5, cishe amasonto angu-21.75) kungabeka amazinyane okuqala ASELUNYULIWE cishe emasontweni angu-91-100 obudala bembuzikazi, kodwa lelo nani elihlanganisiwe alikhonjiswa njengenani eliyinhloko ngoba le nkambu ichazwa 'njengobudala/isikhathi kusukela ekuqaleni (ukuchanyuselwa, ukuzalwa) kuya kumkhiqizo wokuqala', futhi ukuzala kokuqala kuyisigaba esicacile esishiwo ngqo; lesi sikhathi esengeziwe sokulunyulwa sibhalwe lapha ukuze konke kucace.

Inkomba yobudala/uhlelo: Incwadi kahulumeni yezimbuzi yango-2016 ihlukanisa izilwane zenyama zendabuko, Boer, Savanna ne-Kalahari Red ezinhlotsheni zobisi/zoboya, inezinhloso zokuzalanisa namarekhodi esilwane ngasinye okuzalwa, ukulunyulwa, isisindo nokuthengiswa. Ukukhwelana komphakathi okungalawulwayo kungenza kuzalwe noma nini; lokho akuqinisekisi ukutholakala kwenyama noma kwamazinyane aselunyuliwe unyaka wonke. Khetha izilwane ezifanele uhlelo lwendawo bese urekhoda ukusinda nesigaba somkhiqizo ngaphambi kokubikezela amanani.

Inkomba yobudala/uhlelo: Ezinhlelweni zabalimi abancane ze-KZN Highland Sourveld, ukuswelakala kokudla ebusika nasekuqaleni kwentwasahlobo kungakhawulela izimbuzi. Izimbuzikazi ezizala ekwindla zondla amazinyane phakathi nobusika; ezizala entwasahlobo zibhekana nokuswelakala kokudla ekupheleni kokukhulelwa, ikakhulukazi uma izimvula ziphuza ukufika. Hlela ukudla kwasebusika kwendawo bese uqapha izisindo ngosizo lwabaluleki bezolimo; lokhu kuyisimo sokunakekela sesifunda, hhayi ama-kg noma ikhalenda lokuzala lezindawo zonke.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

Kuyicala ukugcina imbuzi endaweni enendawo enganele, umoya onganele, ukukhanya okunganele noma indawo yokukhosela enganele ekushiseni, emakhazeni noma esimweni sezulu, noma ukuyivalela noma ukuyibopha ngendlela eyibangela ukuhlupheka okungadingekile.

Kuyicala ukulambisa, ukunikeza ukudla okunganele, noma ukunqabela imbuzi amanzi noma ukudla.

Umnikazi akufanele avumele imbuzi ihlale ingcolile noma inezilokazane eziphila kuyo, futhi kufanele ayitholele ukwelashwa ngudokotela wezilwane noma okunye ukwelashwa uma igula, ilimele noma inesifo lapho ekwazi.

Ukushoda kokudla ebusika emadlelweni omphakathi otshani obumuncu (sourveld) kuyingozi eyaziwayo enhlalakahleni nasekukhiqizeni: izinsikazi ezizala ekwindla kufanele zondle amazinyane ebusika, kanti ezizala entwasahlobo zithola ukudla okunganele lapho ukukhulelwa sekusekupheleni, ngakho ukwengeza ukudla ebusika kubalulekile.

Foot-and-mouth disease (FMD) is a controlled animal disease under the Animal Diseases Act: veterinary services enforce isolation and movement restrictions, and a suspected case must be reported.

Inside a declared FMD-affected zone, goats and their products cannot be moved into, out of, or within the zone without a state veterinary movement permit and compliance with its conditions.

Every goat owner, including communal/smallholder owners, must register an official identification mark and mark their goats with it, under the Animal Identification Act.



Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

# Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

## Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

### Izimbuzi: Indigenous veld / communal goat (e.g. Nguni, Tankwa, Xhosa lob-ear) (kuyaqhubeka)

A goat may only be slaughtered for sale at a registered abattoir under the Meat Safety Act; slaughtering it for the farmer's own consumption, or for cultural/religious purposes (including ceremonial slaughter, common with indigenous goats), is exempt from that rule, but that meat may not then be sold.

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(b), p. 1

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(e), p. 1

Umthombo: Letty, B. & Madiba, S., KZN DARD. Constraints to Small-Scale Goat Production in the Highland Sourveld Area of KwaZulu-Natal, p. 3

Umthombo: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Umthombo: Animal Identification Act 6 of 2002, s.7(1), p. 4

Umthombo: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Umthombo: DAFF (2016), Goat Training Manual: breeds p2, records pp4–5, uncontrolled mating section 2.4.6 p7, p. 7

Umthombo: KZN DARD: Goat Production in KwaZulu-Natal, Highland Sourveld research and winter nutrition

Umthombo: Webb, E.C. & Mamabolo, M.J. (2004). Production and reproduction characteristics of South African indigenous goats in communal farming systems. S. Afr. J. Anim. Sci. 34(5):236-239



Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

# Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

## Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

### Izimbuzi: Boer goat (meat enterprise)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-2. Uhlobo lokukhiqiza olukhethiwe: inyama. Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Iseluleko sokuthenga: fanisa uhlobo/izilwane nomkhiqizo, ukudla kwendawo, isimo sezulu namandla okunakekela; qinisekisa nomeluleki wendawo wemfuyo noma wokufuywa kwezinyosi.

Isikhathi somkhiqizo wokuqala: asinamthombo walolu hlobo lokukhiqiza.

Inkomba yokukhiqiza: 1.5 amazinyane ezimbuzi alumuliwe/ngembuzikazi ekhwelwe (doe mated). Izinga lokulunyulwa elibikiwe lingu-149%, noma amazinyane angu-1.49 aselunyuliwe ngembuzikazi ekhwelisiwe. Umthombo uchaza okwabonwa phakathi neminyaka engamashumi amabili ezimbuzikazini ze-Boer ezidla emadlelweni abanzi endaweni enemvula engu-295 mm; awusho amazinyane aselunyuliwe ngembuzikazi ngonyaka wekhalenda. Lokhu kungumphumela wokuzalana, hhayi ama-kg ezilwane eziphilayo noma enyama elungisiwe. Esinye isilinganiso sobukhulu beqoqo lamazinyane esingu-1.93 azalwa ekuzaleni ngakunye sineyunithi yokubala nesigaba esihlukile futhi asihlanganiswa naleli nani.

Inkomba yobudala/uhlelo: Incwadi kahulumeni yezimbuzi yango-2016 ihlukanisa izilwane zenyama zendabuko, Boer, Savanna ne-Kalahari Red ezinhlotsheni zobisi/zoboya, inezinhloso zokuzalanisa namarekhodi esilwane ngasinye okuzalwa, ukulunyulwa, isisindo nokuthengiswa. Ukukhwelana komphakathi okungalawulwayo kungenza kuzalwe noma nini; lokho akuqinisekisi ukutholakala kwenyama noma kwamazinyane aselunyuliwe unyaka wonke. Khetha izilwane ezifanele uhlelo lwendawo bese urekhoda ukusinda nesigaba somkhiqizo ngaphambi kokubikezela amanani.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

Kuyicala ukugcina imbuzi endaweni enendawo enganele, umoya onganele, ukukhanya okunganele noma indawo yokukhosela enganele ekushiseni, emakhazeni noma esimweni sezulu, noma ukuyivalela noma ukuyibopha ngendlela eyibangela ukuhlupheka okungadingekile.

Kuyicala ukulambisa, ukunikeza ukudla okunganele, noma ukunqabela imbuzi amanzi noma ukudla.

Umnikazi akufanele avumele imbuzi ihlale ingcolile noma inezilokazane eziphila kuyo, futhi kufanele ayitholele ukwelashwa ngudokotela wezilwane noma okunye ukwelashwa uma igula, ilimele noma inesifo lapho ekwazi.

Foot-and-mouth disease (FMD) is a controlled animal disease under the Animal Diseases Act: veterinary services enforce isolation and movement restrictions, and a suspected case must be reported.

Inside a declared FMD-affected zone, goats and their products cannot be moved into, out of, or within the zone without a state veterinary movement permit and compliance with its conditions.

Every goat owner must register an official identification mark and mark their goats with it, under the Animal Identification Act.



Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

# Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

## Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

### Izimbuzi: Boer goat (meat enterprise) (kuyaqhubeka)

A goat may only be slaughtered for sale at a registered abattoir under the Meat Safety Act; slaughtering it for the farmer's own consumption, or for cultural/religious purposes, is exempt from that rule, but that meat may not then be sold.

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(b), p. 1

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(e), p. 1

Umthombo: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Umthombo: Animal Identification Act 6 of 2002, s.7(1), p. 4

Umthombo: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Umthombo: DAFF (2016), Goat Training Manual: breeds p2, records pp4–5, uncontrolled mating section 2.4.6 p7, p. 7

Umthombo: King, F.J.M. (2009). Production Parameters for Boer Goats in South Africa (MSc dissertation, University of the Free State), citing National Dept of Agriculture data via Malan, S.W. (2000)



Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

# Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

## Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

### Izingulube: Pig (small-scale / emerging-farmer sow herd)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-2. Uhlobo lokukhiqiza olukhethiwe: inyama. Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Iseluleko sokuthenga: fanisa uhlobo/izilwane nomkhiqizo, ukudla kwendawo, isimo sezulu namandla okunakekela; qinisekisa nomeluleki wendawo wemfuyo noma wokufuywa kwezinyosi.

Isikhathi somkhiqizo wokuqala: asinamthombo walolu hlobo lokukhiqiza.

Inkomba yobudala/uhlelo: Ithebula 1 le-ARC libala izinsikazi zezingulube ezikhulelwe ku-10–18 L drinking water/day nezincelisayo ku-18–23 L/day. Lezi yizigaba zezinsikazi ezizalayo, hhayi inani elilodwa lazo zonke izingulube. Ukunakekela lapho kuzalwa amazinyane kuhlukanisa ukupholisa unina nokufudumeza amachwane; izinhlelo zangaphandle zidinga izilwane eziqinile ezijwayele indawo, umthunzi nendawo yokukhosela. Qinisekisa isigaba, amanzi ahlanzekile atholakala njalo, ukudla nezindlu ngendawo. Incwadi ayinikezi ama-kg aqinisekisiwe adliwayo ngengulube yensikazi ezalayo yalolu hlelo.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

Uma izingulube zithuthwa ngamaloli, ikhodi yaseNingizimu Afrika yokuphatha nokuthutha izilwane incoma u-0.3 m² nge-porker, u-0.4 m² nge-baconer no-0.8 m² ngengulube endala ngayinye.

Kuyicala ukugcina ingulube endaweni enendawo enganele, umoya onganele, ukukhanya okunganele noma indawo yokukhosela enganele ekushiseni, emakhazeni noma esimweni sezulu, noma ukuyivalela noma ukuyibopha ngendlela eyibangela ukuhlupheka okungadingekile.

Kuyicala ukulambisa, ukunikeza ukudla okunganele, noma ukunqabela ingulube amanzi noma ukudla.

Ngesikhathi sokushisa okukhulu, izindlu zezingulube zidinga ukungena nokugeleza komoya okungcono nokuncishiswa kwenani lezingulube endaweni, kanti izingulube zangaphandle zidinga umthunzi nendawo yokukhosela.

African swine fever (ASF) is listed as a controlled animal disease pertaining to pigs under the Animal Diseases Act; warthogs and Ornithodorus ticks are carriers/vectors.

Foot-and-mouth disease (FMD) is also listed as a controlled animal disease pertaining to pigs under the Animal Diseases Act.

Swill (food waste) may not be fed to pigs unless it has been boiled for at least 60 minutes or sterilised by another equally effective method.

Pigs may only be moved into a biosecure compartment from another compartment that is officially certified/approved for that purpose.

A pig may not be slaughtered anywhere but a registered abattoir, except for own household consumption or cultural/religious purposes.



Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

# Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

## Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

### Izingulube: Pig (small-scale / emerging-farmer sow herd) (kuyaqhubeka)

A pig owner must apply to register an official identification mark and mark their pigs with it, under the Animal Identification Act.

Umthombo: Muchenje, V. & Ndou, S.P., How pig pre-slaughter welfare affects pork quality and the pig industry (Univ. of Fort Hare, hosted by SAPPO), quoting Tomlinson (2000) Code of Practice for the Handling and Transport of Livestock, p. 7

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(b), p. 1

Umthombo: Animals Protection Act 71 of 1962, s.2(1)(c), p. 1

Umthombo: ARC Climate-Smart Agriculture Training Manual, Module 10: Pig Production, p. 9

Umthombo: ARC Climate-Smart Agriculture Training Manual, Module 10: Pig Production, Table 2, p. 15

Umthombo: Munzhelele et al., Investigation of African swine fever outbreaks in pigs outside the controlled areas of South Africa, 2012-2017 (Journal of the South African Veterinary Association, SciELO SA mirror)

Umthombo: Meat Safety Act 40 of 2000, s.7(1)(a), p. 6

Umthombo: Animal Identification Act 6 of 2002, s.7(1), p. 4

Umthombo: ARC Climate-Smart Agriculture: Pig production, farrowing/adaptation pp442–445, Table 1 p446, p. 446

Umthombo: ARC Climate-Smart Agriculture Training Manual, Module 10: Pig Production, Table 1 (Water requirements of pigs, litres/pig/day), p. 10



Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

# Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

## Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

### Onogwaja: Meat rabbit (New Zealand White / Californian, backyard hutches)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-2. Uhlobo lokukhiqiza olukhethiwe: inyama. Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Iseluleko sokuthenga: fanisa uhlobo/izilwane nomkhiqizo, ukudla kwendawo, isimo sezulu namandla okunakekela; qinisekisa nomeluleki wendawo wemfuyo noma wokufuywa kwezinyosi.

Isikhathi somkhiqizo wokuqala: asinamthombo walolu hlobo lokukhiqiza.

Inkomba yokukhiqiza: 30–35 onogwaja abancane abafinyelela ebudaleni bokuhlatshwa/bokuzala/ngensikazi yonogwaja/ngonyaka. Inhloso evamile ye-FAO yokufuya egcekeni, hhayi izinga elabonwa eNingizimu Afrika. Amazinyane angu-30–35 ngensikazi yonogwaja ngonyaka asefinyelele ebudaleni bokuhlatshwa noma bokuzala ngemva kokubalwa kokulahleka ngemva kokulunyulwa; awagcini ngokuba aselunyuliwe futhi awawona ama-kg enyama. Umthombo ubala amaqoqo okuzala ayisithupha namazinyane angu-5.5 asindile eqoqweni ngalinye, uchaza inhloso yonogwaja abangu-30; iqoqo elilodwa elengeziwe likhuphula inhloso yawo eshiwo ibe ngu-35. Ungahlanganisi le nhloso yokufuya egcekeni nesisindo sesidumbu esivela endlini yokukhulisa konunye ukuhlolwa.

Inkomba yesikhathi sokukhiqiza: iminyaka engu-0.8. Izinsuku ezingu-279 / 365 = iminyaka engu-0.76. Leli nani livela ezindaweni zokufuya onogwaja zokuhweba zaseFrance EZINAKEKELWA KAKHULU (isilinganiso sedatha yango-1992 yohlelo lukazwelonke lokurekhoda), HHAYI ezindlwaneni zasegcekeni/emadlelweni abanzi - umthombo awunikezi inani elehlukile lokuphila kokukhiqiza kwezinhlelo zasegcekeni (bheka okushodayo). Kubheke njengesikhombo somkhawulo ophansi/sohlelo lwemboni kuphela.

Inkomba yobudala/uhlelo: Isikhombo saseNingizimu Afrika sezilwane ezikhuliswayo: onogwaja be-New Zealand White ne-Phendula ekuhlolweni kwaseStellenbosch kwango-2017 bahlatshwa benamasonto acishe abe ngu-11 kusukela ekuzalweni. Izilinganiso zonke zazingu-2.62 kg isisindo esiphilayo sokuhlatshwa, 1.55 kg isidumbu esishisayo, 1.48 kg isidumbu esipholisiwe no-1.26 kg isidumbu sesikhombo esikhishwe ikhanda nezitho zangaphakathi ezibomvu, sisahlanganisa amathambo. Ukudla okuyizinhlayiyana okulinganisiwe namanzi kwakutholakala ngokukhululeka endlini yokukhulisa. Lezi zisindo aziyona inyama engenamathambo noma umkhiqizo wonyaka wensikazi yonogwaja; ungaziphindaphindi ngenhloso ye-FAO yokufuya egcekeni engahlobene nazo.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

Kuyicala ukunqabela unogwaja ukudla noma amanzi, noma ukuwugcina endaweni engenayo indawo eyanele, umoya owanele, ukukhanya noma indawo yokukhosela ekushiseni nasemakhazeni.

Nikeza onogwaja abazalisayo indawo yaphansi yendlu engaba ngu-0.48-0.70 m2 ngamunye, ukuphakama kube ngu-50-60 cm, kungabi ikheji eliminyene.

Rabbits are one of the domesticated animal species listed in the Meat Safety Act, so the Act's rules on abattoirs and hygiene apply to them, as they do to ducks and other listed species.

Rabbits slaughtered to be sold must be slaughtered at a registered abattoir; slaughter for the farmer's own consumption is exempt from this rule but the meat from it may not be sold.

At the abattoir, rabbits (like other listed animals) must be handled humanely during loading, transport, offloading, housing, immobilising and killing, under the Animals Protection Act.



Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

# Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

## Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

### Onogwaja: Meat rabbit (New Zealand White / Californian, backyard hutches) (kuyaqhubeka)

The wild European rabbit (the same species as farmed New Zealand White/Californian rabbits) is only listed as an invasive species under NEMBA on South Africa's off-shore islands - it is not a listed/restricted species on the mainland.

Umthombo: Animals Protection Act 71 of 1962 (consolidated text, s.2(1)(b)-(c)), p. 2

Umthombo: FAO Animal Production and Health Series No.21 - The Rabbit: Husbandry, Health and Production (Lebas et al.), p. 172

Umthombo: Meat Safety Act 40 of 2000, Schedule 1 (Animals to which this Act applies), p. 16

Umthombo: Meat Safety Act 40 of 2000, s.7, p. 6

Umthombo: Meat Safety Act 40 of 2000, s.9, p. 7

Umthombo: South Africa's National Listed Invasive Species booklet (NEMBA Alien and Invasive Species Lists), p. 27

Umthombo: North et al. (2019), Growth, carcass and meat quality traits of two South African meat rabbit breeds: methods p816, Table 2 p819, p. 819

Umthombo: FAO Animal Production and Health Series No.21 - The Rabbit: Husbandry, Health and Production (Lebas et al.), p. 107

Umthombo: FAO Animal Production and Health Series No.21 - The Rabbit: Husbandry, Health and Production (Lebas et al.), p. 201



Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

# Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

## Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

### Isibaya: Meat sheep (Dorper, Damara, indigenous fat-tailed and crossbred)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-2. Uhlobo lokukhiqiza olukhethiwe: inyama. Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Iseluleko sokuthenga: fanisa uhlobo/izilwane nomkhiqizo, ukudla kwendawo, isimo sezulu namandla okunakekela; qinisekisa nomeluleki wendawo wemfuyo noma wokufuywa kwezinyosi.

Isikhathi somkhiqizo wokuqala: asinamthombo walolu hlobo lokukhiqiza.

Inkomba yokukhiqiza: 0.6–1.4 amawundlu azelwe ngemvukazi. I-outputUnit ithi 'lambs born/ewe/year' esikhundleni sesiphakamiso esithi 'kg live weight/lamb at weaning or slaughter' noma 'lambs weaned/ewe/year': umthombo uchaza ukuthi 'Ukukala amaphesenti okuzala anembile kubalimi abancane bezimvu kunzima ngoba laba balimi ikakhulukazi bafuya emadlelweni abanzi futhi abagcini amarekhodi', bese ubala 'Amawundlu azalwa ngemvukazi (njengoba kurekhodiwe ocwaningweni olusekelwe ezingxoxweni nomphenduli ngamunye)' - inani lokuzalwa, hhayi lokulunyulwa, elibikwe abalimi abancane ngokwabo kunokuba likalwe/ngesisindo. 139%=1.39, 83%=0.83, 61%=0.61 amawundlu azalwa/ngemvukazi/ngonyaka; ububanzi [0.61, 1.39] buhlanganisa izifunda ezintathu zabalimi abancane zase-Western Cape ezacwaningwa (Eden, Central Karoo, West Coast), konke kusuka kulolu cwaningo/amazwi acashuniwe kuphela - akuhlanganiswa nomunye umbhalo. Iphepha elifanayo lisho ngokwehlukana isilinganiso sokuqhathanisa sezohwebo emadlelweni abanzi sokuzalwa esingu-110-156% nokulunyulwa okungu-94-132% (Snyman & Herselman, 2005), lisho ngqo ukuthi 'kubalwe phezu kwezimvukazi ezifakwe ekukhwelaneni' (iyunithi yokubala/uhlelo oluhlukile) - akuhlanganiswa nalobu bubanzi babalimi abancane.

Inkomba yobudala/uhlelo: Incwadi kahulumeni yezimvu ichaza ukuzalanisa okulawulwayo e-Mara Research Station, Limpopo: ukukhwelana ngo-Juni–Julayi nokuzala ngo-Novemba–Disemba ukuze kuhambisane nemvula notshani. Leli yikhalenda lokuzalanisa lesiteshi esisodwa, hhayi izinyanga zokuvuna inyama yemvu. Fanisa izilwane ezifuyelwa inyama ezijwayele indawo nokudla kwendawo, bese urekhoda ukuzalwa, ukusinda, ukulunyulwa nokuhlatshwa noma ukuthengiswa kwangempela; amawundlu azalwa ngemvukazi awawona ama-kg adliwayo.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

Izimvu akufanele ziminyaniswe esibayeni: okungenani u-0.56 wamamitha ayisikwele wendawo yaphansi ngemvu ngayinye ukuze sonke isilwane sikwazi ukulala.

Izinduku zikagesi ezithusayo, izinduku noma izikhonkwane zokugqugquzela akufanele zisetshenziswe ezimvini.

Izimvu eziqhutshwa ngezinyawo akufanele zihanjiswe ibanga elingaphezu kuka-20 km ngosuku olulodwa (u-25 km uthathwa njengokweqile).

Imfuyo kufanele inikwe amanzi nokudla ngokushesha lapho ifika enkanjini yasebusuku noma lapho eya khona ekugcineni.

Izimvu ezilimele, ezikhubazekile noma eziyizimpumputhe kufanele zibekwe phambili ekuhlatshweni, noma zihlatshwe ngokuphuthumayo, ukuze kuvinjelwe ubuhlungu noma ukuhlupheka okwengeziwe.

Foot-and-mouth disease (FMD) is a controlled animal disease under the Animal Diseases Act; Veterinary Services enforce isolation and movement restrictions.

Inside a declared FMD zone, sheep and their products cannot be moved into, out of, or within it without a state veterinary permit.

Sheep scab is a controlled disease by law: a suspected or positive case must be reported to the State Veterinarian immediately.

Against sheep scab, all small stock on the farm must be treated with a remedy registered under Act 36 of 1947, and infected sheep treated twice, eight to ten days apart.



Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

# Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

## Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

### Isibaya: Meat sheep (Dorper, Damara, indigenous fat-tailed and crossbred) (kuyaqhubeka)

Every sheep owner must register an official identification mark and mark their sheep with it, under the Animal Identification Act.

A sheep may be slaughtered only at an abattoir, except for the farmer's own consumption or for cultural or religious purposes.

Umthombo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.1.2, p. 4

Umthombo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.7, p. 5

Umthombo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.3.4.1, p. 6

Umthombo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.3.5, p. 6

Umthombo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.13, p. 5

Umthombo: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Umthombo: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 1

Umthombo: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 3

Umthombo: Animal Identification Act 6 of 2002, s.7(1), p. 4

Umthombo: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Umthombo: DAFF: Sheep General Information Manual, Final Draft, section 3.4.6, p. 12

Umthombo: Factors influencing off-take rates of smallholder sheep farming systems in the Western Cape Province of South Africa (South African Journal of Agricultural Extension, 47(3), 2019)



Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

# Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

## Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

### Isibaya: Wool sheep (Merino / Dohne Merino, incl. communal wool growers)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-2. Uhlobo lokukhiqiza olukhethiwe: uboya (akukona ukudla). Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Iseluleko sokuthenga: fanisa uhlobo/izilwane nomkhiqizo, ukudla kwendawo, isimo sezulu namandla okunakekela; qinisekisa nomeluleki wendawo wemfuyo noma wokufuywa kwezinyosi.

Isikhathi somkhiqizo wokuqala: asinamthombo walolu hlobo lokukhiqiza.

Inkomba yokukhiqiza: 4–5 kg woboya obunamafutha/ngemvu/ngonyaka. Ububanzi bamadlelo omile ngokwengxenye/abanzi (4-5 kg greasy wool/sheep/year) busetshenziswa njengenani eliyinhloko; inani elingu-8 kg/year lomusho ofanayo lingelohlelo oluhlukile (izimvu eziklaba amadlelo ATSHALIWE) futhi likhishwa ngamabomu kububanzi kunokuba lifakwe esilinganisweni. Isabelomali esihlukile se-Western Cape Government (Elsenburg) sohlobo lokufuya lwe-Dohne Merino Extensive (Ceres-Karoo, 2024) sibika ngokwehlukana uboya obuthengisiwe bomhlambi bonke obungu-4439.64 kg obuvela emhlambini wama-Smallstock Units angu-'1 519', okungukuthi 4439.64/1519 = 2.92 kg per Smallstock Unit/year - akusetshenziswa njengenani eliyinhloko ngoba umthombo awusho ukuthi 1 Smallstock Unit = 1 imvu (i-SSU yisisindo esilinganiselwe sesigaba semfuyo, hhayi isibalo sangempela samakhanda), ngakho ukuguqulela ku-kg/sheep kungadinga isici sokuguqula esingashiwongo. Elinye iphepha le-NWGA/Mandela Initiative elikhuluma nge-Eastern Cape communal Wool Sheep Development Program libika ukuhlolwa kwenzalo kwe-Grootfontein ADI okuthi 'Greasy fleece weight (kg) 2.8 [izinqama zokuhweba] 2.4 [izinqama zomphakathi]' kwemihlambi yomphakathi yase-Eastern Cape - akuhlanganiswa nenani eliyinhloko ngoba lelo thebula lithi ngqo 'amawundlu anezinyanga ezingu-6' (isigaba sokuphila esihlukile eboyeni bonyaka ogcwele bemvu esikhulile), okuhambisana nomthetho wokungaxutshi izibalo zezigaba zokuphila ezihlukene; kugcinwa lapha kuphela njengomongo womphakathi wase-EC: amawundlu ayinzalo yezinqama zokuhweba anezinyanga ezingu-6 ayenesilinganiso esingu-2.8 kg, ayinzalo yezinqama zomphakathi 2.4 kg, umehluko ka-+16%.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

Izimvu akufanele ziminyaniswe esibayeni: okungenani u-0.56 wamamitha ayisikwele wendawo yaphansi ngemvu ngayinye ukuze sonke isilwane sikwazi ukulala.

Izinduku zikagesi ezithusayo, izinduku noma izikhonkwane zokugqugquzela akufanele zisetshenziswe ezimvini.

Izimvu eziqhutshwa ngezinyawo akufanele zihanjiswe ibanga elingaphezu kuka-20 km ngosuku olulodwa (u-25 km uthathwa njengokweqile).

Izimvu ezilimele, ezikhubazekile noma eziyizimpumputhe kufanele zibekwe phambili ekuhlatshweni, noma zihlatshwe ngokuphuthumayo, ukuze kuvinjelwe ubuhlungu noma ukuhlupheka okwengeziwe.

Kufanele kube nohlelo lokwelapha utwayi lwezimvu (sheep scab): lesi sifo sinezindleko eziphezulu zomnotho nenhlalakahle yezilwane.

Despite foot-and-mouth disease (FMD) in South Africa, wool exports continue under the inactivation clause of the OIE (World Organisation for Animal Health) rules.

Inside a declared FMD zone, sheep and their products cannot be moved into, out of, or within it without a state veterinary permit.

Sheep scab is a controlled disease by law: a suspected or positive case must be reported to the State Veterinarian immediately.

Wool from scab-infected sheep must be destroyed rather than sent to the buyer, where it would be marked as scab wool.



Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

# Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

## Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

### Isibaya: Wool sheep (Merino / Dohne Merino, incl. communal wool growers) (kuyaqhubeka)

Every sheep owner must register an official identification mark and mark their sheep with it, under the Animal Identification Act.

A sheep may be slaughtered only at an abattoir, except for the farmer's own consumption or for cultural or religious purposes.

Umthombo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.1.2, p. 4

Umthombo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.7, p. 5

Umthombo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.3.4.1, p. 6

Umthombo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.13, p. 5

Umthombo: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 3

Umthombo: Cape Wools SA Annual Review 2020/2021, p. 8

Umthombo: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Umthombo: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 1

Umthombo: Animal Identification Act 6 of 2002, s.7(1), p. 4

Umthombo: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Umthombo: Assessing Socio-economic Factors Influencing Wool Production in Kolomana Villages of Eastern Cape, South Africa (South African Journal of Agricultural Extension), citing Bot et al., 2004

## Izinhlobo zezitshalo okufanele zihlolwe endaweni

Gcina igama lohlobo olukhethayo ngempela. Uhlu olufushane locwaningo ludinga ukuqinisekiswa kwesikhathi sendawo, amanzi nomhlabathi.

### Tomatoes

Uhlobo olurekhodiwe: akukakhethwa.

Isimo sezulu sale ndawo asikacaci, ngakho akukho hlu olufushane lwendawo olushiwo. Vula ikhadi lesitshalo ukuze ubone imithombo bese urekhoda okukhethile.



Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.