SYNTHETIC GRAPH SOURCE {COUNT} $&

Ngaphambi kokuthenga noma ukuqala

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Iqembu lesimo sezulu locwaningo: Ugu olufudumele oluseduze nezindawo ezishisayo. Leli qembu alisona isincomo esiqinisekisiwe saleli pulazi.

Lokho okubikile ngaleli pulazi

Amanzi ngesikhathi esomile

Akurekhodiwe. Qedela inhlolovo yendawo bese uqinisekisa amanzi ngaphambi kokukhetha uhlelo oludinga izinsiza eziningi.

Isithwathwa kuleli pulazi

Okubonwe ngesithwathwa endaweni akurekhodiwe. Izilinganiso zanyanga zonke zesathelayithi azikwazi ukuthola izinsuku zokuqala nezokugcina zesithwathwa.

Ilanga nokuphuma kwamanzi

Ilanga: akurekhodiwe.

Ukuphuma kwamanzi: akurekhodiwe. Kusadingeka ukuhlola imiphumela yokuhlolwa komhlabathi nezidingo zesitshalo ngasinye.

Amarekhodi onyaka wokubika - hhayi isibikezelo

Izamba nezinyanga zonyaka wokubika odlule zichaza lokho okwabikwa. Azithembisi ukudla ohlelweni oluzayo.

Original eggs {year} $&

Isamba sonyaka esibikwe umlimi sango-2025: 240 eggs.

Okusetshenziswa ekhaya: 0 eggs. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: Jun, Jul. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Fish

Isamba sonyaka esibikwe umlimi sango-2025: akurekhodiwe.

Okusetshenziswa ekhaya: akurekhodiwe. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: akurekhodiwe. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Eminye imifino

Isamba sonyaka esibikwe umlimi sango-2025: 12 kg.

Okusetshenziswa ekhaya: 7 kg. Okuthengisiwe: 3 kg.

Izinyanga zokuvuna ezibikiwe: Jan, Dis. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu

Feijoa

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izithelo.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ukuhambisana kwempova kuncike ohlotsheni: Ucwaningo oluyisisekelo lwaseBrazil lwezinto zofuzo (germplasm) lwathola zombili izinhlobo zokuhambisana kwempova. Ubufakazi besayensi yezinto eziphilayo busekela ukuhlola uhlobo lwangempela nempova ehambisanayo, hhayi ukubeka lonke lolu hlobo lwezitshalo esigabeni esisodwa noma ukukopisha ikhalenda lalo eNingizimu Afrika.

Umongo wocwaningo lwaseNingizimu Afrika: Uhulumeni uyaqinisekisa ukuthi i-ARC yahlola i-feijoa; lokhu kushiwo akusho noma yimuphi umphumela wocwaningo, uhlobo, inyanga yokuvuna noma isivuno.

Hlola izidingo zempova zohlobo lwangempela. Ucwaningo oluyisisekelo luhlanganisa izitshalo ezamukela impova yazo nezingayamukeli.

Rekhoda izinsuku zendawo zokuvuna izithelo ezivuthiwe nokukhiqizwayo. Izikhathi zezinhlobo zakwamanye amazwe azifakazeli isikhathi sokuvuna saseNingizimu Afrika.

Iseluleko sokuthenga: Cela inkulisa yezitshalo ukuthi isho igama lohlobo noma ihlonze isithombo, inikeze nobufakazi bendawo bokuthela nempova ehambisanayo. 'Fruit Salad Tree' yigama elivamile lokuthengisa futhi alisho uhlobo oluhloliwe.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: dos Santos et al. (2007), Evidence of late-acting self-incompatibility in Acca sellowiana, Revista Brasileira de Fruticultura 29(1)

Umthombo: South African Yearbook 2003/04, ARC tropical/subtropical crop research

Quiver tree

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izimbali ezincane ezingakavuleki.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ukusetshenziswa kwezimbali ezincane ezingakavuleki njengokudla: Umkhiqizo odliwayo yimbali encane engakavuleki. Ukuqhakaza ngoJuni–Julayi akufakazeli izinsuku eziqondile zokuvuna ngaphambi kokuvuleka, ubudala bokuqala bokuba nezimbali ezingakavuleki noma ama-kg/plant adliwayo.

Fanisa ukulima nalesi sihlahla sezindawo ezomile nezimo lapho amanzi ephuma kahle emhlabathini.

Rekhoda ukuvunwa kwezimbali ezincane ezingakavuleki ngokwehlukana nokuqhakaza noma ukukhula kokuhlobisa.

Iseluleko sokuthenga: Thola izitshalo zenkulisa ezikhonjwe kahle nezisemthethweni kanye nezeluleko zokukhulisa endaweni. Alukho uhlobo lwesivuno sokudla noma ijika lokukhula kuze kukhiqize oluqinisekisiwe.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Aloidendron dichotomum

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Pineapple

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: Izithelo zikaphayinaphu; izithelo eziphelele nezingxenye ezicutshunguliwe zinezisindo ezihlukene.

Isikhombo sesivuno sokuqala: izinyanga ezingu-18. Isikhombo somjikelezo wokukhiqiza e-Hluhluwe: izinyanga ezingu-18 / 12 = iminyaka engu-1.5. Umthombo usho ngokucacile ukuthi ubude bomjikelezo buhluka kakhulu. Impahla yokuqala, uhlobo, isimo sezulu nokuqala kokuqhakaza kubalulekile; lokhu akulona usuku lokuqala lokuvuna olusebenza yonke indawo noma isivuno sonyaka wezinyanga ezingu-12. Isikhathi sangempela sincike ohlotsheni nasekunakekelweni kwendawo.

Ukukhiqiza komjikelezo wesitshalo waseHluhluwe: Inkomba yesifunda ngehektare: ngokucophelela 50 t/ha, ngokwesilinganiso 60–75 t/ha, okuhle 80 t/ha ngesivuno somjikelezo ngamunye. Ikhasi elifanayo lichaza umjikelezo ojwayelekile waseHluhluwe wezinyanga ezingu-18. Lokhu akuwona ama-kg/plant/year noma isibikezelo sokutshalwe ekhaya.

Ukukhetha uhlobo nokuvuselela: I-Queen ne-Smooth Cayenne zisetshenziselwa izinto ezihlukene. Izisindo zezithelo eziyizibonelo ezisemhlahlandleleni (Queen 0.75 kg; Smooth Cayenne 2 kg) zichaza izinhlobo, azizona izivuno zonyaka zesitshalo ngasinye. Kulesi simiso i-Queen iphinde itshalwe ngemva kwesivuno sesitshalo sokuqala.

Izimo zezulu nezekhalenda: Ukuzwela esithwathweni nokuphuma kwamanzi emhlabathini kunqanda ukufaneleka kwendawo. Ukutshala unyaka wonke eHluhluwe kuyinkomba yokutshala, hhayi isikhathi sokuvuna sasekhaya sonyaka wonke; izindawo ezipholile zisebenzisa izinyanga ezifudumele zokutshala.

Sebenzisa indawo efudumele, engenasithwathwa namanzi aphuma kahle emhlabathini. Inkomba yokukhiqiza yase-KZN ingeyaseHluhluwe; ayifakazeli ukufaneleka kulo lonke elaseNingizimu Afrika.

Rekhoda izinsuku zokutshala nezokuphuma ngempela kwesivuno. Ukutshala noma ukuthengisa kwezohwebo unyaka wonke akusho ukuthi uphayinaphu ngamunye otshaliwe ukhiqiza izithelo njalo ngenyanga.

Iseluleko sokuthenga: Umhlahlandlela wase-KZN: i-Queen iyinketho yezithelo ezintsha; i-Smooth Cayenne ikakhulukazi iyinketho yokucutshungulwa. Qinisekisa iziqongo/amahlumela ahlanzekile, ukufaneleka endaweni nezeluleko zomjikelezo wesitshalo nenkulisa yezitshalo. Ukuvuselelwa kwe-Queen ngemva kwesivuno sesitshalo sokuqala kufanele kufakwe ohlelweni oluzayo.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: KZN DARD, Fruit and Nut Production in KZN (2006), Pineapple: Bearing Age, p. 22

Umthombo: KZN DARD, Fruit and Nut Production in KZN (2006), Pineapple, p. 22

Umthombo: KZN DARD, Fruit and Nut Production in KZN (2006), Pineapple: Spacing and Cultivars, p. 22

Umthombo: KZN DARD, Fruit and Nut Production in KZN (2006), Pineapple: Climate and Planting Times, p. 22

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Waterblommetjie

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: izimbali nezimbali ezingakavuleki.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Umkhiqizo wokudla we-Waterblommetjie nokuqalisa ukukhulisa: Ukudla kwechibi kwase-Western Cape; ukuqhakaza okunamandla ebusika/entwasahlobo nokutholakala ezitolo ebusika kuwubufakazi besikhathi obuchazayo, hhayi ikhalenda lokuvuna elinezinombolo. Izithombo zifinyelela ebukhulwini bokuqhakaza ngesizini eyodwa ngaphansi kwezimo ezifanele, hhayi isiqinisekiso sobudala beminyaka obusebenza yonke indawo.

Ukuqalisa izithombo ngaphansi kwezimo ezifanele: Isikhathi esichazayo sokuqalisa ukukhulisa ngaphansi kwezimo ezifanele; asifakwa ejikeni elivamile lobudala bezihlahla.

Qala izigaxa emhlabathini wohlobo lwe-loam emanzini echibi angajulile; hambisa ekujuleni nasekukhanyeni kwelanga ngemva kokukhula ngamandla.

Rekhoda izimbali/izimbali ezingakavuleki ezidliwayo nobukhulu bendawo yechibi. Izigaxa ezilele ziqala futhi ukukhula lapho amanzi ebuya ekwindla emjikelezweni wemvula yasebusika.

Iseluleko sokuthenga: Thola izitshalo zechibi ezikhonjwe kahle. Qinisekisa izimo zechibi lendawo nezinsuku zangempela zokuvuna; awukho umthombo wesivuno ngobukhulu bechibi noma ukuminyana kokutshala.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Umthombo: SANBI PlantZAfrica: Aponogeton distachyos

Izinhlobo zezitshalo okufanele zihlolwe endaweni

Gcina igama lohlobo olukhethayo ngempela. Uhlu olufushane locwaningo ludinga ukuqinisekiswa kwesikhathi sendawo, amanzi nomhlabathi.

Tomatoes

Uhlobo olurekhodiwe: akukakhethwa.

Uhlu olufushane locwaningo lwezimo zezulu ezifanayo: Rodade.

Umthombo: Rodade, Sakata product page

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.