SYNTHETIC GRAPH SOURCE {COUNT} $&

Musi ni sa athu u renga kana u thoma

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Tshigwada tsha kilima tsha ṱhoḓisiso: Luvhondo lwa lwanzhe lu dudelaho tsini na vhupo vhu fhisaho. Tshigwada itshi a si nyeletshedzo yo khwaṱhisedzwaho ya bulasi iḽi.

Zwe na vhiga nga bulasi iḽi

Maḓi nga khalaṅwaha yo oma

A zwo ngo rekhodwa. Fhedzisani ṱhoḓisiso ya fhethu ni khwaṱhisedze maḓi ni sa athu u nanga pulane ine ya ṱoḓa zwishumiswa zwinzhi.

Murotholo kha bulasi iḽi

Zwe zwa vhonwa nga murotholo wa henefho a zwo ngo rekhodwa. Zwikati zwa ṅwedzi zwa sathelaithi a zwi koni u khwaṱhisedza maḓuvha a murotholo wa u thoma na wa u fhedza.

Ḓuvha na u bva ha maḓi mavuni

Ḓuvha: a zwo ngo rekhodwa.

U bva ha maḓi: a zwo ngo rekhodwa. Mvelelo dza u ṱola mavu na ṱhoḓea dza tshiliṅwa tshiṅwe na tshiṅwe zwi kha ḓi ṱoḓa u ṱolwa.

Rekhodo dza ṅwaha wa u vhiga - hu si mbonelaphanḓa

Zwivhalo na miṅwedzi zwa ṅwaha wo fhiraho wa u vhiga zwi ṱalutshedza zwo vhigwaho. A zwi fulufhedzisi zwiḽiwa kha pulane i ḓaho.

Original eggs {year} $&

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: 240 eggs.

Zwo shumiswaho muṱani: 0 eggs. Zwo rengiswaho: a zwo ngo rekhodwa.

Miṅwedzi ya khaṇo yo vhigwaho: Fulw, Fwan. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

Fish

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: a zwo ngo rekhodwa.

Zwo shumiswaho muṱani: a zwo ngo rekhodwa. Zwo rengiswaho: a zwo ngo rekhodwa.

Miṅwedzi ya khaṇo yo vhigwaho: a zwo ngo rekhodwa. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

Miṅwe miroho

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: 12 kg.

Zwo shumiswaho muṱani: 7 kg. Zwo rengiswaho: 3 kg.

Miṅwedzi ya khaṇo yo vhigwaho: Phan, Nyen. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṇu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani

Pecan

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: nati i re kha ganda (nut in shell).

Tshiko tsha khaṋo ya u thoma: miṅwaha ya 5. U aṋwa zwiṱuku hu ṱoḓaho u vha kha ṅwaha wa 5 kha nyendedzi ya KZN, fhethu hu sheledzwaho hu re na tshilimo tshi fhisaho, vhuriha vhu rotholelaho na ṅukelo ya fhasi nga tshifhinga tsha u aluwa. I bula mikovhe yo omaho ya milambo ya Zululand/Lowveld sa madzingu o teaho. Maitele a u andisa, lushaka na miṅwaha ya tshimela fhethu ha zwiraba a zwo ngo bulwa; itshi ndi tshiko nga u angaredza tshi re na nyimele, a si tshivhalo tsho lavhelelwaho bulasini. Tshifhinga tsha vhukuma tshi ya nga lushaka na ṱhogomelo ya fhethu.

Tshiko tsha u bveledza ho no khwaṱhaho: miṅwaha ya 12–13. U bveledza ho fhelelaho hu ṱoḓaho u vha kha miṅwaha ya 12–13 kha nyendedzi nga u angaredza ya KZN. Lushaka, u andisa, tshivhalo tsha zwimela fhethu na ndangulo zwi kwama zwibveledzwa zwa vhukuma; miṅwaha ya u hula a i ḓi iteli girafu ya kg nga muri nga ṅwaha.

Vhubveledzi ha nyendedzi ya pecan — mutheo wa hekhithara wa nati dzo omaho dzi kha maganda: Nyendedzi i ṋea 750 ya vhuronwane, ya vhukati ya 800–1,200 na 1,500+ ya vhuimo havhuḓi ya kg/ha ya nati dzo omaho dzi kha maganda (Dry-in-Shell). I tevhekanya nga u fhambana zwikhala zwiṅwe vhukati ha miri na u fhungudza miri nga murahu, ngauralo a hu humbulelwi vhutsitsikani vhuthihi. Hedzi ndi ndaedzi dza hekhithara dzi si na vhukale ho tiwaho; tshileme tshi re na ganda a si tshileme tsha ngomu hu ḽiwaho nahone a hu bveledzwi girafu ya u angaredza ya kg/tree.

Shumisani tshaka dzi tshimbidzanaho dzi bvisaho na dzi ṱanganedzaho luvhanda. Madzingu a re na mvula tshilimo a ṱoḓa tshaka dzi konḓelelaho vhulwadze ha scab; u vhibva ha nḓuhu nga u ṱavhanya hu hoṱhe a hu khwaṱhisedzi u tshimbidzana kha luvhanda.

Nyeletshedzo ya u renga: Mutevhe mupfufhi wa SAPPA: KZN/Lowveld hu re na muṋo munzhi — Ukulinga, Cape Fear, Choctaw; KZN hu ṉukalaho, hu rotholelaho nga maanḓa — Barton; Highveld ho omaho nga maanḓa — Barton, Pawnee, Wichita; fhethu ho omaho ha vhukovhela — Wichita, Choctaw, Western Schley. Tshigwada tsha kilima tsho humbulelwaho tshi tshoṱhe a tshi koni u fhambanya fhethu hoṱhe uhu. Khwaṱhisedzani muṋo wa henefho, mavu na tshaka mbili dza luvhanda musi ni sa athu renga.

U phaḓaladzwa ha muvhere: tshi ṱoḓa muvhere wa tshiṅwe tshimela tshi yelanaho natsho. Ṱolani ṱhoḓea dza lushaka lwo nangwaho na nesari.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu athu u khwaṱhisedzwa tshifhinga tshithihi tsha lushaka lwa henefho. Khalaṅwaha dza ndaedzi dzi re afho fhasi a si mbonelaphanḓa.

Ndaedzi fhedzi — South Africa (general — Southern Hemisphere phenology; main areas Vaalharts/Northern Cape, Lower Orange River): Ṱhaf–Fulw.

Tshiko: SAPPA: Cultivar Recommendation by Production Area, p. 1 (retrieved 4 October 2026)

Tshiko: Lötze, E., 'Literature Review: Factors influencing pollination of pecans for commercial production', published by SAPPA (South African Pecan Nut Producers' Association), p. 3

Tshiko: Lötze, E., 'Literature Review: Factors influencing pollination of pecans for commercial production', published by SAPPA

Tshiko: KZN DARD, Fruit and Nut Production in KZN, Pecan bearing age; printed p.22, p. 26

Tshiko: KZN DARD, Fruit and Nut Production in KZN, Pecan yield; printed p.22, p. 26

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Pennywort

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: maṱari o bikilwaho.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Tshumiso yo khwaṱhisedzwaho sa miroho Afrika Tshipembe: Muṅwali u ṱalula C. asiatica sa miroho i bikilwaho ya Afrika Tshipembe. Tshaka dza Centella dzi nga konḓa u dzi fhambanya; vhuṱanzi ha zwiḽiwa kana khaṋo ha C. coriacea i re tsini a vhu pfukiselwi khayo. A hu ṉeiwi miṅwedzi ya u kaṉa zwiḽiwa, tshifhinga tsha khaṋo ya u thoma kana kg/plant.

Khwaṱhisedzani vhuvha ho tiwaho ni rekhode tshibveledzwa tsha maṱari o bikilwaho; tshumiso ya dzilafho a i khwaṱhisedzi u anganyela vhubveledzi ha zwiḽiwa.

Nyeletshedzo ya u renga: Wanani zwishumiswa zwo ṱavha zwo ṱalulwaho sa Centella asiatica kha nesari i fulufhedzeaho; a hu na lushaka lwa zwiḽiwa lwa dzingu kana khaṋo ya maṱari ya ṅwaha yo kaliwaho zwo khwaṱhisedzwaho.

Khalaṅwaha ya u kaṉa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṉa henefho.

Tshiko: Long, H.S. (2014), University of Johannesburg MSc Botany thesis abstract

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṉu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Carob

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: maganda a mbeu (pods).

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Tshipiḓa tsha zwiḽiwa tsha Afrika Tshipembe na nyimele ya u ṱavha: Nyendedzi ya muvhuso i ṱalula maganda a mbeu, u bvisa vhupo ha murotholo muhulu, u sheledza kha vhupo ho omaho na phambano vhukati ha miri yo aluwaho nga mbeu. I themendela zwishumiswa zwo ṱumetshedzwaho na u ṋetshedza luvhanda; a si miri yoṱhe i re na khaṋo i fanaho.

Zwibveledzwa zwa zwiḽiwa zwa carob na tshaka dzo lingwaho henefho: Ngudo ya u thoma yo linga maganda a mbeu o aluswaho Afrika Tshipembe, hu tshi katelwa tshaka idzo dzo bulwaho nga madzina na nthihi i sa ḓivhei, ya bveledza zwibveledzwa zwa zwiḽiwa. Uhu ndi vhuṱanzi ha tshipiḓa tshi ḽiwaho, hu si ndingo ya dzingu ya u aluwa/khaṋo. Vhuṱumani ha yunivesithi ha tshibveledzwa tsho fhelelaho ho vhuisa HTTP 403 nga tshifhinga tsha u ṱola.

Tshibveledzwa tshi kaṋiwaho ndi ganda ḽa mbeu (pod). Khwaṱhisedzani mbeu ya tshimela tsha u ṱavha (plant sex) na luvhanda lu yelanaho; khaṋo dza maganda a mbeu dza miri yo aluwaho nga mbeu dzi a fhambana.

Ṱolani murotholo na maḓi zwa henefho. U lugisa zwiḽiwa zwi ṱoḓa nḓila yo teaho na rekhodo dzi re khagala dza zwiḽiwa zwo vhulungwaho.

Nyeletshedzo ya u renga: Shumisani zwishumiswa zwo ṱumetshedzwaho zwo ṱalulwaho nṱhani ha u humbulela uri tshimela tshi sa ḓivhei tsho aluwaho nga mbeu tshi ḓo fana na muri u bveledzaho. Tylliria, SFax, Aaronsohn na Santa Fe dzo vha dzi kha ngudo ya Afrika Tshipembe ya zwivhumbi zwa zwiḽiwa; izwo a zwi vhei khaṋo yadzo bulasini kana u tea ha dzingu nga vhuimo.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṋa henefho.

Tshiko: C.J. Esterhuyse (1989), Department of Environment Affairs, Agroforestry, pamphlet 412, p. 13

Tshiko: Iipumbu (2008), Stellenbosch MSc Food Science thesis, university-provided abstract in FAO AGRIS

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Tsamma

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: lushaka lwa sialala lwa habu ḽi ḽiwaho lwo ṱalulwaho — hu ṱoḓea u khwaṱhisedzwa nga muḓivhi.

U sedzulusa tshumiso ya zwiḽiwa: khwaṱhisedzani vhuvha, tshipiḓa tshi ḽiwaho na u lugisela ho teaho na mueletshedzi wa henefho a re na ndalukanyo ni sa athu u katela tshimela itshi kha zwiḽiwa zwa muṱa. A tshi katelwi kha zwivhalo zwa zwiḽiwa zwo ḓoweleaho na mishumo ya u kaṋa.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Tsedzuluso ya tshipiḓa tshi ḽiwaho na tsireledzo: Rekhodo ya khathalogo i ṱanganya ḽebuḽu dza tsamma na var. citroides/lushaka lwa sialala. SANBI i fhambanya zwivhumbeo zwi ḽiwaho zwa makataan/tsamma na karkoer i vhavhaho; vhuvha na tshipiḓa tshi ḽiwaho zwi tea u khwaṱhisedzwa.

Vhulungani rekhodo iyi ya tshaka dza sialala dzo ṱanganaho i nnḓa ha mbalo dzoṱhe dza zwiḽiwa zwa muṱa u swika mulimi wa henefho a re na tshenzhelo a tshi khwaṱhisedza tshiko tsha mbeu, tshivhumbeo na u lugisa zwiḽiwa nga nḓila yo teaho.

Tshiko tshi ṱalutshedza tshimela tsha ṅwaha tshi navhaho tsha vhupo ho omaho nga u linganela hu re na tshikhala tsho eḓanaho.

Nyeletshedzo ya u renga: Wanani lushaka lwa sialala lwa zwiḽiwa zwi ḽiwaho lwo ṱalulwaho kha tshiko tsha mbeu tsha henefho tshi fulufhedzeaho. Habu ḽi vhonalaho ḽi ḽa ḓaka kana dzina ḽo ḓoweleaho ḽa karkoer fhedzi a zwi eḓani.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṋa henefho.

Tshiko: SANBI PlantZAfrica, citrullus-lanatus

Tshaka dza zwiliṅwa dza u sedzulusa henefho

Vhulungani dzina ḽa lushaka lune na nanga zwa vhukuma. Mitevhe mipfufhi ya ṱhoḓisiso i ṱoḓa khwaṱhisedzo ya khalaṅwaha ya henefho, maḓi na mavu.

Tomatoes

Lushaka lwo rekhodwaho: a lu athu u nangwa.

Mutevhe mupfufhi wa ṱhoḓisiso wa kilima dzi fanaho: Rodade.

Tshiko: Rodade, Sakata product page

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.