SYNTHETIC GRAPH SOURCE {COUNT} $&

Pele o reka kapa o qala

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Sehlopha sa tlelaemete sa dipatlisiso: Highveld. Sehlopha sena ha se keletso e netefaditsweng bakeng sa polasi ena.

Seo o se tlalehileng ka polasi ena

Metsi nakong ya komello

Molemi o tlaleha metsi a fokolang a ho lema. Netefatsa hore ke dibethe dife tse ka nosetswang pele o reka dintho tsa ho jala.

Serame polasing ena

Serame se bonwe mona ka Php, Phu. Hlahloba dijalo tse sa mamelleng serame ho ya ka se bonweng.

Letsatsi le phallo ya metsi mobung

Letsatsi: ho tlalehilwe letsatsi le felletseng.

Phallo ya metsi: metsi a tswa hantle, ho ya ka tlaleho. Diphetho tsa teko ya mobu le ditlhoko tsa sejalo ka seng di ntse di hloka ho hlahlojwa.

Direkoto tsa selemo sa tlaleho - eseng ponelopele

Dikakaretso le dikgwedi tsa selemo sa tlaleho se fetileng di hlalosa se tlalehilweng. Ha di tshepise dijo moralong o tlang.

Original eggs {year} $&

Kakaretso ya selemo e tlalehilweng ke molemi bakeng sa 2025: 240 eggs.

Tshebediso ya lelapa: 0 eggs. Ho rekisitsweng: ha ho a rekotwa.

Dikgwedi tsa kotulo tse tlalehilweng: Php, Phu. Tsena ke tse bonweng phuputsong, eseng ponelopele e ntjha ya tlhahiso.

Hlahloba yuniti le dikakaretso tse rekotilweng pele o sebedisa mola ona.

Fish

Kakaretso ya selemo e tlalehilweng ke molemi bakeng sa 2025: ha ho a rekotwa.

Tshebediso ya lelapa: ha ho a rekotwa. Ho rekisitsweng: ha ho a rekotwa.

Dikgwedi tsa kotulo tse tlalehilweng: ha ho a rekotwa. Tsena ke tse bonweng phuputsong, eseng ponelopele e ntjha ya tlhahiso.

Hlahloba yuniti le dikakaretso tse rekotilweng pele o sebedisa mola ona.

Meroho e meng

Kakaretso ya selemo e tlalehilweng ke molemi bakeng sa 2025: 12 kg.

Tshebediso ya lelapa: 7 kg. Ho rekisitsweng: 3 kg.

Dikgwedi tsa kotulo tse tlalehilweng: Phe, Tsh. Tsena ke tse bonweng phuputsong, eseng ponelopele e ntjha ya tlhahiso.

Hlahloba yuniti le dikakaretso tse rekotilweng pele o sebedisa mola ona.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae

Banana

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: fruit (bunch of bananas).

Kakanyo ya palo: didikadikwe tse 1 tsa banana × dibanana tse 3 tse jetsweng. Mahlomela a latelang ha se difate tse ding tse jetsweng.

Tshupiso ya kotulo ya pele: dikgwedi tse 13–20. KZN DARD e bolela ka ho hlaka nako ho tloha ho jaleng ho ya kotulong le ho tloha kotulong ho ya kotulong. Dikgwedi di fetotswe ho ba dilemo (13/12 ho ya ho 20/12). Sena ha se ponelopele e nang le letsatsi kapa nako ya kotulo ya selemo dikgweding tsohle. Nako ya nnete e itshetlehile ka mofuta le tlhokomelo ya sebaka.

Annual plantation output: KZN plantation reference per year: conservative 20–25 t/ha, average 25–30 t/ha, good 40+ t/ha. This is annual area production; it is not the weight of one bunch or a measured age-yield curve for three plants in a banana circle.

Cultivar, planting and crop cycle: The KZN guide gives 13–20 months for both the first planting-to-harvest cycle and subsequent harvest-to-harvest cycles. It lists different commercial densities for Williams, Grand Nain and Chinese Cavendish. A banana circle counts as three planted bananas here; replacement followers are stages of those mats, not extra mapped trees or guaranteed year-round supply.

Ho hlokahala mofuthu, sebaka se se nang serame se qetellang ka leqhwa le metsi a tshepahalang. Boloka lehlomela le tla nka sebaka ka mora ho tlosa kutu e behileng ditholwana.

Tlhahlobo ya sebaka se batang: ditshupiso tsena tsa dibaka tse futhumetseng ha di tiise hore ho loketse mona. Netefatsa sebaka se sireleditsweng serameng pele o reka.

Keletso ya ho reka: KZN e phodileng: Williams; dikgohlong tse futhumetseng: Grand Nain; lebopong le nang le moya: Chinese Cavendish. Reka thepa ya ho jala e hlwekileng. Tsena ke dikgetho tsa maemo a lehodimo, ha se dinako tsa pele/bohareng/morao.

Dibanana tse jewang di beha ditholwana ntle le ho tsamaiswa ha peo ya dipalesa.

Nako ya kotulo e lebeletsweng: ha ho mohlodi wa dikgwedi tse tsitsitseng tsa sebaka. Rekota matsatsi a ho jala le kotulo sebakeng.

Serame se bonweng se hanana le tshupiso ena e sisintsweng; netefatsa sebaka se sireleditsweng sa ho hola pele o reka.

Mohlodi: KZN DARD, Bananas in KwaZulu-Natal, pp. 1–4

Mohlodi: ProMusa (Bioversity International-affiliated global banana knowledge platform), 'Domestication of the banana'

Mohlodi: KZN DARD, Fruit and Nut Production in KZN, Bearing age, p. 8

Mohlodi: KZN DARD, Fruit and Nut Production in KZN (2006), Bananas: Yields, p. 9

Mohlodi: KZN DARD, Fruit and Nut Production in KZN (2006), Bananas: Bearing age and Spacing, p. 8

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae (e tswela pele)

Wild plum

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: Ditholwana tse butswitseng bakeng sa ho jewa di le foreshe kapa ho bolokwa.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Tshupiso ya sebaka se se nang leqhwa; difate tsa botona le botshehadi di arohane.

Keletso ya ho reka: Kopa dimela tsa lehae tse behang ditholwana tse tsejwang ka nepo le tokisetso ya ho tsamaisa peo; ha ho mofuta o bitsitsweng ka lebitso o nang le mohlodi.

Ho tsamaiswa ha peo ya dipalesa: dimela tse arohaneng tse tona le tse tshehadi. Hlahloba ditlhoko tsa mofuta o kgethilweng le sebaka sa kgodiso ya dimela.

Nako ya kotulo e lebeletsweng: ha ho nako e le nngwe e tiisitsweng ya mofuta wa sebaka. Dinako tsa ditshupiso tse ka tlase ha se ponelopele.

Tshupiso feela — South Africa (general; SANBI: Eastern Cape, KwaZulu-Natal, Limpopo, Mpumalanga): Hlb–Mot.

Mohlodi: SANBI PlantZAfrica: harpephyllum-caffrum

Mohlodi: Harpephyllum caffrum | PlantZAfrica (SANBI)

Raspberry

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: fruit.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Hlahloba ho bata, tshehetso le tsamaiso ya ho faola pele o jala. Mefuta e behang ditholwana ka hwetla ha e a lokela ho fuwa khalendara ya mefuta e behang nakong ya selemo.

Keletso ya ho reka: Tataiso ya KZN: Heritage kapa Autumn Bliss di beha ka hwetla mme di hloka ho bata ho fokolang; Glen Prosen, Glen Lyon kapa Tulameen tse behang nakong ya selemo di hloka ho bata ho feta. Netefatsa matsatsi a lehae.

Nako ya kotulo e lebeletsweng: ha ho nako e le nngwe e tiisitsweng ya mofuta wa sebaka. Dinako tsa ditshupiso tse ka tlase ha se ponelopele.

Tshupiso feela — KwaZulu-Natal (spring-bearing cultivars: Glen Prosen, Glen Lyon, Tulameen): Pun–Phe.

Mohlodi: KZN DARD, Fruit and Nut Production, PDF pp. 36–37 (regional reference; confirm current nursery stock)

Mohlodi: KwaZulu-Natal Department of Agriculture and Rural Development, Horticultural Advisory Notes: Fruit and Nut Production (in KZN), p. 37

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo

Lesaka: Wool sheep (Merino / Dohne Merino, incl. communal wool growers)

Meaho e 1 e teng; e 0 e sisintsweng. Kgwebo e kgethilweng: boya (ha se dijo). Ha ho nahannwe palo ya diphoofolo kapa tlhahiso.

Keletso ya ho reka: bapisa mofuta/diphoofolo le sehlahiswa, dijo tsa sebaka, maemo a lehodimo le bokgoni ba tlhokomelo; netefatsa le moeletsi wa sebaka wa mehlape kapa dinotshi.

Nako ya sehlahiswa sa pele: ha ho mohlodi bakeng sa kgwebo ena.

Tshupiso ya tlhahiso: 4–5 kg greasy wool/sheep/year. Semi-arid/extensive-veld range (4-5 kg greasy wool/sheep/year) used as the primary value; the same sentence's 8 kg/year figure is for a different system (sheep grazing CULTIVATED pastures) and is deliberately excluded from the range rather than averaged in. A Western Cape Government (Elsenburg) Dohne Merino Extensive enterprise budget (Ceres-Karoo, 2024) separately reports total flock wool sold as 4439.64 kg from a flock of '1 519' Smallstock Units, i.e. 4439.64/1519 = 2.92 kg per Smallstock Unit/year - not used as the primary value because the source does not state that 1 Smallstock Unit = 1 sheep (SSU is a standardised stock-class weighting, not a literal head count), so converting it to kg/sheep would require an unstated conversion factor. A separate NWGA/Mandela Initiative paper on the Eastern Cape communal Wool Sheep Development Program reports a Grootfontein ADI progeny-test 'Greasy fleece weight (kg) 2.8 [commercial rams] 2.4 [communal rams]' for communal Eastern Cape flocks - not merged into the primary value because that table is explicitly for '6-month old lambs' (a different life stage from a mature sheep's full annual clip), consistent with the rule against mixing figures across life stages; kept here only as EC-communal context: commercial-ram-sired lambs at 6 months averaged 2.8 kg, communal-ram-sired lambs 2.4 kg, a +16% difference.

Hlahloba ditshupiso tse qaqileng tsa kgwebo bakeng sa dijo le bodulo. Bapisa dijo le sebaka le boemo ba phoofolo le mokgwa wa bodulo; fana ka metsi a hlwekileng a tshepahalang.

Sheep must not be penned overcrowded: at least 0.56 square metres of floor space per sheep so every animal can lie down.

Electric prodders, sticks or goads may not be used on sheep.

Sheep driven on the hoof may not be moved more than 20 km in a single day (25 km is regarded as excessive).

Injured, disabled or blind sheep must be given priority slaughter, or emergency slaughter, to prevent further pain or distress.

A sheep-scab treatment plan should be in place: the disease carries a high economic and welfare cost.

Despite foot-and-mouth disease (FMD) in South Africa, wool exports continue under the inactivation clause of the OIE (World Organisation for Animal Health) rules.

Inside a declared FMD zone, sheep and their products cannot be moved into, out of, or within it without a state veterinary permit.

Sheep scab is a controlled disease by law: a suspected or positive case must be reported to the State Veterinarian immediately.

Wool from scab-infected sheep must be destroyed rather than sent to the buyer, where it would be marked as scab wool.

Every sheep owner must register an official identification mark and mark their sheep with it, under the Animal Identification Act.

A sheep may be slaughtered only at an abattoir, except for the farmer's own consumption or for cultural or religious purposes.

Mohlodi: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.1.2, p. 4

Mohlodi: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.7, p. 5

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Dihlahiswa tsa diphoofolo le tlhokomelo (e tswela pele)

Lesaka: Wool sheep (Merino / Dohne Merino, incl. communal wool growers) (e tswela pele)

Mohlodi: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.3.4.1, p. 6

Mohlodi: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.13, p. 5

Mohlodi: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 3

Mohlodi: Cape Wools SA Annual Review 2020/2021, p. 8

Mohlodi: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Mohlodi: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 1

Mohlodi: Animal Identification Act 6 of 2002, s.7(1), p. 4

Mohlodi: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Mohlodi: Assessing Socio-economic Factors Influencing Wool Production in Kolomana Villages of Eastern Cape, South Africa (South African Journal of Agricultural Extension), citing Bot et al., 2004

Letangwana: kgetha sehlahiswa

Meaho e 0 e teng; e 1 e sisintsweng. Ha ho nahannwe palo ya diphoofolo kapa matsatsi a tlhahiso.

Dikgetho tsa dikgwebo: Tilapia (Mozambique tilapia, small pond or tank) (tlhapi).

Kgetha sehlahiswa le diphoofolo tsa nnete pele o rera tlhahiso. Bapisa diphoofolo le dijo tsa sebaka, maemo a lehodimo, metsi le bokgoni ba tlhokomelo.

Mefuta ya dijalo e lokelang ho hlahlojwa sebakeng seo

Boloka lebitso la mofuta oo o o kgethang ka nnete. Manane a makgutshwane a dipatlisiso a hloka netefatso bakeng sa nako ya sebaka, metsi le mobu.

Tomatoes

Mofuta o rekotilweng: ha ho eso kgethwe.

Lenane le lekgutshwane la dipatlisiso bakeng sa maemo a lehodimo a tshwanang: Rodade.

Mohlodi: Rodade, Sakata product page

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.