SYNTHETIC GRAPH SOURCE {COUNT} $&

U nga si xava kumbe ku sungula

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Ntlawa wa maxelo wa ndzavisiso: Highveld. Ntlawa lowu a hi xitsundzuxo lexi tiyisisiweke xa purasi leri.

Leswi u swi vikeleke hi purasi leri

Mati hi nguva yo oma

Murimi u vika mati matsongo yo byala. Tiyisisa leswaku i mibedo yihi leyi nga cheletiwaka u nga si xava swilo swo byala.

Rharhama epurasini leri

Rharhama ri voniwile laha hi Khot, Maw. Kambela swibyariwa leswi nga tiyiseliki rharhama hi leswi swi voniweke.

Dyambu ni ku huma ka mati emisaveni

Dyambu: ku vikiwe dyambu leri heleleke.

Ku huma ka mati: mati ya huma kahle, hi ku vikiwa. Mbuyelo wa ku kambela misava ni swilaveko swa xibyariwa xin’wana ni xin’wana swa ha fanele ku kamberiwa.

Tirhekhodo ta lembe ro vika - ku nga ri mvhumbo

Tinhlayo ni tin’hweti ta lembe leri hundzeke ro vika swi hlamusela leswi vikiweke. A swi tshembisi swakudya eka kungu leri taka.

Original eggs {year} $&

Nhlayo ya lembe leyi vikiweke hi murimi ya 2025: 240 eggs.

Ku tirhisiwa ekaya: 0 eggs. Swo xavisiwa: a swi rhekhodiwanga.

Tin’hweti ta ntshovelo leti vikiweke: Khot, Maw. Leswi i leswi voniweke eka vulavisisi, ku nga ri mvhumbo wuntshwa wa vuhumelerisi.

Kambela yuniti ni tinhlayo leti rhekhodiweke u nga si tirhisa layini leyi.

Fish

Nhlayo ya lembe leyi vikiweke hi murimi ya 2025: a swi rhekhodiwanga.

Ku tirhisiwa ekaya: a swi rhekhodiwanga. Swo xavisiwa: a swi rhekhodiwanga.

Tin’hweti ta ntshovelo leti vikiweke: a swi rhekhodiwanga. Leswi i leswi voniweke eka vulavisisi, ku nga ri mvhumbo wuntshwa wa vuhumelerisi.

Kambela yuniti ni tinhlayo leti rhekhodiweke u nga si tirhisa layini leyi.

Miroho yin’wana

Nhlayo ya lembe leyi vikiweke hi murimi ya 2025: 12 kg.

Ku tirhisiwa ekaya: 7 kg. Swo xavisiwa: 3 kg.

Tin’hweti ta ntshovelo leti vikiweke: Sung, N'we. Leswi i leswi voniweke eka vulavisisi, ku nga ri mvhumbo wuntshwa wa vuhumelerisi.

Kambela yuniti ni tinhlayo leti rhekhodiweke u nga si tirhisa layini leyi.

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Mihandzu, timanga ni swakudya swa ndzhavuko

Banana

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: fruit (bunch of bananas).

Ku ehleketela nhlayo: swirhendzevutana swa mabanana swa 1 × mabanana ya 3 lama byariweke. Mahluke lama landzelaka a hi mirhi yin'wana leyi byariweke.

Xikombiso xa kotulo yo sungula: tin'hweti ta 13–20. KZN DARD yi vula hi ku kongoma mpimo wa nkarhi wa ku suka eku byaleni ku ya eku kotuleni ni ku suka eka kotulo ku ya eka kotulo. Tin'hweti ti hundzuriwile ti va malembe (13/12 ku ya eka 20/12). Lexi a hi mvhumbo wa masiku kumbe nguva ya kotulo ya lembe eka tin'hweti hinkwato. Nkarhi wa xiviri wu titshege hi muxaka ni nhlayiso wa ndhawu.

Annual plantation output: KZN plantation reference per year: conservative 20–25 t/ha, average 25–30 t/ha, good 40+ t/ha. This is annual area production; it is not the weight of one bunch or a measured age-yield curve for three plants in a banana circle.

Cultivar, planting and crop cycle: The KZN guide gives 13–20 months for both the first planting-to-harvest cycle and subsequent harvest-to-harvest cycles. It lists different commercial densities for Williams, Grand Nain and Chinese Cavendish. A banana circle counts as three planted bananas here; replacement followers are stages of those mats, not extra mapped trees or guaranteed year-round supply.

Ku laveka ndhawu yo kufumela leyi nga riki na gwitsi ni mati lama kumekaka hi ku tiyiseka. Siya xihluke lexi nga ta siva xirhabyana lexi susiwaka endzhaku ko tswala mihandzu.

Nkambelo wa ndhawu yo titimela: swikombo leswi swa tindhawu leti kufumelaka a swi tiyisisi leswaku swi fanele laha. Tiyisisa ndhawu leyi sirhelelekeke eka rharhama u nga si xava.

Switsundzuxo swo xava: Eka KZN leyi titimelaka: Williams; eka minkova yo kufumela: Grand Nain; eribuweni leri nga ni moya: Chinese Cavendish. Xava switirhisiwa swo byala leswi baseke. Leyi i nhlawulo wa maxelo, a hi tinguva ta le ku sunguleni/xikarhini/ndzhaku.

Mabanana lama dyiwaka ma veka mihandzu handle ko hundziseriwa ka pholeni.

Nguva yo tshovela leyi languteriweke: a ku na xihlovo xa tin'hweti leti vekiweke ta xifundzha. Rhekhoda masiku yo byala ni yo tshovela endhawini.

Rharhama leri voniweke ri lwisana ni xikombo lexi ringanyetiweke; tiyisisa ndhawu yo kula leyi sirhelelekeke u nga si xava.

Xihlovo: KZN DARD, Bananas in KwaZulu-Natal, pp. 1–4

Xihlovo: ProMusa (Bioversity International-affiliated global banana knowledge platform), 'Domestication of the banana'

Xihlovo: KZN DARD, Fruit and Nut Production in KZN, Bearing age, p. 8

Xihlovo: KZN DARD, Fruit and Nut Production in KZN (2006), Bananas: Yields, p. 9

Xihlovo: KZN DARD, Fruit and Nut Production in KZN (2006), Bananas: Bearing age and Spacing, p. 8

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Mihandzu, timanga ni swakudya swa ndzhavuko (swi ya mahlweni)

Wild plum

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: Mihandzu leyi vupfeke yo dyiwa yi ri yintshwa kumbe ku hlayisiwa.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Xikombo xa ndhawu leyi nga riki na gwitsi; mirhi ya xinuna ni ya xisati yi hambanile.

Switsundzuxo swo xava: Kombela swimilana swa ndhawu leswi tswalaka mihandzu leswi tivekaka kahle ni ku lunghiselela mpova; a ku na muxaka lowu nga ni vito lowu sekeriweke eka xihlovo.

Ku hundziseriwa ka pholeni: swimilana swo hambana swa xinuna ni swa xisati. Kambela swilaveko swa muxaka lowu hlawuriweke ni ndhawu yo kurisa swimilana.

Nguva yo tshovela leyi languteriweke: a ku si tiyisisiwa nkarhi wun’we wa muxaka wa ndhawu. Tinguva ta swikombo leswi nga laha hansi a hi mvhumbo.

Xikombo ntsena — South Africa (general; SANBI: Eastern Cape, KwaZulu-Natal, Limpopo, Mpumalanga): Nyku–Mudy.

Xihlovo: SANBI PlantZAfrica: harpephyllum-caffrum

Xihlovo: Harpephyllum caffrum | PlantZAfrica (SANBI)

Raspberry

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: fruit.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Kambela ku titimela, swiseketelo ni sisiteme yo thena u nga si byala. Mixaka leyi tswalaka hi xixikana a yi fanelanga ku kuma khalendara ya leyi tswalaka hi ximunwana.

Switsundzuxo swo xava: Nkongomiso wa KZN: Heritage kumbe Autumn Bliss ti tswala hi xixikana naswona ti lava ku titimela kutsongo; Glen Prosen, Glen Lyon kumbe Tulameen leti tswalaka hi ximunwana ti lava ku titimela ko tala. Tiyisisa masiku ya ndhawu.

Nguva yo tshovela leyi languteriweke: a ku si tiyisisiwa nkarhi wun’we wa muxaka wa ndhawu. Tinguva ta swikombo leswi nga laha hansi a hi mvhumbo.

Xikombo ntsena — KwaZulu-Natal (spring-bearing cultivars: Glen Prosen, Glen Lyon, Tulameen): Huku–Sung.

Xihlovo: KZN DARD, Fruit and Nut Production, PDF pp. 36–37 (regional reference; confirm current nursery stock)

Xihlovo: KwaZulu-Natal Department of Agriculture and Rural Development, Horticultural Advisory Notes: Fruit and Nut Production (in KZN), p. 37

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Swikumiwa swa swifuwo ni nhlayiso

Tshanga: Wool sheep (Merino / Dohne Merino, incl. communal wool growers)

Miako ya 1 leyi nga kona; ya 0 leyi ringanyetiweke. Bindzu leri hlawuriweke: voya (a hi swakudya). A ku ehleketiwi nhlayo ya swifuwo kumbe vuhumelerisi.

Xitsundzuxo xo xava: fananisa muxaka/swifuwo ni xikumiwa, swakudya swa ndhawu, maxelo ni vuswikoti byo hlayisa; tiyisisa ni mutsundzuxi wa ndhawu wa swifuwo kumbe ku fuwa tinyoxi.

Nkarhi wa xikumiwa xo sungula: a wu na xihlovo eka bindzu leri.

Xikombo xa vuhumelerisi: 4–5 kg greasy wool/sheep/year. Semi-arid/extensive-veld range (4-5 kg greasy wool/sheep/year) used as the primary value; the same sentence's 8 kg/year figure is for a different system (sheep grazing CULTIVATED pastures) and is deliberately excluded from the range rather than averaged in. A Western Cape Government (Elsenburg) Dohne Merino Extensive enterprise budget (Ceres-Karoo, 2024) separately reports total flock wool sold as 4439.64 kg from a flock of '1 519' Smallstock Units, i.e. 4439.64/1519 = 2.92 kg per Smallstock Unit/year - not used as the primary value because the source does not state that 1 Smallstock Unit = 1 sheep (SSU is a standardised stock-class weighting, not a literal head count), so converting it to kg/sheep would require an unstated conversion factor. A separate NWGA/Mandela Initiative paper on the Eastern Cape communal Wool Sheep Development Program reports a Grootfontein ADI progeny-test 'Greasy fleece weight (kg) 2.8 [commercial rams] 2.4 [communal rams]' for communal Eastern Cape flocks - not merged into the primary value because that table is explicitly for '6-month old lambs' (a different life stage from a mature sheep's full annual clip), consistent with the rule against mixing figures across life stages; kept here only as EC-communal context: commercial-ram-sired lambs at 6 months averaged 2.8 kg, communal-ram-sired lambs 2.4 kg, a +16% difference.

Kambela swikombo leswi nga ni vuxokoxoko swa bindzu swa swakudya ni vutshamo. Fananisa mpimo wa swakudya ni ndhawu ni xiyimo xa xifuwo ni endlelo ra vutshamo; nyika mati yo tenga lama kumekaka nkarhi ni nkarhi.

Sheep must not be penned overcrowded: at least 0.56 square metres of floor space per sheep so every animal can lie down.

Electric prodders, sticks or goads may not be used on sheep.

Sheep driven on the hoof may not be moved more than 20 km in a single day (25 km is regarded as excessive).

Injured, disabled or blind sheep must be given priority slaughter, or emergency slaughter, to prevent further pain or distress.

A sheep-scab treatment plan should be in place: the disease carries a high economic and welfare cost.

Despite foot-and-mouth disease (FMD) in South Africa, wool exports continue under the inactivation clause of the OIE (World Organisation for Animal Health) rules.

Inside a declared FMD zone, sheep and their products cannot be moved into, out of, or within it without a state veterinary permit.

Sheep scab is a controlled disease by law: a suspected or positive case must be reported to the State Veterinarian immediately.

Wool from scab-infected sheep must be destroyed rather than sent to the buyer, where it would be marked as scab wool.

Every sheep owner must register an official identification mark and mark their sheep with it, under the Animal Identification Act.

A sheep may be slaughtered only at an abattoir, except for the farmer's own consumption or for cultural or religious purposes.

Xihlovo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.1.2, p. 4

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Swikumiwa swa swifuwo ni nhlayiso (swi ya mahlweni)

Tshanga: Wool sheep (Merino / Dohne Merino, incl. communal wool growers) (swi ya mahlweni)

Xihlovo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.7, p. 5

Xihlovo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.3.4.1, p. 6

Xihlovo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.13, p. 5

Xihlovo: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 3

Xihlovo: Cape Wools SA Annual Review 2020/2021, p. 8

Xihlovo: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Xihlovo: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 1

Xihlovo: Animal Identification Act 6 of 2002, s.7(1), p. 4

Xihlovo: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Xihlovo: Assessing Socio-economic Factors Influencing Wool Production in Kolomana Villages of Eastern Cape, South Africa (South African Journal of Agricultural Extension), citing Bot et al., 2004

Xidziva: hlawula xikumiwa

Miako ya 0 leyi nga kona; ya 1 leyi ringanyetiweke. A ku ehleketiwi nhlayo ya swifuwo kumbe masiku ya vuhumelerisi.

Swihlawuriwa swa mabindzu: Tilapia (Mozambique tilapia, small pond or tank) (nhlampfi).

Hlawula xikumiwa ni swifuwo swa xiviri u nga si kunguhata vuhumelerisi. Fananisa swifuwo ni swakudya swa ndhawu, maxelo, mati ni vuswikoti byo hlayisa.

Tinxaka ta swibyariwa to kambela endhawini

Hlayisa vito ra muxaka lowu u wu hlawulaka hakunene. Minxaxamelo yo koma ya ndzavisiso yi lava ku tiyisisiwa eka nguva ya ndhawu, mati ni misava.

Tomatoes

Muxaka lowu rhekhodiweke: a wu si hlawuriwa.

Nxaxamelo wo koma wa ndzavisiso wa maxelo yo fana: Rodade.

Xihlovo: Rodade, Sakata product page

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.