SYNTHETIC GRAPH SOURCE {COUNT} $&

Musi ni sa athu u renga kana u thoma

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Tshigwada tsha kilima tsha ṱhoḓisiso: Highveld. Tshigwada itshi a si nyeletshedzo yo khwaṱhisedzwaho ya bulasi iḽi.

Zwe na vhiga nga bulasi iḽi

Maḓi nga khalaṅwaha yo oma

Mulimi u vhiga maḓi a u lima a songo eḓanaho. Khwaṱhisedzani uri ndi mimbete ifhio ine ya nga sheledzwa ni sa athu u renga zwishumiswa zwa u ṱavha.

Murotholo kha bulasi iḽi

Murotholo wo vhonwa hafha nga Fulw, Fwan. Ṱolani zwiliṅwa zwi sa konḓeleli murotholo ni tshi sedza zwe zwa vhonwa.

Ḓuvha na u bva ha maḓi mavuni

Ḓuvha: ho vhigwa ḓuvha ḽo fhelelaho.

U bva ha maḓi: maḓi a bva zwavhuḓi, u ya nga muvhigo. Mvelelo dza u ṱola mavu na ṱhoḓea dza tshiliṅwa tshiṅwe na tshiṅwe zwi kha ḓi ṱoḓa u ṱolwa.

Rekhodo dza ṅwaha wa u vhiga - hu si mbonelaphanḓa

Zwivhalo na miṅwedzi zwa ṅwaha wo fhiraho wa u vhiga zwi ṱalutshedza zwo vhigwaho. A zwi fulufhedzisi zwiḽiwa kha pulane i ḓaho.

Original eggs {year} $&

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: 240 eggs.

Zwo shumiswaho muṱani: 0 eggs. Zwo rengiswaho: a zwo ngo rekhodwa.

Miṅwedzi ya khaṋo yo vhigwaho: Fulw, Fwan. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

Fish

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: a zwo ngo rekhodwa.

Zwo shumiswaho muṱani: a zwo ngo rekhodwa. Zwo rengiswaho: a zwo ngo rekhodwa.

Miṅwedzi ya khaṋo yo vhigwaho: a zwo ngo rekhodwa. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

Miṅwe miroho

Tshivhalo tsha ṅwaha tsho vhigwaho nga mulimi tsha 2025: 12 kg.

Zwo shumiswaho muṱani: 7 kg. Zwo rengiswaho: 3 kg.

Miṅwedzi ya khaṋo yo vhigwaho: Phan, Nyen. Izwi ndi zwe zwa vhonwa kha ṱhoḓisiso, hu si mbonelaphanḓa ntswa ya vhubveledzi.

Ṱolani yuniti na zwivhalo zwo rekhodwaho ni sa athu u shumisa mutaladzi uyu.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani

Banana

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: fruit (bunch of bananas).

U humbulela tshivhalo: zwitendeledzi zwa miomva zwa 1 × miomva yo ṱavhiwaho ya 3. Makhule a tevhelaho a si miṅwe miri yo ṱavhiwaho.

Tshiko tsha khaṉo ya u thoma: miṅwedzi ya 13–20. KZN DARD i bula nga ho livhaho tshifhinga u bva kha u ṱavha u ya kha khaṉo na u bva kha khaṉo u ya kha iṅwe. Miṅwedzi yo shandulwa ya vha miṅwaha (13/12 u ya kha 20/12). Itshi a si mbonelaphanḓa i re na datumu kana tshifhinga tsha khaṉo ya ṅwaha kha miṅwedzi yoṯhe. Tshifhinga tsha vhukuma tshi ya nga lushaka na ṱhogomelo ya fhethu.

Annual plantation output: KZN plantation reference per year: conservative 20–25 t/ha, average 25–30 t/ha, good 40+ t/ha. This is annual area production; it is not the weight of one bunch or a measured age-yield curve for three plants in a banana circle.

Cultivar, planting and crop cycle: The KZN guide gives 13–20 months for both the first planting-to-harvest cycle and subsequent harvest-to-harvest cycles. It lists different commercial densities for Williams, Grand Nain and Chinese Cavendish. A banana circle counts as three planted bananas here; replacement followers are stages of those mats, not extra mapped trees or guaranteed year-round supply.

Hu ṱoḓea fhethu hu dudelaho hu si na ṅwando na maḓi a fulufhedzeaho. Vhulungani tshiṉangi tshi ḓo dzhielaho vhudzulo tsinde ḽo bviswaho musi ḽo no aṉwa.

U ṱola fhethu hu rotholelaho: ndaedzi idzi dza vhupo vhu dudelaho a dzi khwaṱhisedzi uri zwi tea hafha. Khwaṱhisedzani fhethu ho tsireledzwaho kha murotholo ni sa athu u renga.

Nyeletshedzo ya u renga: Kha KZN hu rotholelaho: Williams; kha mikovhe i dudelaho: Grand Nain; khunzikhunzini ya lwanzhe hu re na muya: Chinese Cavendish. Rengani zwishumiswa zwa u ṱavha zwo kunaho. Izwi ndi u nanga u ya nga kilima, a si zwifhinga zwa u thoma/vhukati/murahu.

Miomva i ḽiwaho i aṉwa mitshelo hu si na u phaḓaladzwa ha muvhere.

Khalaṅwaha ya u kaṉa yo lavhelelwaho: a hu na tshiko tsha miṅwedzi yo tiwaho ya dzingu. Rekhodani maḓuvha a u ṱavha na a u kaṉa henefho.

Murotholo wo vhonwaho u lwisana na ndaedzi iyi yo dzinginywaho; khwaṱhisedzani fhethu ha u aluwa ho tsireledzwaho ni sa athu u renga.

Tshiko: KZN DARD, Bananas in KwaZulu-Natal, pp. 1–4

Tshiko: ProMusa (Bioversity International-affiliated global banana knowledge platform), 'Domestication of the banana'

Tshiko: KZN DARD, Fruit and Nut Production in KZN, Bearing age, p. 8

Tshiko: KZN DARD, Fruit and Nut Production in KZN (2006), Bananas: Yields, p. 9

Tshiko: KZN DARD, Fruit and Nut Production in KZN (2006), Bananas: Bearing age and Spacing, p. 8

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṉu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Mitshelo, nḓuhu na zwiḽiwa zwa hayani (zwi khou bvela phanḓa)

Wild plum

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: Mitshelo yo vhibvaho ya u ḽiwa i mivhisi kana u vhulungwa.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Tshiko tsha dzingu ḽi si na ṅwando; miri ya tshiduna na tshisadzi yo fhambana.

Nyeletshedzo ya u renga: Humbelani zwimela zwa henefho zwi aṋwaho mitshelo zwo ṱaluswaho zwavhuḓi na ndugiselelo ya luvhanda; a hu na lushaka lwo bulwaho nga dzina lu re na tshiko.

U phaḓaladzwa ha muvhere: zwimela zwa tshinna na zwa tshisadzi zwo fhambanaho. Ṱolani ṱhoḓea dza lushaka lwo nangwaho na nesari.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu athu u khwaṱhisedzwa tshifhinga tshithihi tsha lushaka lwa henefho. Khalaṅwaha dza ndaedzi dzi re afho fhasi a si mbonelaphanḓa.

Ndaedzi fhedzi — South Africa (general; SANBI: Eastern Cape, KwaZulu-Natal, Limpopo, Mpumalanga): Ṱhaf–Shun.

Tshiko: SANBI PlantZAfrica: harpephyllum-caffrum

Tshiko: Harpephyllum caffrum | PlantZAfrica (SANBI)

Raspberry

Zwi re hone: 1; zwo dzudzanywaho: 1. Zwibveledzwa: fruit.

Tshifhinga tsha khaṋo ya u thoma: a tsho ngo wanala tshikoni; ni songo ḓitika nga zwimela zwi sa athu bva u ṱavhiwa uri ni wane zwiḽiwa nga u ṱavhanya.

Ṱolani u rothola, zwitikedzi na maitele a u runa musi ni sa athu ṱavha. Tshaka dzi aṋwaho nga tshifhefho dzi songo fhiwa khalenda ya dzi aṋwaho nga lutavula.

Nyeletshedzo ya u renga: Nyendedzi ya KZN: Heritage kana Autumn Bliss dzi aṋwa nga tshifhefho nahone dzi ṱoḓa u rothola huṱuku; Glen Prosen, Glen Lyon kana Tulameen dzi aṋwaho nga lutavula dzi ṱoḓa u rothola hunzhi. Khwaṱhisedzani maḓuvha a henefho.

Khalaṅwaha ya u kaṋa yo lavhelelwaho: a hu athu u khwaṱhisedzwa tshifhinga tshithihi tsha lushaka lwa henefho. Khalaṅwaha dza ndaedzi dzi re afho fhasi a si mbonelaphanḓa.

Ndaedzi fhedzi — KwaZulu-Natal (spring-bearing cultivars: Glen Prosen, Glen Lyon, Tulameen): Ḽara–Phan.

Tshiko: KZN DARD, Fruit and Nut Production, PDF pp. 36–37 (regional reference; confirm current nursery stock)

Tshiko: KwaZulu-Natal Department of Agriculture and Rural Development, Horticultural Advisory Notes: Fruit and Nut Production (in KZN), p. 37

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo

Danga: Wool sheep (Merino / Dohne Merino, incl. communal wool growers)

Zwifhaṱo zwa 1 zwi re hone; zwa 0 zwo dzinginywaho. Bindu ḽo nangwaho: vhukuse (a si zwiḽiwa). A hu humbulelwi tshivhalo tsha zwifuwo kana mvelelo.

Nyeletshedzo ya u renga: yelanyisani lushaka/zwifuwo na tshibveledzwa, furu ya henefho, kilima na vhukoni ha ṱhogomelo; khwaṱhisedzani na mueletshedzi wa henefho wa zwifuwo kana u fuwa ṋotshi.

Tshifhinga tsha tshibveledzwa tsha u thoma: a tshi na tshiko kha bindu iḽi.

Ndaedzi ya vhubveledzi: 4–5 kg greasy wool/sheep/year. Semi-arid/extensive-veld range (4-5 kg greasy wool/sheep/year) used as the primary value; the same sentence's 8 kg/year figure is for a different system (sheep grazing CULTIVATED pastures) and is deliberately excluded from the range rather than averaged in. A Western Cape Government (Elsenburg) Dohne Merino Extensive enterprise budget (Ceres-Karoo, 2024) separately reports total flock wool sold as 4439.64 kg from a flock of '1 519' Smallstock Units, i.e. 4439.64/1519 = 2.92 kg per Smallstock Unit/year - not used as the primary value because the source does not state that 1 Smallstock Unit = 1 sheep (SSU is a standardised stock-class weighting, not a literal head count), so converting it to kg/sheep would require an unstated conversion factor. A separate NWGA/Mandela Initiative paper on the Eastern Cape communal Wool Sheep Development Program reports a Grootfontein ADI progeny-test 'Greasy fleece weight (kg) 2.8 [commercial rams] 2.4 [communal rams]' for communal Eastern Cape flocks - not merged into the primary value because that table is explicitly for '6-month old lambs' (a different life stage from a mature sheep's full annual clip), consistent with the rule against mixing figures across life stages; kept here only as EC-communal context: commercial-ram-sired lambs at 6 months averaged 2.8 kg, communal-ram-sired lambs 2.4 kg, a +16% difference.

Ṱolani ndaedzi dzo ṱanḓavhuwaho dza bindu dza zwiḽiwa na madzulo. Yelanyisani mukovhe wa zwiḽiwa na tshikhala na tshiimo tsha tshifuwo na sisṱeme ya madzulo; ṋeani maḓi o kunaho a fulufhedzeaho.

Sheep must not be penned overcrowded: at least 0.56 square metres of floor space per sheep so every animal can lie down.

Electric prodders, sticks or goads may not be used on sheep.

Sheep driven on the hoof may not be moved more than 20 km in a single day (25 km is regarded as excessive).

Injured, disabled or blind sheep must be given priority slaughter, or emergency slaughter, to prevent further pain or distress.

A sheep-scab treatment plan should be in place: the disease carries a high economic and welfare cost.

Despite foot-and-mouth disease (FMD) in South Africa, wool exports continue under the inactivation clause of the OIE (World Organisation for Animal Health) rules.

Inside a declared FMD zone, sheep and their products cannot be moved into, out of, or within it without a state veterinary permit.

Sheep scab is a controlled disease by law: a suspected or positive case must be reported to the State Veterinarian immediately.

Wool from scab-infected sheep must be destroyed rather than sent to the buyer, where it would be marked as scab wool.

Every sheep owner must register an official identification mark and mark their sheep with it, under the Animal Identification Act.

A sheep may be slaughtered only at an abattoir, except for the farmer's own consumption or for cultural or religious purposes.

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Zwine zwa nga nangwa zwa bulasi - zwi khou bvela phanḓa

Shumisani zwe na zwi vhona bulasini na mitevhe mipfufhi ya ṱhoḓisiso. Khwaṱhisedzani zwine na nanga henefho musi ni sa athu u renga.

Zwibveledzwa zwa zwifuwo na ṱhogomelo (zwi khou bvela phanḓa)

Danga: Wool sheep (Merino / Dohne Merino, incl. communal wool growers) (zwi khou bvela phanḓa)

Tshiko: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.1.2, p. 4

Tshiko: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.7, p. 5

Tshiko: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.3.4.1, p. 6

Tshiko: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.13, p. 5

Tshiko: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 3

Tshiko: Cape Wools SA Annual Review 2020/2021, p. 8

Tshiko: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Tshiko: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 1

Tshiko: Animal Identification Act 6 of 2002, s.7(1), p. 4

Tshiko: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Tshiko: Assessing Socio-economic Factors Influencing Wool Production in Kolomana Villages of Eastern Cape, South Africa (South African Journal of Agricultural Extension), citing Bot et al., 2004

Tshivhudu: nangani tshibveledzwa

Zwifhaṱo zwa 0 zwi re hone; zwa 1 zwo dzinginywaho. A hu humbulelwi tshivhalo tsha zwifuwo kana maḓuvha a vhubveledzi.

Zwa u nanga zwa mabindu: Tilapia (Mozambique tilapia, small pond or tank) (khovhe).

Nangani tshibveledzwa na zwifuwo zwa vhukuma ni sa athu u pulana mvelelo. Yelanyisani zwifuwo na furu ya henefho, kilima, maḓi na vhukoni ha ṱhogomelo.

Tshaka dza zwiliṅwa dza u sedzulusa henefho

Vhulungani dzina ḽa lushaka lune na nanga zwa vhukuma. Mitevhe mipfufhi ya ṱhoḓisiso i ṱoḓa khwaṱhisedzo ya khalaṅwaha ya henefho, maḓi na mavu.

Tomatoes

Lushaka lwo rekhodwaho: a lu athu u nangwa.

Mutevhe mupfufhi wa ṱhoḓisiso wa kilima dzi fanaho: Rodade.

Tshiko: Rodade, Sakata product page

A i athu ṱolwa nga muḓivhi wa zwa vhulimi — ndi tsumbanḓila ya u pulana, a si ndaela. I sumbedzeni muṱuṱuwedzi waṋu wa zwa vhulimi, ni ite ndingo ya mavu musi ni sa athu shumisa tshelede kha mavu.
Ṱhalutshedzelo ya mvetamveto: a i athu u sedzwa nga muthu a ambaho luambo zwavhuḓi. Sedzani tshiko tsha Luisimane phanḓa ha u tevhedza zwine zwa ambiwa.