SYNTHETIC GRAPH SOURCE {COUNT} $&

Ngaphambi kokuthenga noma ukuqala

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Iqembu lesimo sezulu locwaningo: Highveld. Leli qembu alisona isincomo esiqinisekisiwe saleli pulazi.

Lokho okubikile ngaleli pulazi

Amanzi ngesikhathi esomile

Umlimi ubika amanzi okutshalela alinganiselwe. Qinisekisa ukuthi yimiphi imibhede enganiselwa ngaphambi kokuthenga okokutshala.

Isithwathwa kuleli pulazi

Isithwathwa sibonakele lapha ngo-Jun, Jul. Hlola izitshalo ezingamelani nesithwathwa ngokwale mibono.

Ilanga nokuphuma kwamanzi

Ilanga: kubikwe ilanga eligcwele.

Ukuphuma kwamanzi: amanzi aphuma kahle, ngokubikiwe. Kusadingeka ukuhlola imiphumela yokuhlolwa komhlabathi nezidingo zesitshalo ngasinye.

Amarekhodi onyaka wokubika - hhayi isibikezelo

Izamba nezinyanga zonyaka wokubika odlule zichaza lokho okwabikwa. Azithembisi ukudla ohlelweni oluzayo.

Original eggs {year} $&

Isamba sonyaka esibikwe umlimi sango-2025: 240 eggs.

Okusetshenziswa ekhaya: 0 eggs. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: Jun, Jul. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Fish

Isamba sonyaka esibikwe umlimi sango-2025: akurekhodiwe.

Okusetshenziswa ekhaya: akurekhodiwe. Okuthengisiwe: akurekhodiwe.

Izinyanga zokuvuna ezibikiwe: akurekhodiwe. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Eminye imifino

Isamba sonyaka esibikwe umlimi sango-2025: 12 kg.

Okusetshenziswa ekhaya: 7 kg. Okuthengisiwe: 3 kg.

Izinyanga zokuvuna ezibikiwe: Jan, Dis. Lokhu ukubonwe kwinhlolovo, akusona isibikezelo esisha sokukhiqiza.

Hlola iyunithi nezamba ezirekhodiwe ngaphambi kokusebenzisa lo mugqa.

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu

Banana

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: fruit (bunch of bananas).

Ukucatshangwa kwesibalo: iziyingi zikabhanana ezingu-1 × obhanana abatshaliwe abangu-3. Amahlumela alandelayo awazona izihlahla ezengeziwe ezitshaliwe.

Isikhombo sesivuno sokuqala: izinyanga ezingu-13–20. I-KZN DARD isho ngokucacile ibanga lesikhathi kusukela ekutshaleni kuya ekuvuneni nokusukela ekuvuneni kuya ekuvuneni okulandelayo. Izinyanga ziguqulwe zaba iminyaka (13/12 kuya ku-20/12). Lokhu akusona isibikezelo esinedethi noma isikhathi sokuvuna sonyaka sezinyanga zonke. Isikhathi sangempela sincike ohlotsheni nasekunakekelweni kwendawo.

Annual plantation output: KZN plantation reference per year: conservative 20–25 t/ha, average 25–30 t/ha, good 40+ t/ha. This is annual area production; it is not the weight of one bunch or a measured age-yield curve for three plants in a banana circle.

Cultivar, planting and crop cycle: The KZN guide gives 13–20 months for both the first planting-to-harvest cycle and subsequent harvest-to-harvest cycles. It lists different commercial densities for Williams, Grand Nain and Chinese Cavendish. A banana circle counts as three planted bananas here; replacement followers are stages of those mats, not extra mapped trees or guaranteed year-round supply.

Kudingeka indawo efudumele, engenasithwathwa namanzi athembekile. Gcina ihlumela elizolandela lapho isiqu esithelile sisusiwe.

Ukuhlola indawo ebandayo: lezi zinkomba zezindawo ezifudumele azifakazeli ukufaneleka lapha. Qinisekisa indawo evikelekile esithwathweni ngaphambi kokuthenga.

Iseluleko sokuthenga: E-KZN epholile: Williams; ezigodini ezifudumele: Grand Nain; ogwini olunomoya: Chinese Cavendish. Thenga izinto zokutshala ezihlanzekile. Lokhu ukukhetha ngokwesimo sezulu, akuzona izikhathi zokuqala/zaphakathi/zakamuva.

Obhanana abadliwayo bakha izithelo ngaphandle kokudluliswa kwempova.

Isikhathi sokuvuna esilindelwe: azikho izinyanga ezimisiwe zesifunda ezinomthombo. Rekhoda izinsuku zokutshala nezokuvuna endaweni.

Isithwathwa esibonakele siyaphikisana nale nkomba ehlongozwayo; qinisekisa indawo yokukhula evikelekile ngaphambi kokuthenga.

Umthombo: KZN DARD, Bananas in KwaZulu-Natal, pp. 1–4

Umthombo: ProMusa (Bioversity International-affiliated global banana knowledge platform), 'Domestication of the banana'

Umthombo: KZN DARD, Fruit and Nut Production in KZN, Bearing age, p. 8

Umthombo: KZN DARD, Fruit and Nut Production in KZN (2006), Bananas: Yields, p. 9

Umthombo: KZN DARD, Fruit and Nut Production in KZN (2006), Bananas: Bearing age and Spacing, p. 8

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Izithelo, amantongomane nokudla komdabu (kuyaqhubeka)

Wild plum

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: Izithelo ezivuthiwe zokudliwa zisentsha noma zokulondolozwa.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Ireferensi yesifunda esingenasithwathwa; izihlahla zesilisa nezesifazane zehlukene.

Iseluleko sokuthenga: Cela izitshalo zendawo ezithela izithelo ezikhonjwe kahle nokulungiselelwa kwempova; alukho uhlobo oluqanjwe igama olunomthombo.

Impova: izitshalo zesilisa nezesifazane ezihlukene. Hlola izidingo zohlobo olukhethiwe nenkulisa yezitshalo.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — South Africa (general; SANBI: Eastern Cape, KwaZulu-Natal, Limpopo, Mpumalanga): Mas–Mey.

Umthombo: SANBI PlantZAfrica: harpephyllum-caffrum

Umthombo: Harpephyllum caffrum | PlantZAfrica (SANBI)

Raspberry

Okukhona: 1; okuhleliwe: 1. Okukhiqizwayo: fruit.

Isikhathi sesivuno sokuqala: asitholakali emthonjeni; ungathembeli ezitshalweni ezisanda kutshalwa ukuze uthole ukudla ngokushesha.

Hlola ukubanda, izisekelo nohlelo lokuthena ngaphambi kokutshala. Izinhlobo ezithela ekwindla mazingazuzi ikhalenda lezinhlobo ezithela entwasahlobo.

Iseluleko sokuthenga: Umhlahlandlela wase-KZN: izinhlobo ezithela ekwindla ezingadingi ukubanda okuningi i-Heritage noma i-Autumn Bliss; ezithela entwasahlobo i-Glen Prosen, i-Glen Lyon noma i-Tulameen zidinga ukubanda okuningi. Qinisekisa izinsuku zendawo.

Isikhathi sokuvuna esilindelwe: alukho uhlobo olulodwa lwendawo olunefasitela eliqinisekisiwe. Izikhathi eziyizinkomba ezingezansi azisona isibikezelo.

Inkomba kuphela — KwaZulu-Natal (spring-bearing cultivars: Glen Prosen, Glen Lyon, Tulameen): Nov–Jan.

Umthombo: KZN DARD, Fruit and Nut Production, PDF pp. 36–37 (regional reference; confirm current nursery stock)

Umthombo: KwaZulu-Natal Department of Agriculture and Rural Development, Horticultural Advisory Notes: Fruit and Nut Production (in KZN), p. 37

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela

Isibaya: Wool sheep (Merino / Dohne Merino, incl. communal wool growers)

Izakhiwo ezikhona ezingu-1; ezihlongozwayo ezingu-0. Uhlobo lokukhiqiza olukhethiwe: uboya (akukona ukudla). Akucatshangwa isibalo sezilwane noma okukhiqizwayo.

Iseluleko sokuthenga: fanisa uhlobo/izilwane nomkhiqizo, ukudla kwendawo, isimo sezulu namandla okunakekela; qinisekisa nomeluleki wendawo wemfuyo noma wokufuywa kwezinyosi.

Isikhathi somkhiqizo wokuqala: asinamthombo walolu hlobo lokukhiqiza.

Inkomba yokukhiqiza: 4–5 kg greasy wool/sheep/year. Semi-arid/extensive-veld range (4-5 kg greasy wool/sheep/year) used as the primary value; the same sentence's 8 kg/year figure is for a different system (sheep grazing CULTIVATED pastures) and is deliberately excluded from the range rather than averaged in. A Western Cape Government (Elsenburg) Dohne Merino Extensive enterprise budget (Ceres-Karoo, 2024) separately reports total flock wool sold as 4439.64 kg from a flock of '1 519' Smallstock Units, i.e. 4439.64/1519 = 2.92 kg per Smallstock Unit/year - not used as the primary value because the source does not state that 1 Smallstock Unit = 1 sheep (SSU is a standardised stock-class weighting, not a literal head count), so converting it to kg/sheep would require an unstated conversion factor. A separate NWGA/Mandela Initiative paper on the Eastern Cape communal Wool Sheep Development Program reports a Grootfontein ADI progeny-test 'Greasy fleece weight (kg) 2.8 [commercial rams] 2.4 [communal rams]' for communal Eastern Cape flocks - not merged into the primary value because that table is explicitly for '6-month old lambs' (a different life stage from a mature sheep's full annual clip), consistent with the rule against mixing figures across life stages; kept here only as EC-communal context: commercial-ram-sired lambs at 6 months averaged 2.8 kg, communal-ram-sired lambs 2.4 kg, a +16% difference.

Hlola izinkomba ezinemininingwane zohlobo lokukhiqiza mayelana nokudla nezindawo zokuhlala. Fanisa isabelo sokudla nendawo nesigaba sesilwane nohlelo lokuhlalisa; nikeza amanzi ahlanzekile athembekile.

Sheep must not be penned overcrowded: at least 0.56 square metres of floor space per sheep so every animal can lie down.

Electric prodders, sticks or goads may not be used on sheep.

Sheep driven on the hoof may not be moved more than 20 km in a single day (25 km is regarded as excessive).

Injured, disabled or blind sheep must be given priority slaughter, or emergency slaughter, to prevent further pain or distress.

A sheep-scab treatment plan should be in place: the disease carries a high economic and welfare cost.

Despite foot-and-mouth disease (FMD) in South Africa, wool exports continue under the inactivation clause of the OIE (World Organisation for Animal Health) rules.

Inside a declared FMD zone, sheep and their products cannot be moved into, out of, or within it without a state veterinary permit.

Sheep scab is a controlled disease by law: a suspected or positive case must be reported to the State Veterinarian immediately.

Wool from scab-infected sheep must be destroyed rather than sent to the buyer, where it would be marked as scab wool.

Every sheep owner must register an official identification mark and mark their sheep with it, under the Animal Identification Act.

A sheep may be slaughtered only at an abattoir, except for the farmer's own consumption or for cultural or religious purposes.

Umthombo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.1.2, p. 4

Umthombo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.7, p. 5

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Izinketho zepulazi - kuyaqhubeka

Sebenzisa lokho okubonile epulazini nohlu olufushane locwaningo. Qinisekisa izinketho endaweni ngaphambi kokuthenga.

Imikhiqizo yezilwane nokunakekela (kuyaqhubeka)

Isibaya: Wool sheep (Merino / Dohne Merino, incl. communal wool growers) (kuyaqhubeka)

Umthombo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.3.4.1, p. 6

Umthombo: Livestock Welfare Co-ordinating Committee, Code of Practice for the Handling and Transport of Livestock (2018), s.2.13, p. 5

Umthombo: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 3

Umthombo: Cape Wools SA Annual Review 2020/2021, p. 8

Umthombo: SAnews: KZN Foot and Mouth Disease boundaries extended (Dept of Agriculture statement)

Umthombo: KZN Department of Agriculture and Rural Development, Research & Technology Bulletin 2017-18/01: Sheep Scab, p. 1

Umthombo: Animal Identification Act 6 of 2002, s.7(1), p. 4

Umthombo: Meat Safety Act 40 of 2000, s.7(2)(a), p. 6

Umthombo: Assessing Socio-economic Factors Influencing Wool Production in Kolomana Villages of Eastern Cape, South Africa (South African Journal of Agricultural Extension), citing Bot et al., 2004

Ichibi elincane: khetha umkhiqizo

Izakhiwo ezikhona ezingu-0; ezihlongozwayo ezingu-1. Akucatshangwa isibalo sezilwane noma izinsuku zokukhiqiza.

Izinketho zokukhiqiza: Tilapia (Mozambique tilapia, small pond or tank) (inhlanzi).

Khetha umkhiqizo nezilwane zangempela ngaphambi kokuhlela okuzokhiqizwa. Fanisa izilwane nokudla kwendawo, isimo sezulu, amanzi namandla okunakekela.

Izinhlobo zezitshalo okufanele zihlolwe endaweni

Gcina igama lohlobo olukhethayo ngempela. Uhlu olufushane locwaningo ludinga ukuqinisekiswa kwesikhathi sendawo, amanzi nomhlabathi.

Tomatoes

Uhlobo olurekhodiwe: akukakhethwa.

Uhlu olufushane locwaningo lwezimo zezulu ezifanayo: Rodade.

Umthombo: Rodade, Sakata product page

Awukahlolwa uchwepheshe wezolimo — umhlahlandlela wokuhlela, hhayi umyalelo. Wubonise kumeluleki wakho wezolimo, futhi uhlole umhlabathi ngaphambi kokuchitha imali kuwo.
Ukuhumusha okusabuyekezwa: akukahlolwa ngumuntu olwazi kahle lolu limi. Hlola umbhalo wesiNgisi ngaphambi kokwenza okushiwoyo.