SYNTHETIC GRAPH SOURCE {COUNT} $&

Pele o reka kapa o qala

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Sehlopha sa tlelaemete sa dipatlisiso: Sebaka sa temo ha se eso hlake. Sehlopha sena ha se keletso e netefaditsweng bakeng sa polasi ena.

Seo o se tlalehileng ka polasi ena

Metsi nakong ya komello

Ha ho a rekotwa. Qetella phuputso ya sebaka mme o netefatse metsi pele o kgetha moralo o hlokang disebediswa tse ngata.

Serame polasing ena

Se bonweng ka serame sebakeng ha se a rekotwa. Dikarolelano tsa kgwedi tsa sathelaete di ke ke tsa tiisa matsatsi a pele le a ho qetela a serame.

Letsatsi le phallo ya metsi mobung

Letsatsi: ha ho a rekotwa.

Phallo ya metsi: ha ho a rekotwa. Diphetho tsa teko ya mobu le ditlhoko tsa sejalo ka seng di ntse di hloka ho hlahlojwa.

Direkoto tsa selemo sa tlaleho - eseng ponelopele

Dikakaretso le dikgwedi tsa selemo sa tlaleho se fetileng di hlalosa se tlalehilweng. Ha di tshepise dijo moralong o tlang.

Original eggs {year} $&

Kakaretso ya selemo e tlalehilweng ke molemi bakeng sa 2025: 240 eggs.

Tshebediso ya lelapa: 0 eggs. Ho rekisitsweng: ha ho a rekotwa.

Dikgwedi tsa kotulo tse tlalehilweng: Php, Phu. Tsena ke tse bonweng phuputsong, eseng ponelopele e ntjha ya tlhahiso.

Hlahloba yuniti le dikakaretso tse rekotilweng pele o sebedisa mola ona.

Fish

Kakaretso ya selemo e tlalehilweng ke molemi bakeng sa 2025: ha ho a rekotwa.

Tshebediso ya lelapa: ha ho a rekotwa. Ho rekisitsweng: ha ho a rekotwa.

Dikgwedi tsa kotulo tse tlalehilweng: ha ho a rekotwa. Tsena ke tse bonweng phuputsong, eseng ponelopele e ntjha ya tlhahiso.

Hlahloba yuniti le dikakaretso tse rekotilweng pele o sebedisa mola ona.

Meroho e meng

Kakaretso ya selemo e tlalehilweng ke molemi bakeng sa 2025: 12 kg.

Tshebediso ya lelapa: 7 kg. Ho rekisitsweng: 3 kg.

Dikgwedi tsa kotulo tse tlalehilweng: Phe, Tsh. Tsena ke tse bonweng phuputsong, eseng ponelopele e ntjha ya tlhahiso.

Hlahloba yuniti le dikakaretso tse rekotilweng pele o sebedisa mola ona.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae

Pecan

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: nate e ka hara kgaketla (nut in shell).

Tshupiso ya kotulo ya pele: dilemo tse 5. Kotulo e nyenyane hoo e ka bang selemong sa 5 tataisong ya KZN, bakeng sa dibaka tse nosetswang tse nang le lehlabula le tjhesang, mariha a batang le mongobo o tlase nakong ya kgolo. E supa dikgohlo tse ommeng tsa dinoka tsa Zululand/Lowveld e le dibaka tse loketseng tsa sebaka. Mokgwa wa ho atisa, mofuta le dilemo tsa sethopo ha di a bolelwa; sena ke tshupiso e akaretsang e nang le dipehelo, ha se bongata bo lebelletsweng polasing. Nako ya nnete e itshetlehile ka mofuta le tlhokomelo ya sebaka.

Tshupiso ya tlhahiso e tsitsitseng: dilemo tse 12–13. Tlhahiso e felletseng hoo e ka bang dilemong tse 12–13 tataisong e akaretsang ya KZN. Mofuta o kgethilweng, ho atisa, bongata ba dimela sebakeng le taolo di ama tlhahiso ya nnete; dilemo tsa ho hola ka botlalo ha di iketsetse mothalo wa kg ka sefate ka selemo.

Tlhahiso ya tataiso ya pecan — motheo wa hektare wa dinate tse ommeng di le ka hara dikgaketla: Tataiso e fana ka 750 e hlokolosi, karolelano ya 800–1,200 le 1,500+ e ntle ya kg/ha ya dinate tse ommeng di le ka hara dikgaketla (Dry-in-Shell). E thathamisa ka thoko dikgetho tsa sebaka pakeng tsa difate le ho fokotsa difate hamorao, kahoo ha ho nahannwe bongata bo le bong sebakeng. Tsena ke ditshupiso tsa hektare tse sa behwang dilemo tsa kgolo; boima bo nang le kgaketla ha se boima ba karolo e jewang ka hare, mme ha ho hlahiswe mothinya o akaretsang wa kg/tree.

Sebedisa mefuta e dumellanang e ntshang le e amohelang peo. Dibaka tse nang le pula hlabula di hloka mefuta e hanyetsang lefu la scab; ho butswa ha matokomane kapele feela ha ho netefatse ho dumellana ha peo.

Keletso ya ho reka: Lenane le lekgutshwane la SAPPA: KZN/Lowveld e nang le mongobo o mongata — Ukulinga, Cape Fear, Choctaw; KZN e metsi, e batang ho feta — Barton; Highveld e ommeng ho feta — Barton, Pawnee, Wichita; dibaka tse ommeng tsa bophirimela — Wichita, Choctaw, Western Schley. Sehlopha sa maemo a lehodimo se hakantsweng feela ha se kgone ho kgetholla dibaka tsena tsohle. Netefatsa mongobo wa lehae, mobu le balekane ba peo pele o reka.

Ho tsamaiswa ha peo ya dipalesa: e hloka peo ya dipalesa ya semela se seng se tsamaisanang le sona. Hlahloba ditlhoko tsa mofuta o kgethilweng le sebaka sa kgodiso ya dimela.

Nako ya kotulo e lebeletsweng: ha ho nako e le nngwe e tiisitsweng ya mofuta wa sebaka. Dinako tsa ditshupiso tse ka tlase ha se ponelopele.

Tshupiso feela — South Africa (ka kakaretso — potoloho ya dinako tsa dimela halofong e ka borwa ya lefatshe; dibaka tse ka sehloohong ke Vaalharts/Northern Cape, Lower Orange River): Hlb–Php.

Mohlodi: SAPPA: Cultivar Recommendation by Production Area, p. 1 (retrieved 4 October 2026)

Mohlodi: Lötze, E., 'Literature Review: Factors influencing pollination of pecans for commercial production', published by SAPPA (South African Pecan Nut Producers' Association), p. 3

Mohlodi: Lötze, E., 'Literature Review: Factors influencing pollination of pecans for commercial production', published by SAPPA

Mohlodi: KZN DARD, Fruit and Nut Production in KZN, Pecan bearing age; printed p.22, p. 26

Mohlodi: KZN DARD, Fruit and Nut Production in KZN, Pecan yield; printed p.22, p. 26

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae (e tswela pele)

Mango

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: ditholwana.

Tshupiso ya kotulo ya pele: dilemo tse 3–4. Ka tataiso ya KZN, dimela tsa mango tse hlomathisitsweng hangata di qala ho beha ka mora dilemo tse 3–4. Maemo ke tlhahiso ya tropical/subtropical e futhumetseng e se nang serame se bakang leqhwa, e nang le mongobo o tlase nakong ya dipalesa, ho akarelletsa Zululand e ommeng, Valley Bushveld le Lowveld. Mongolo o kgetholla dimela tse hlomathisitsweng ho Peach/Sabre e hodisitsweng ka peo; o se ke wa sebedisa dilemo tsena ho sethopo se sa ngolwang kapa wa hakanya kg tsa selemo. Nako ya nnete e itshetlehile ka mofuta le tlhokomelo ya sebaka.

Grafted mango establishment — regional guide: Grafted stock generally first bears around 3–4 years and may remain productive 20 years or longer under the guide conditions. Seed-raised trees are a separate planting-material case. Frost, wet spring flowering conditions, cultivar and field establishment must be checked; longevity is not an age-yield curve.

Hlahloba serame se bakang leqhwa, phallo ya metsi mobung le kotsi ya mafu nakong ya ho thunya. Kutlo ya mocheso le ho tjheswa ke letsatsi e fapana ka mefuta.

Keletso ya ho reka: ARC e kenyelletsa Tommy Atkins le Kent mefuteng e mamellang mocheso/ho tjheswa ke letsatsi ho feta; Sensation le Keitt di ameha habonolo. Netefatsa matsatsi a kotulo a lehae pele o kgetha tatellano.

Nako ya kotulo e lebeletsweng: ha ho nako e le nngwe e tiisitsweng ya mofuta wa sebaka. Dinako tsa ditshupiso tse ka tlase ha se ponelopele.

Tshupiso feela — South Africa (ka kakaretso; Limpopo + Mpumalanga = 96% ya sebaka sa dimango sa SA): Pun–Hlb.

Mohlodi: ARC Climate-Smart Agriculture, module 6, printed pp. 239–242

Mohlodi: National Agricultural Marketing Council (NAMC), South African Fruit Trade Flow Report, Issue 56, December 2024 (citing FPEF 2024), p. 3

Mohlodi: KZN DARD, Fruit and Nut Production in KZN, Mango bearing age; printed p.16, p. 20

Purple granadilla

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: ditholwana.

Tshupiso ya kotulo ya pele: dikgwedi tse 6–8. Tshupiso ya KZN: dikgwedi tse 6–8 ka mora ho jala dithopo, hoo e ka bang dilemo tse 0.5–0.67. Ena ke nako pele ho kotulo ya pele, ha se khalendara ya ho kga ya sebaka. Nako ya nnete e itshetlehile ka mofuta le tlhokomelo ya sebaka.

Tshupiso ya tlhahiso e tsitsitseng: dilemo tse 1.5. Tataiso ya KZN e bolela ho beha ka botlalo pele dikgwedi tse 18 di fela. Sena ke tshupiso ya moedi o ka hodimo wa nako, ha se tshepiso ya dikilogerama tsa dijo ka selemo.

Fana ka ditshehetso tsa ho hloa le ho faola; qoba mobu o tletseng metsi mme o hlahlobe ho bola ha metso le mathata a divaerase.

Keletso ya ho reka: Purple granadilla ke tshupiso ya ditholwana tse foreshe ya KZN; mefuta e tshehla e bodila ho feta mme e sebedisetswa jusi. Netefatsa bophelo ba dimela le nako ya lehae.

Nako ya kotulo e lebeletsweng: ha ho nako e le nngwe e tiisitsweng ya mofuta wa sebaka. Dinako tsa ditshupiso tse ka tlase ha se ponelopele.

Tshupiso feela — KwaZulu-Natal (dihlopha tsa Bioresource Groups 3 le 5, sebaka se phodileng se haufi le tropike): Php–Phu, Pun–Phe.

Mohlodi: KZN DARD, Fruit and Nut Production, PDF pp. 14–15 (regional reference; confirm current nursery stock)

Mohlodi: KwaZulu-Natal Department of Agriculture and Rural Development, Horticultural Advisory Notes: Fruit and Nut Production (in KZN), p. 14

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Dikgetho tsa polasi - di tswela pele

Sebedisa seo o se boneng polasing le manane a makgutshwane a dipatlisiso. Netefatsa dikgetho sebakeng seo pele o reka.

Ditholwana, linate le dijo tsa lehae (e tswela pele)

Wild medlar

Tse teng: 1; tse rerilweng: 1. Dihlahiswa: Ditholwana tse butswitseng, tse foreshe kapa tse omisitsweng.

Nako ya kotulo ya pele: ha e a fumanwa mohloding; o se ke wa itshetleha ka dimela tse sa tswa jalwa bakeng sa dijo hanghang.

Wider fruiting observations, not a ripe picking interval: This account separately distinguishes green unripe and brown ripe fruit, but its November–April biology sentence does not date that ripening change. The wider interval remains southern African phenology. SANBI's January–April description of ripe edible fruit supplies the food-ready regional reference.

Netefatsa maemo a ho mela sebakeng pele o tshepa tshupiso ya sebaka ya ho beha ditholwana.

Keletso ya ho reka: Kopa dimela tse behang ditholwana tse tshwanelang sebaka; ha ho mofuta o bitsitsweng ka lebitso o nang le mohlodi.

Nako ya kotulo e lebeletsweng: ha ho nako e le nngwe e tiisitsweng ya mofuta wa sebaka. Dinako tsa ditshupiso tse ka tlase ha se ponelopele.

Tshupiso feela — South Africa (ka kakaretso; kabo ya yona SA e fanwa e le Eastern Cape, Free State, Gauteng, KwaZulu-Natal, Limpopo, Mpumalanga, North West, Northern Cape): Phe–Mme.

Mohlodi: SANBI PlantZAfrica: vangueria-infausta

Mohlodi: Vangueria infausta | PlantZAfrica (SANBI)

Mohlodi: Agroforestree Database 4.0 (Orwa et al. 2009), Vangueria infausta fact sheet, BIOLOGY section, p. 1

Mefuta ya dijalo e lokelang ho hlahlojwa sebakeng seo

Boloka lebitso la mofuta oo o o kgethang ka nnete. Manane a makgutshwane a dipatlisiso a hloka netefatso bakeng sa nako ya sebaka, metsi le mobu.

Tomatoes

Mofuta o rekotilweng: ha ho eso kgethwe.

Maemo a lehodimo a sebaka sena ha a eso hlake, kahoo ha ho bolelwe lenane le lekgutshwane la sebaka. Bula karete ya sejalo ho bona mehlodi le ho rekota kgetho ya hao.

Ha o a hlahlojwa ke setsebi sa temo — ke tataiso ya ho rera, ha se taelo. O bontshe moeletsi wa hao wa temo, mme o etse teko ya mobu pele o sebedisa tjhelete mobung.
Phetolelo ya moralo: ha e so hlahlojwe ke motho ya tsebang puo hantle. Hlahloba mohlodi wa Senyesemane pele o etsa se bolelwang.