SYNTHETIC GRAPH SOURCE {COUNT} $&

U nga si xava kumbe ku sungula

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Ntlawa wa maxelo wa ndzavisiso: Ndhawu yo byala a yi si tiveka. Ntlawa lowu a hi xitsundzuxo lexi tiyisisiweke xa purasi leri.

Leswi u swi vikeleke hi purasi leri

Mati hi nguva yo oma

A swi rhekhodiwanga. Hetisa vulavisisi bya ndhawu u tiyisisa mati u nga si hlawula kungu leri lavaka switirhisiwa swo tala.

Rharhama epurasini leri

Leswi voniweke hi rharhama endhawini a swi rhekhodiwanga. Miringaniso ya n’hweti ya sathelayiti a yi koti ku tiyisisa masiku yo sungula ni yo hetelela ya rharhama.

Dyambu ni ku huma ka mati emisaveni

Dyambu: a swi rhekhodiwanga.

Ku huma ka mati: a swi rhekhodiwanga. Mbuyelo wa ku kambela misava ni swilaveko swa xibyariwa xin’wana ni xin’wana swa ha fanele ku kamberiwa.

Tirhekhodo ta lembe ro vika - ku nga ri mvhumbo

Tinhlayo ni tin’hweti ta lembe leri hundzeke ro vika swi hlamusela leswi vikiweke. A swi tshembisi swakudya eka kungu leri taka.

Original eggs {year} $&

Nhlayo ya lembe leyi vikiweke hi murimi ya 2025: 240 eggs.

Ku tirhisiwa ekaya: 0 eggs. Swo xavisiwa: a swi rhekhodiwanga.

Tin’hweti ta ntshovelo leti vikiweke: Khot, Maw. Leswi i leswi voniweke eka vulavisisi, ku nga ri mvhumbo wuntshwa wa vuhumelerisi.

Kambela yuniti ni tinhlayo leti rhekhodiweke u nga si tirhisa layini leyi.

Fish

Nhlayo ya lembe leyi vikiweke hi murimi ya 2025: a swi rhekhodiwanga.

Ku tirhisiwa ekaya: a swi rhekhodiwanga. Swo xavisiwa: a swi rhekhodiwanga.

Tin’hweti ta ntshovelo leti vikiweke: a swi rhekhodiwanga. Leswi i leswi voniweke eka vulavisisi, ku nga ri mvhumbo wuntshwa wa vuhumelerisi.

Kambela yuniti ni tinhlayo leti rhekhodiweke u nga si tirhisa layini leyi.

Miroho yin’wana

Nhlayo ya lembe leyi vikiweke hi murimi ya 2025: 12 kg.

Ku tirhisiwa ekaya: 7 kg. Swo xavisiwa: 3 kg.

Tin’hweti ta ntshovelo leti vikiweke: Sung, N'we. Leswi i leswi voniweke eka vulavisisi, ku nga ri mvhumbo wuntshwa wa vuhumelerisi.

Kambela yuniti ni tinhlayo leti rhekhodiweke u nga si tirhisa layini leyi.

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Mihandzu, timanga ni swakudya swa ndzhavuko

Pecan

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: nati leyi nga ni xikamba (nut in shell).

Xikombiso xa kotulo yo sungula: malembe ya 5. Ku tswala katsongo kwalomu ka lembe ra 5 eka nkongomiso wa KZN, eka tindhawu leti cheletiwaka leti nga ni ximumu xo hisa, xixika xo titimela ni ndzhongho lowutsongo hi nguva yo kula. Wu komba minkova yo oma ya milambu ya Zululand/Lowveld yi ri tindhawu leti faneleke ta xifundzha. Ndlela yo andzisa, muxaka ni vukhale bya ximilana enxaviselweni a swi vuriwanga; lexi i xikombiso xo angarhela lexi nga ni swipimelo, a hi nhlayo leyi languteriweke epurasini. Nkarhi wa xiviri wu titshege hi muxaka ni nhlayiso wa ndhawu.

Xikombiso xa vuhumelerisi bya leswi se swi kurile: malembe ya 12–13. Vuhumelerisi byo helela kwalomu ka lembe ra 12–13 eka nkongomiso wo angarhela wa KZN. Muxaka, ku andzisa, ku tala ka swimilana endhawini ni mafambiselo swi khumba vuhumelerisi bya xiviri; vukhale bya ku kula hi ku helela a byi endli girafu ya kg hi murhi hi lembe hi byoxe.

Vuhumelerisi bya nkongomiso wa pecan — masungulo ya hektara ya tinati leti omeke ti ri eswikambeni: Nkongomiso wu nyika 750 yo tivonela, mpimo wa le xikarhini wa 800–1,200 na 1,500+ ya xiyimo lexinene ya kg/ha ya tinati leti omeke ti ri eswikambeni (Dry-in-Shell). Wu xaxameta hi ku hambana tindlela ta mipfhuka ya mirhi ni ku hungutiwa ka mirhi endzhaku, kutani a ku ehleketeleriwi ntlimbano wun’we. Leti i mimpimo ya xikombiso ya hektara leti nga nyikiwiki vukhale; ntiko lowu katsaka xikamba a hi ntiko wa endzeni loku dyiwaka naswona a ku humesiwi girafu ya ntolovelo ya kg/tree.

Tirhisa mixaka leyi humesaka ni ku amukela mpova leyi fambisanaka. Tindhawu leti nga ni mpfula hi ximumu ti lava mixaka leyi lwisanaka ni vuvabyi bya scab; ku vupfa ka timanga hi ku hatlisa ntsena a swi tiyisisi ku fambisana eka mpova.

Switsundzuxo swo xava: Nxaxamelo wo koma wa SAPPA: KZN/Lowveld leyi nga ni ndzhongho wo tala — Ukulinga, Cape Fear, Choctaw; KZN leyi tsakamaka, leyi titimelaka swinene — Barton; Highveld leyi omeke ku tlurisa — Barton, Pawnee, Wichita; tindhawu to oma ta le vupeladyambu — Wichita, Choctaw, Western Schley. Ntlawa wa maxelo lowu kumbeteriweke wu ri woxe a wu koti ku hambanisa tindhawu leti hinkwato. Tiyisisa ndzhongho wa ndhawu, misava ni mixaka yimbirhi ya mpova u nga si xava.

Ku hundziseriwa ka pholeni: xi lava pholeni ya ximilana xin’wana lexi fambelanaka na xona. Kambela swilaveko swa muxaka lowu hlawuriweke ni ndhawu yo kurisa swimilana.

Nguva yo tshovela leyi languteriweke: a ku si tiyisisiwa nkarhi wun’we wa muxaka wa ndhawu. Tinguva ta swikombo leswi nga laha hansi a hi mvhumbo.

Xikombo ntsena — South Africa (hi ku angarhela — ndzhendzeleko wa nguva ya swimilana eka hafu ya misava ya le dzongeni; tindhawu letikulu i Vaalharts/Northern Cape, Lower Orange River): Nyku–Khot.

Xihlovo: SAPPA: Cultivar Recommendation by Production Area, p. 1 (retrieved 4 October 2026)

Xihlovo: Lötze, E., 'Literature Review: Factors influencing pollination of pecans for commercial production', published by SAPPA (South African Pecan Nut Producers' Association), p. 3

Xihlovo: Lötze, E., 'Literature Review: Factors influencing pollination of pecans for commercial production', published by SAPPA

Xihlovo: KZN DARD, Fruit and Nut Production in KZN, Pecan bearing age; printed p.22, p. 26

Xihlovo: KZN DARD, Fruit and Nut Production in KZN, Pecan yield; printed p.22, p. 26

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Mihandzu, timanga ni swakudya swa ndzhavuko (swi ya mahlweni)

Mango

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: mihandzu.

Xikombiso xa kotulo yo sungula: malembe ya 3–4. Swibyariwa swa mango leswi tlhomiweke eka nkongomiso wa KZN hi ntolovelo swi sungula ku tswala endzhaku ka malembe ya 3–4. Ndhawu leyi hlamuseriweke i ya vuhumelerisi bya tropical/subtropical byo kufumela leyi nga riki na gwitsi ni ndzhongho lowutsongo loko ku huma swiluva, ku katsa Zululand yo oma, Valley Bushveld ni Lowveld. Tsalwa ri hambanisa swibyariwa leswi tlhomiweke ni Peach/Sabre leyi kurisiweke hi mbewu; u nga tirhisi vukhale byebyo eka ximilana xa mbewu lexi nga rhekhodiwangiki kumbe u kumbetela kg ta lembe. Nkarhi wa xiviri wu titshege hi muxaka ni nhlayiso wa ndhawu.

Grafted mango establishment — regional guide: Grafted stock generally first bears around 3–4 years and may remain productive 20 years or longer under the guide conditions. Seed-raised trees are a separate planting-material case. Frost, wet spring flowering conditions, cultivar and field establishment must be checked; longevity is not an age-yield curve.

Kambela gwitsi, ku huma ka mati ni khombo ya mavabyi hi nkarhi wa swiluva. Ku khumbeka hi ku hisa ni ku hisiwa hi dyambu swa hambana hi mixaka.

Switsundzuxo swo xava: ARC yi katsa Tommy Atkins na Kent eka mixaka leyi tiyiselaka ku hisa/ku hisiwa hi dyambu ku antswa; Sensation na Keitt swi khumbeka ngopfu. Tiyisisa masiku ya ntshovelo ya ndhawu u nga si hlawula mixaka leyi landzelelanaka.

Nguva yo tshovela leyi languteriweke: a ku si tiyisisiwa nkarhi wun’we wa muxaka wa ndhawu. Tinguva ta swikombo leswi nga laha hansi a hi mvhumbo.

Xikombo ntsena — South Africa (hi ku angarhela; Limpopo + Mpumalanga = 96% ya ndhawu ya mimango ya SA): Huku–Nyku.

Xihlovo: ARC Climate-Smart Agriculture, module 6, printed pp. 239–242

Xihlovo: National Agricultural Marketing Council (NAMC), South African Fruit Trade Flow Report, Issue 56, December 2024 (citing FPEF 2024), p. 3

Xihlovo: KZN DARD, Fruit and Nut Production in KZN, Mango bearing age; printed p.16, p. 20

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Mihandzu, timanga ni swakudya swa ndzhavuko (swi ya mahlweni)

Purple granadilla

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: mihandzu.

Xikombiso xa kotulo yo sungula: tin’hweti ta 6–8. Xikombiso xa KZN: tin’hweti ta 6–8 endzhaku ko hundzisela swibyariwa, kwalomu ka malembe ya 0.5–0.67. Lowu i nkarhi wo ya eka kotulo yo sungula, a hi khalendara ya ku kha ya xifundzha. Nkarhi wa xiviri wu titshege hi muxaka ni nhlayiso wa ndhawu.

Xikombiso xa vuhumelerisi bya leswi se swi kurile: malembe ya 1.5. Nkongomiso wa KZN wu vula ku tswala hi ku helela ku nga si hela tin’hweti ta 18. Lexi i xikombiso xa mpimo wa le henhla wa nkarhi, a hi xitshembiso xa tikhilogiramu ta swakudya hi lembe.

Nyika swiseketelo swo khandziya ni ku thena; papalata misava leyi taleke mati naswona u kambela ku bola ka timitsu ni swiphiqo swa tivhayirasi.

Switsundzuxo swo xava: Purple granadilla i xikombo xa mihandzu leyintshwa xa KZN; mixaka ya xitshopana yi ni asidi yo tala naswona yi tirhisiwa eka juzi. Tiyisisa rihanyo ra swimilana ni nguva ya ndhawu.

Nguva yo tshovela leyi languteriweke: a ku si tiyisisiwa nkarhi wun’we wa muxaka wa ndhawu. Tinguva ta swikombo leswi nga laha hansi a hi mvhumbo.

Xikombo ntsena — KwaZulu-Natal (mintlawa ya Bioresource Groups 3 na 5, ndhawu ya le kusuhi ni tropiki leyi titimelaka): Khot–Maw, Huku–Sung.

Xihlovo: KZN DARD, Fruit and Nut Production, PDF pp. 14–15 (regional reference; confirm current nursery stock)

Xihlovo: KwaZulu-Natal Department of Agriculture and Rural Development, Horticultural Advisory Notes: Fruit and Nut Production (in KZN), p. 14

Wild medlar

Leswi nga kona: 1; leswi pulaniweke: 1. Swibveledzwa: Mihandzu leyi vupfeke, leyintshwa kumbe leyi omisiweke.

Nkarhi wa kotulo yo sungula: a wu kumekanga eka xihlovo; u nga titshegi hi swimilana leswi swa ha ku byariwaka leswaku u kuma swakudya hi ku hatlisa.

Wider fruiting observations, not a ripe picking interval: This account separately distinguishes green unripe and brown ripe fruit, but its November–April biology sentence does not date that ripening change. The wider interval remains southern African phenology. SANBI's January–April description of ripe edible fruit supplies the food-ready regional reference.

Tiyisisa swiyimo swa ku sungula ku kula endhawini u nga si tshemba xikombo xa ndhawu xa ku tswala mihandzu.

Switsundzuxo swo xava: Kombela swimilana leswi tswalaka mihandzu leswi faneleke endhawini; a ku na muxaka lowu nga ni vito lowu sekeriweke eka xihlovo.

Nguva yo tshovela leyi languteriweke: a ku si tiyisisiwa nkarhi wun’we wa muxaka wa ndhawu. Tinguva ta swikombo leswi nga laha hansi a hi mvhumbo.

Xikombo ntsena — South Africa (hi ku angarhela; ku hangalaka eSA ku nyikiwa ku ri Eastern Cape, Free State, Gauteng, KwaZulu-Natal, Limpopo, Mpumalanga, North West, Northern Cape): Sung–Dziv.

Xihlovo: SANBI PlantZAfrica: vangueria-infausta

Xihlovo: Vangueria infausta | PlantZAfrica (SANBI)

Xihlovo: Agroforestree Database 4.0 (Orwa et al. 2009), Vangueria infausta fact sheet, BIOLOGY section, p. 1

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.

SYNTHETIC GRAPH SOURCE {COUNT} $&

Swihlawuriwa swa purasi - swi ya mahlweni

Tirhisa leswi u swi voneke epurasini ni minxaxamelo yo koma ya ndzavisiso. Tiyisisa swihlawuriwa endhawini u nga si xava.

Tinxaka ta swibyariwa to kambela endhawini

Hlayisa vito ra muxaka lowu u wu hlawulaka hakunene. Minxaxamelo yo koma ya ndzavisiso yi lava ku tiyisisiwa eka nguva ya ndhawu, mati ni misava.

Tomatoes

Muxaka lowu rhekhodiweke: a wu si hlawuriwa.

Maxelo ya ndhawu leyi a ma si tiveka, kutani a ku vuriwi leswaku ku ni nxaxamelo wo koma wa ndhawu. Pfula khadi ra xibyariwa u vona swihlovo ni ku rhekhoda xihlawuriwa xa wena.

A yi si kamberiwa hi mutivi wa vurimi — i nkongomiso wo pulana, a hi xileriso. Yi kombe mutsundzuxi wa wena wa vurimi, kutani u kambela misava u nga si tirhisa mali eka yona.
Vuhundzuluxi bya xitsalwana: a byi si kambisisiwa hi munhu la tivaka ririmi kahle. Kambisisa xihlovo xa Xinghezi u nga si endla leswi vuriwaka.